


	WIDTH	DEPTH	HEIGHT
	"A"	"B"	"C"
CBL-181207-B-X	16.75	10.62	3.79
	[425]	[270]	[96]
CBL-181211-B-X	16.75	10.62	7.79
	[425]	[270]	[198]
CBL-181218-B-X	16.75	10.62	4.79
	[425]	[270]	[376]
CBL-24127-B-X	22.75	10.62	3.79
	[578]	[270]	[96]
CBL-241211-B-X	22.75	10.62	7.79
	[578]	[270]	[198]
CBL-241218-B-X	22.75	10.62	4.79
	[578]	[270]	[376]
CBL-301207-B-X	28.75	10.62	3.79
	[730]	[270]	[96]
CBL - 30   2     - B - X	28.75	0.62	7.79
	[730]	[270]	[198]
CBL-301218-B-X	28.75	10.62	4.79
	[730]	[270]	[376]





## CUSTOMER DRAWING

This drawing is the property of Rev-A-Shelf (RAS) and is disclosed in confidence to the extent its subject matter is original to RAS. Any vendor receiving this drawing from RAS shall hold and use this drawing for the sole benefit of RAS and shall not disclose it to, or use or reproduce it for any third party, or perform any act adverse to the interest of RAS with respect to this drawing without the express written permission of RAS. Vendors shall not revise any physical, dimensional or performance characteristic unless authorized by Rev-A-Shelf Engineering.

				INCH	AMERICAN PROJECTION	DRAWN	<b>BY</b> KRR	DATE 5 - 7 - 2		REV-A-SHE	IF, inc.
				[MM]			10000	0 1 21	SIZE	12" DEEP CLO	TH LINERS
					TOLERANCES DEC. D) .XX ±.03 [.8mm]	ANGLES ] ±1/2°	MATE	RIAL	DRA (	wing no. BL - XX   2 X X - B - X	SCALE   . () () ()
REV.	DATE	BY	DESCRIPTION OF CHANGE	(OTHE) (ALL)	R).XX ±.02 [.5mm (XX ±.005 [.13 mm IONS ±1/32 [.8 mn	] i]	FINISI	1	PAR	tno. SEE CHART	SHEET OF