


Decorite®

Value for the American Home



Advanced Affiliates, Inc.
96-12 43rd Avenue • Corona, NY 11368
Tel 718-335-3566 • Fax 718-565-1444 • www.decorite.com



DECORITE HARDWARE - ABOUT Us

Traditional precepts of quality and service are sometimes overlooked in this highly technological age. Old time values of craftsmanship and attention to our costumers' needs are attributes we apply to our conduct of business here at Decorite. For over 50 years we have consistently delivered to you, our valued customer, a product which is high in quality and above all value. This new catalog illustrates our efforts to bring you variety and style, from contemporary to traditional. We look forward to serving you.

Working with an experienced group of independent distributors located throughout the United States our products are available for immediate shipment.

Please telephone us for the name of your local distributor.



1-800-FOR-HDWE (367-4393)



PULL NO. 3930-SN
128MM C/C, 5⁵/₈" O/A




KNOB NO. 3910-SN
1¹/₄" Ø



PULL NO. 3930-PC
128MM C/C, 5⁵/₈" O/A



KNOB NO. 3910-PC
1¹/₄" Ø



PULL NO. 3930-WEN
128MM C/C, 5⁵/₈" O/A



KNOB NO. 3910-WEN
1¹/₄" Ø



PULL NO. 3930-OB
128MM C/C, 5⁵/₈" O/A



KNOB NO. 3910-OB
1¹/₄" Ø



PULL NO. 80128-OB
128MM C/C, 6 1/8" O/A



KNOB NO. 8008-OB
1 3/8" Ø



PULL NO. 80128-SN
128MM C/C, 6 1/8" O/A



KNOB NO. 8008-SN
1 3/8" Ø



PULL NO. 80096-SN
96MM C/C, 5 1/8" O/A



PULL NO. 80096-OB
96MM C/C, 5 1/8" O/A



PULL NO. 1815-SN
128MM C/C, 5 3/4" O/A



PULL NO. 1815-SI
128MM C/C, 5 3/4" O/A




PULL NO. 1815-OB
128MM C/C, 5 3/4" O/A



PULL NO. 1814-OB
96MM C/C, 4 $\frac{1}{8}$ " O/A



KNOB NO. 6144-OB
1 $\frac{1}{4}$ " Ø



PULL NO. 1814-SN
96MM C/C, 4 $\frac{1}{8}$ " O/A



KNOB NO. 6144-SN
1 $\frac{1}{4}$ " Ø



PULL NO. 8596-OB
96MM C/C, 4 $\frac{3}{4}$ " O/A




PULL NO. 6096-OB
96MM C/C, 4 $\frac{3}{8}$ " O/A



PULL NO. 6096-SN
96MM C/C, 4 $\frac{3}{8}$ " O/A



KNOB NO. 064-SN
1 1/8" Ø



PULL NO. 1021-SN
128MM C/C, 6 1/8" O/A



PULL NO. 8396-SN
96MM C/C, 4 1/4" O/A



PULL NO. 246-SN
3" C/C, 3 3/4" O/A



KNOB NO. 3910-SN
1 1/4" Ø




PULL NO. 426-SN
96MM C/C, 4 1/8" O/A



PULL NO. 245-SN
96MM C/C, 4 7/8" O/A



PULL NO. 490-WEN
96MM C/C, 5¼" O/A



PULL NO. 3920-WEN
128MM C/C, 5⅝" O/A



KNOB NO. 406-WEN
1⅞" Ø



PULL NO. 490-OB
96MM C/C, 5¼" O/A




PULL NO. 3920-OB
128MM C/C, 5⅝" O/A



KNOB NO. 406-OB
1⅞" Ø



PULL NO. 490-SN
96MM C/C, 5¼" O/A




PULL NO. 3920-SN
128MM C/C, 5⅝" O/A




KNOB NO. 406-SN
1⅞" Ø



PULL NO. 324-OB
96MM C/C, 5" O/A



KNOB NO. 322-OB
1½" Ø



PULL NO. 324-SN
96MM C/C, 5" O/A

KNOB NO. 322-SN
1½" Ø



PULL NO. 8796-WEN
96MM C/C, 4½" O/A



PULL NO. 8796-SN
96MM C/C, 4½" O/A



PULL NO. 8796-OB
96MM C/C, 4½" O/A



PULL NO. 8154-OB
96MM C/C, 5" O/A



PULL NO. 8153-OB
96MM C/C, 5" O/A



PULL NO. 8154-SN
96MM C/C, 5" O/A



PULL NO. 8153-SN
96MM C/C, 5" O/A




PULL NO. 8154-WEN
96MM C/C, 5" O/A



PULL NO. 8153-WEN
96MM C/C, 5" O/A



PULL NO. 8096-MB
96MM C/C, 4½" O/A



PULL NO. 8128-MB
128MM C/C, 5¾" O/A



PULL NO. 8096-OB
96MM C/C, 4½" O/A



PULL NO. 8128-OB
128MM C/C, 5¾" O/A



PULL NO. 8096-SN
96MM C/C, 4½" O/A



PULL NO. 8128-SN
128MM C/C, 5¾" O/A



PULL NO. 8096-WEN
96MM C/C, 4½" O/A



PULL NO. 8128-WEN
128MM C/C, 5¾" O/A

PULL NO. 448-SN
128MM C/C, 6" O/A



PULL NO. 448-WEN
128MM C/C, 6" O/A



PULL NO. 448-OB
128MM C/C, 6" O/A



PULL NO. 6308-SN
128MM C/C, 5 $\frac{9}{16}$ " O/A



PULL NO. 6308-WEN
128MM C/C, 5 $\frac{9}{16}$ " O/A



PULL NO. 6308-OB
128MM C/C, 5 $\frac{9}{16}$ " O/A





PULL NO. 1858-SN
96MM C/C, 4½" O/A



KNOB NO. 1859-SN
1½" Ø



PULL NO. 1858-WEN
96MM C/C, 4½" O/A



KNOB NO. 1859-WEN
1½" Ø



PULL NO. 1858-OB
96MM C/C, 4½" O/A



KNOB NO. 1859-OB
1½" Ø

PULL NO. 6718R-EN
128MM C/C, 5³/₄" O/A



PULL NO. 6818R-EN
128MM C/C, 5⁵/₈" O/A



HAND POLISHED ENGLISH NICKEL

PULL NO. 6302-EN
96MM C/C, 4¹/₃" O/A



KNOB NO. 6321-EN
1¹/₃" Ø



KNOB NO. 6102-EN
1¹/₄" Ø KNOB NO



KNOB NO. 6971-EN
1¹/₄" Ø



ENGLISH NICKEL



PULL NO. 450-EN
3" C/C, 3½" O/A




KNOB NO. 460-EN
1¼" Ø



PULL NO. 6114-EN
3" C/C, 3¾" O/A



KNOB NO. 3910-EN
1¼" Ø



PULL NO. 953-EN
3" C/C, 3½" O/A



KNOB NO. 3912-EN
1½" Ø



PULL NO. 3063-SI
3" C/C, 4¾" O/A



KNOB NO.
3062-SI
1¼" Ø



KNOB NO. 3062-
OB
1¼" Ø

PULL NO. 3063-OB
3" C/C, 4¾" O/A



PULL NO. 3063-AC
3"C/C, 4¾" O/A



KNOB NO.
3062-AC
1¼" Ø



KNOB NO.
3062-SN
1¼" Ø

PULL NO. 3063-SN
3" C/C, 4¾" O/A



WIRE PULLS



Now available in Oil Rubbed Bronze (OB)




PULL NO. 1612-SN
3" C/C, 4½" O/A



KNOB NO. 1610-SN
1⅝" Ø



KNOB NO. 1610-OB
1⅝" Ø



PULL NO. 1612-OB
3" C/C, 4½" O/A



PULL NO. 1612-MB
3" C/C, 4½" O/A



KNOB NO. 1610-MB
1⅝" Ø

D CIMARRON



KNOB NO. 9666-SN
1 1/2" Ø



KNOB NO. 779-OB
1 3/4" Ø



KNOB NO. 779-SN
1 3/4" Ø



PULL NO. 9667-SN
3" C/C, 5 1/4" O/A



KNOB NO. 9666-WEN
1 1/2" Ø



PULL NO. 9667-WEN
3" C/C, 5 1/4" O/A



KNOB NO. 778-OB
1 1/2" Ø




KNOB NO. 9666-OB
1 1/2" Ø



KNOB NO. 778-SN
1 1/2" Ø



PULL NO. 9667-OB
3" C/C, 5 1/4" O/A



PULL NO. 6818R-SN
128MM C/C, 5⁵/₈" O/A



KNOB NO. 6971-SN
1¹/₄" Ø



PULL NO. 6818R-WEN
128MM C/C, 5⁵/₈" O/A



KNOB NO. 6971-WEN
1¹/₄" Ø



PULL NO. 6818R-OB
128MM C/C, 5⁵/₈" O/A



KNOB NO. 6971-OB
1¹/₄" Ø



KNOB NO. 3910-SN
1 1/4" Ø



PULL NO. 705-SN
3" C/C, 5 1/4" O/A



KNOB NO. 3910-WEN
1 1/4" Ø



PULL NO. 705-WEN
3" C/C, 5 1/4" O/A



KNOB NO. 3910-OB
1 1/4" Ø



PULL NO. 705-OB
3" C/C, 5 1/4" O/A



PULL NO. 444-OB
3" C/C, 3 3/4" O/A




KNOB NO. 445-OB
1 1/8" Ø



PULL NO. 444-WEN
3" C/C, 3 3/4" O/A



KNOB NO. 445-WEN
1 1/8" Ø



PULL NO. 444-SN
3" C/C, 3 3/4" O/A



KNOB NO. 445-SN
1 1/8" Ø



PULL NO. 7007-SN
3" C/C, 4 1/2" O/A



PULL NO. 7007-WEN
3" C/C, 4 1/2" O/A

PULL NO. 7007-OB
3" C/C, 4 1/2" O/A




FRENCH KNOTS



PULL NO. 85-SI
3" C/C



PULL NO. 85-MB
3" C/C



KNOB NO.
84-SI
1 1/2" Ø



KNOB NO.
84-MB
1 1/2" Ø



PULL NO. 87-SI
3" C/C



PULL NO. 87-MB
3" C/C



KNOB NO.
86-SI
1" X 2"



KNOB NO.
86-MB
1" X 2"



PULL NO. 85-SN
3" C/C




PULL NO. 85-AC
3" C/C



KNOB NO.
84-SN
1 1/2" Ø



KNOB NO.
84-AC
1 1/2" Ø



PULL NO. 87-SN
3" C/C



PULL NO. 87-AC
3" C/C



KNOB NO. 86-SN
1" X 2"



KNOB NO. 86-AC
1" X 2"

PULL NO. 561-MB
128MM C/C, 6" O/A



KNOB NO. 562-MB
1 3/8" Ø



KNOB NO. 562-AI
1 3/8" Ø



PULL NO. 561-AI
128MM C/C, 6" O/A



KNOB NO. 562-SN
1 3/8" Ø



KNOB NO. 562-AC
1 3/8" Ø



PULL NO. 561-AC
128MM C/C, 6" O/A



PULL NO. 561-SN
128MM C/C, 6" O/A





MODERN TWIST



PULL NO. 555-SN
128MM C/C, 7½" O/A



KNOB NO. 556-SN
2½"

KNOB NO. 556-SI
2½"



PULL NO. 555-SI
128MM C/C, 7½" O/A



PULL NO. 555-MB
128MM C/C, 7½" O/A

KNOB NO. 556-AC
2½"



KNOB NO. 556-MB
2½"



PULL NO. 555-AC
128MM C/C, 7½" O/A

KNOB NO. 7200-MB
2½" O/A



PULL NO. 7269-MB
96MM C/C, 6¼" O/A

KNOB NO. 7200-AE
2½" O/A



PULL NO. 7269-AE
96MM C/C, 6¼" O/A

KNOB NO. 7200-AC
2½" O/A



PULL NO. 7269-AC
96MM C/C, 6¼" O/A

KNOB NO. 7200-SI
2½" O/A



PULL NO. 7269-SI
96MM C/C, 6¼" O/A



FRUIT OF THE VINE

KNOB NO. 6899-OB
1 1/4" Ø



KNOB NO. 6899-SN
1 1/4" Ø



PULL NO. 6890-OB
3" C/C, 5 3/4" O/A



KNOB NO. 6899-AC
1 1/4" Ø



PULL NO. 6890-SN
3" C/C, 5 3/4" O/A



KNOB NO. 6899-SI
1 1/4" Ø



PULL NO. 6890-AC
3" C/C, 5 3/4" O/A



PULL NO. 6890-SI
3" C/C, 5 3/4" O/A





PULL NO. 6465-OB
3" C/C, 5³/₄" O/A



KNOB NO.
6464R-OB
1¹/₄" Ø

PULL NO. 6465-AC
3" C/C, 5³/₄" O/A



PULL NO. 6465-WEN
3" C/C, 5³/₄" O/A



KNOB NO.
6464R-WEN
1¹/₄" Ø

PULL NO. 6465-SN
3" C/C, 5³/₄" O/A



PULL NO. 6465-AE
3" C/C, 5³/₄" O/A



KNOB NO.
6464R-AE
1¹/₄" Ø



KNOB NO.
6464R-AC
1¹/₄" Ø



KNOB NO.
6464R-SN
1¹/₄" Ø

PULL NO. 6465-SI
3" C/C, 5³/₄" O/A



KNOB NO.
6464R-SI
1¹/₄" Ø



HUMAN NATURE!



KNOB NO. 6464R-AE
1 1/4" Ø



KNOB NO. 6464R-PB
1 1/4" Ø



KNOB NO. 6464R-SI
1 1/4" Ø



KNOB NO. 6464R-SN
1 1/4" Ø



PULL NO. 734-PB
3" C/C, 5" O/A



PULL NO. 734-AE
3" C/C, 5" O/A



PULL NO. 734-SI
3" C/C, 5" O/A

PULL NO. 734-SN
3" C/C, 5" O/A



PULL NO. 77-SN
3" C/C, 5" O/A



KNOB NO. 78-OB
1 1/4" Ø



KNOB NO. 78-SN
1 1/4" Ø




PULL NO. 77-OB
3" C/C, 5" O/A



PULL NO. 77-MB
3" C/C, 5" O/A



KNOB NO. 78-MB
1 1/4" Ø




PULL NO. 77-WEN
3" C/C, 5" O/A




KNOB NO. 78-WEN
1 1/4" Ø




COUNTRY FRENCH




PULL NO. 410-WEN
3" C/C, 3½" O/A



PULL NO. 420-WEN
3" C/C, 3½" O/A



PULL NO. 410-OB
3" C/C, 3½" O/A



PULL NO. 420-OB
3" C/C, 3½" O/A



PULL NO. 410-SI
3" C/C, 3½" O/A



PULL NO. 420-SI
3" C/C, 3½" O/A



PULL NO. 410-AC
3" C/C, 3½" O/A



PULL NO. 420-AC
3" C/C, 3½" O/A



PULL NO. 410-AE
3" C/C, 3½" O/A



PULL NO. 420-AE
3" C/C, 3½" O/A



PULL NO. 410-SN
3" C/C, 3½" O/A



PULL NO. 420-SN
3" C/C, 3½" O/A

KNOB NO. 6618R-AC
2⁵/₈" O/A



PULL NO. 6718R-AC
128MM C/C, 5³/₄" O/A



KNOB NO. 6618R-SN
2⁵/₈" O/A



PULL NO. 6718R-SN
128MM C/C, 5³/₄" O/A



KNOB NO. 6618R-OB
2⁵/₈" O/A



PULL NO. 6718R-OB
128MM C/C, 5³/₄" O/A



KNOB NO. 6618R-SI
2⁵/₈" O/A



PULL NO. 6718R-SI
128MM C/C, 5³/₄" O/A



KNOB NO. 6618R-WEN
2⁵/₈" O/A

PULL NO. 6718R-WEN
128MM C/C, 5³/₄" O/A



D[★] PROVINCIAL




PULL NO. 750-SI
168MM C/C, 7½" O/A



KNOB NO. 749-SI
2¼"



PULL NO. 750-MB
168MM C/C, 7½" O/A



PULL NO. 750-SN
168MM C/C, 7½" O/A



KNOB NO. 749-SN
2¼"



KNOB NO. 749-MB
2¼"



PULL NO. 96128-SN
128MM C/C, 5⁵/₈" O/A



KNOB NO. 480-SN
1¹/₄" Ø



PULL NO. 96128-WEN
128MM C/C, 5⁵/₈" O/A



KNOB NO. 480-WEN
1¹/₄" Ø



PULL NO. 96128-OB
128MM C/C, 5⁵/₈" O/A



KNOB NO. 480-OB
1¹/₄" Ø


D Bow Pulls



PULL NO. 2030-SS
3" C/C, 3⁵/₈" O/A



PULL NO. 2096-SS
96MM C/C, 4⁵/₈" O/A



PULL NO. 2128-SS
128MM C/C, 5⁵/₈" O/A



PULL NO. 2192-SS
192MM C/C, 8¹/₄" O/A



KNOB NO. 7048-SS
48MM Ø

OIL RUBBED BRONZE



PULL NO. 7030-OB
3" C/C. 5³/₄" O/A



PULL NO. 7031-OB
3" C/C. 6³/₄" O/A



PULL NO. 7096-OB
96MM C/C. 6³/₄" O/A



PULL NO. 7032-OB
3" C/C. 7³/₄" O/A



PULL NO. 7128-OB
128MM C/C. 7³/₄" O/A



PULL NO. 7033-OB
3" C/C. 8³/₄" O/A



PULL NO. 7060-OB
6" C/C. 8³/₄" O/A




PULL NO. 7034-OB
3" C/C. 9³/₄" O/A



SATIN COPPER




PULL NO. 7060-SCOP
6" C/C, 8³/₄" O/A




PULL NO. 7128-SCOP
128MM C/C, 7³/₄" O/A



PULL NO. 7096-SCOP
96MM C/C, 6³/₄" O/A



PULL NO. 7030-SCOP
3" C/C, 5³/₄" O/A



PULL NO. 7060-SB
6" C/C, 8 $\frac{3}{4}$ " O/A

PULL NO. 7128-SB
128MM C/C, 7 $\frac{3}{4}$ " O/A

PULL NO. 7096-SB
96MM C/C, 6 $\frac{3}{4}$ " O/A

PULL NO. 7030-SB
3" C/C, 5 $\frac{3}{4}$ " O/A

DIAMOND CUT[®]



PULL NO. 5030-PC
3" C/C. 5³/₄" O/A



PULL NO. 5096-PC
96MM C/C. 6³/₄" O/A



PULL NO. 5128-PC
128MM C/C. 7³/₄" O/A



PULL NO. 7030-SS
3" C/C. 5³/₄" O/A



PULL NO. 7031-SS
3" C/C. 6³/₄" O/A



PULL NO. 7096-SS
96MM C/C. 6³/₄" O/A



PULL NO. 7032-SS
3" C/C. 7³/₄" O/A



PULL NO. 7128-SS
128MM C/C. 7³/₄" O/A



PULL NO. 7033-SS
3" C/C. 8³/₄" O/A



PULL NO. 7060-SS
6" C/C. 8³/₄" O/A



PULL NO. 7034-SS
3" C/C. 9³/₄" O/A


PULL NO. 5619-SN/N
96MM C/C, 4½" O/A



PULL NO. 5603-SN/N
96MM C/C, 4⅞" O/A




PULL NO. 5635-SN/N
96MM C/C, 4¾" O/A




KNOB NO. 6624-SN
1" Ø



PULL NO. 6622-SN
96MM C/C, 4¼" O/A



KNOB NO. 6625-SN
1" Ø



PULL NO. 557-SN
128MM C/C, 5½" O/A





KNOB NO. 5045-SN
1 3/8" Ø



PULL NO. 5046-SN
96MM C/C, 5 1/4" O/A



KNOB NO. 345-SN
1 1/4" Ø



PULL NO. 5112-SN
96MM C/C, 5 1/4" O/A



KNOB NO. 6144-SN
1 1/4" Ø




PULL NO. 559-SN
96MM C/C, 4 1/2" O/A



KNOB NO. 5042-SN
1 1/4" Ø



KNOB NO. 5682-SN
3/4" X 2 1/2"




PULL NO.
 16030-STs 3" C/C
 16096-STs 96MM C/C
 16128-STs 128MM C/C
 16224-STs 224MM C/C
 16144-STs 12" C/C




PULL NO. 504-DN
 128MM C/C, 155MM O/A



PULL NO.
 15030-STs 3" C/C
 15096-STs 96MM C/C
 15128-STs 128MM C/C
 15224-STs 224MM C/C
 15144-STs 12" C/C




PULL NO.
 731-SN 96MM C/C, 136MM O/A
 731-128-SN 128MM C/C, 162MM O/A



PULL NO. 3128-SN
 128MM C/C, 139MM O/A
 PC finish also available



PULL NO. 3160-PC
 160MM C/C, 170MM O/A
 SN finish also available



PULL NO. 886-SN
96MM C/C, 5" O/A



KNOB NO. 884-SN
1" X 1 1/4"



PULL NO. 885-SN
3" C/C, 4" O/A



PULL NO. 886-OB
96MM C/C, 5" O/A



KNOB NO. 884-OB
1" X 1 1/4"



PULL NO. 885-OB
3" C/C, 4" O/A



PULL NO. 885-MB
3" C/C, 4" O/A




KNOB NO. 884-MB
1" X 1 1/4"



HAMMER CRAFT


PULL NO. 7417-AC
96MM C/C, 5½" O/A



KNOB NO. 7317-AC
1⅞" Ø




PULL NO. 7417-SI
96MM C/C, 5½" O/A



KNOB NO. 7317-SI
1⅞" Ø



KNOB NO. 7317-AE
1⅞" Ø



PULL NO. 7417-AE
96MM C/C, 5½" O/A



KNOB NO. 7317-MB
1⅞" Ø



PULL NO. 7417-MB
96MM C/C, 5½" O/A





KNOB NO. 460-SI
1 1/4" Ø




PULL NO. 450-SI
3" C/C, 3 1/2" O/A



PULL NO. 450-OB
3" C/C, 3 1/2" O/A



KNOB NO. 460-OB
1 1/4" Ø



PULL NO. 450-SN
3" C/C, 3 1/2" O/A



KNOB NO. 460-SN
1 1/4" Ø



KNOB NO. 460-WEN
1 1/4" Ø



PULL NO. 450-WEN
3" C/C, 3 1/2" O/A



PULL NO. 450-AE
3" C/C, 3 1/2" O/A



KNOB NO. 460-AE
1 1/4" Ø




VALUE LINE



PULL NO. 3131-SN
3" C/C, 5½" O/A




PULL NO. 3131-OB
3" C/C, 5½" O/A



PULL NO. 3131-SI
3" C/C, 5½" O/A



PULL NO. 3131-AC
3" C/C, 5½" O/A



PULL NO. 3131-AE
3" C/C, 5½" O/A




PULL NO. 3131-WEN
3" C/C, 5½" O/A



PULL NO. 3131-PB
3" C/C, 5½" O/A




PULL NO. 6765-SN
3" C/C, 5" O/A



PULL NO. 6760-SN
96MM C/C, 5" O/A




PULL NO. 6765-OB
3" C/C, 5" O/A



PULL NO. 6760-OB
96MM C/C, 5" O/A




PULL NO. 6765-SI
3" C/C, 5" O/A



PULL NO. 6760-SI
96MM C/C, 5" O/A




PULL NO. 6765-AC
3" C/C, 5" O/A




PULL NO. 6760-AC
96MM C/C, 5" O/A




PULL NO. 6765-AE
3" C/C, 5" O/A



PULL NO. 6760-AE
96MM C/C, 5" O/A



PULL NO. 6765-WEN
3" C/C, 5" O/A



PULL NO. 6760-WEN
96MM C/C, 5" O/A



PULL NO. 6114-PB
3" C/C, 3¾" O/A



KNOB NO. 6102-PB
1¼" Ø



PULL NO. 6114-AE
3" C/C, 3¾" O/A




KNOB NO. 6102-AE
1¼" Ø



PULL NO. 6114-WEN
3" C/C, 3¾" O/A



PULL NO. 6114-OB
3" C/C, 3¾" O/A



PULL NO. 6114-AC
3" C/C, 3¾" O/A



PULL NO. 6114-SI
3" C/C, 3¾" O/A



KNOB NO. 6102-WEN
1¼" Ø



PULL NO. 6114-SN
3" C/C, 3¾" O/A

**NOW AVAILABLE
IN 96MM C/C
PULL NO. 6114-96"**



KNOB NO. 6102-OB
1 1/4" Ø



KNOB NO. 6102-AC
1 1/4" Ø



PULL NO. 6116-PB
3" C/C, 3 3/8" O/A



PULL NO. 6116-AE
3" C/C, 3 3/8" O/A



PULL NO. 6116-WEN
3" C/C, 3 3/8" O/A



PULL NO. 6116-OB
3" C/C, 3 3/8" O/A



PULL NO. 6116-AC
3" C/C, 3 3/8" O/A



PULL NO. 6116-SI
3" C/C, 3 3/8" O/A



PULL NO. 6116-SN
3" C/C, 3 3/8" O/A



KNOB NO. 6102-SI
1 1/4" Ø



KNOB NO. 6102-SN
1 1/4" Ø



PULL NO. 6954R-SN
3" C/C, 5¾" O/A



PULL NO. 6954R-AE
3" C/C, 5¾" O/A



KNOB NO. 6971-AE
1¼" Ø




KNOB NO. 6971-SN
1¼" Ø



KNOB NO. 6971-MB
1¼" Ø



PULL NO. 6954R-MB
3" C/C, 5¾" O/A




PULL NO. 6954R-WEN
3" C/C, 5¾" O/A



KNOB NO. 6971-WEN
1¼" Ø



KNOB NO. 6971-PB
1 1/4" Ø



PULL NO. 6954R-PB
3" C/C, 5 3/4" O/A




PULL NO. 6954R-AC
3" C/C, 5 3/4" O/A



KNOB NO. 6971-AC
1 1/4" Ø



KNOB NO. 6971-OB
1 1/4" Ø



PULL NO. 6954R-OB
3" C/C, 5 3/4" O/A



KNOB NO. 6971-SI
1 1/4" Ø



PULL NO. 6954R-SI
3" C/C, 5 3/4" O/A




VALUE LINE




PULL NO. 433-OB
3" C/C, 5" O/A



KNOB NO. 585-OB
1 1/4" Ø



PULL NO. 433-AC
3" C/C, 5" O/A




PULL NO. 433-WEN
3" C/C, 5" O/A



PULL NO. 433-SI
3" C/C, 5" O/A



KNOB NO. 585-PB
1 1/4" Ø




PULL NO. 433-SN
3" C/C, 5" O/A



KNOB NO. 585-AC
1 1/4" Ø




PULL NO. 433-SP
3" C/C, 5" O/A



PULL NO. 433-PB
3" C/C, 5" O/A




KNOB NO. 585-AE
1 1/4" Ø




PULL NO. 433-AE
3" C/C, 5" O/A




KNOB NO. 585-WEN
1 1/4" Ø




PULL NO. 6185-OB
3" C/C, 5" O/A



PULL NO. 6185-AC
3" C/C, 5" O/A



PULL NO. 6185-WEN
3" C/C, 5" O/A



PULL NO. 6185-SI
3" C/C, 5" O/A



KNOB NO. 585-SI
1 1/4" Ø



KNOB NO. 585-SN
1 1/4" Ø



PULL NO. 6185-SN
3" C/C, 5" O/A



PULL NO. 6185-SP
3" C/C, 5" O/A



PULL NO. 6185-PB
3" C/C, 5" O/A



PULL NO. 6185-AE
3" C/C, 5" O/A



KNOB NO. 585-SP
1 1/4" Ø


KNOB NO. 480-OB
1 1/4" Ø



KNOB NO. 480-SN
1 1/4" Ø



PULL NO. 470-OB
3" C/C, 3 1/2" O/A



PULL NO. 470-SN
3" C/C, 3 1/2" O/A



KNOB NO. 480-SI
1 1/4" Ø



KNOB NO. 480-AE
1 1/4" Ø



PULL NO. 470-SI
3" C/C, 3 1/2" O/A



KNOB NO. 480-WEN
1 1/4" Ø



PULL NO. 470-AE
3" C/C, 3 1/2" O/A



PULL NO. 470-WEN
3" C/C, 3 1/2" O/A





KNOB NO. 6144-SN
1 1/4" Ø



PULL NO. 6184-SN
3" C/C, 5 3/4" O/A



PULL NO. 6184-AE
3" C/C, 5 3/4" O/A



KNOB NO. 6144-AE
1 1/4" Ø



KNOB NO. 6144-OB
1 1/4" Ø



PULL NO. 6184-OB
3" C/C, 5 3/4" O/A



PULL NO. 6184-WEN
3" C/C, 5 3/4" O/A



KNOB NO. 6144-WEN
1 1/4" Ø



KNOB NO. 6144-AC
1 1/4" Ø



PULL NO. 6184-AC
3" C/C, 5 3/4" O/A



PULL NO. 6184-SI
3" C/C, 5 3/4" O/A



KNOB NO. 6144-SI
1 1/4" Ø

KNOB NO.
3910-SC
1 1/4" Ø



SOLID BRASS
KNOB NO. 395-PC
1 1/4" Ø



SOLID BRASS
KNOB NO. 395-SC
1 1/4" Ø



KNOB NO.
3910-PC
1 1/4" Ø



KNOB NO.
3910-BN
1 1/4" Ø



SOLID BRASS
KNOB NO. 395-BN
1 1/4" Ø



SOLID BRASS
KNOB NO. 395-PB
1 1/4" Ø



KNOB NO.
3910-PB
1 1/4" C/C



SOLID BRASS
KNOB NO. 395-SN
1 1/4" Ø




KNOB NO.
3910-SN
1 1/4" Ø






KNOB NO. 391-SN
1 1/4" Ø



PULL NO. 3308-SN
3" C/C, 4 1/2" O/A



PULL NO. 3308-AE
3" C/C, 4 1/2" O/A




KNOB NO. 391-AE
1 1/4" Ø



KNOB NO. 391-OB
1 1/4" Ø



PULL NO. 3308-OB
3" C/C, 4 1/2" O/A




PULL NO. 3308-WEN
3" C/C, 4 1/2" O/A




KNOB NO. 391-WEN
1 1/4" Ø



KNOB NO. 391-AC
1 1/4" Ø



PULL NO. 3308-AC
3" C/C, 4 1/2" O/A



PULL NO. 3308-SI
3" C/C, 4 1/2" O/A



KNOB NO. 391-SI
1 1/4" Ø

D *CUPP PULLS*

PULL NO. 8244-SN
3" C/C, 5" O/A

PULL NO. 8255-AE
3" C/C, 4 1/4" O/A

PULL NO. 8244-AE
3" C/C, 5" O/A

PULL NO. 8255-PB
3" C/C, 4 1/4" O/A

PULL NO. 8244-PB
3" C/C, 5" O/A

PULL NO. 8255-SN
3" C/C, 4 1/4" O/A

KNOB NO.
3307-AE
1 1/4" Ø

KNOB NO.
3307-SN
1 1/4" Ø

KNOB NO.
3307-PB
1 1/4" Ø

PULL NO. 8233-PB
3" C/C, 5" O/A

PULL NO. 8233-SN
3" C/C, 5" O/A

PULL NO. 8233-AE
3" C/C, 5" O/A

NEW ECONOMY VERSION
SEE PAGE 4
PULL NO. 246-SN



PULL NO. 953-AE
3" C/C, 3½" O/A



KNOB NO. 6117R-AE
1¼" Ø



PULL NO. 953-WEN
3" C/C, 3½" O/A



KNOB NO. 6117R-WEN
1¼" Ø



PULL NO. 953-OB
3" C/C, 3½" O/A



KNOB NO. 6117R-OB
1¼" Ø



PULL NO. 953-SN
3" C/C, 3½" O/A



KNOB NO. 6117R-SN
1¼" Ø



PULL NO. 953-SI
3" C/C, 3½" O/A



KNOB NO. 6117R-SI
1¼" Ø



Twist & Shout



**KNOB NO.
6102-SN
1 1/4" Ø**



**PULL NO. 6327-SN
3" C/C, 4 3/4" O/A**



**KNOB NO.
6102-AE
1 1/4" Ø**



**PULL NO. 6327-AE
3" C/C, 4 3/4" O/A**




**KNOB NO.
6102-OB
1 1/4" Ø**



**PULL NO. 6327-OB
3" C/C, 4 3/4" O/A**



**KNOB NO.
6102-AC
1 1/4" Ø**



**PULL NO. 6327-SI
3" C/C, 4 3/4" O/A**



**KNOB NO.
6102-SI
1 1/4" Ø**



**PULL NO. 6327-AC
3" C/C, 4 3/4" O/A**



**PULL NO. 6327-WEN
3" C/C, 4 3/4" O/A**



**KNOB NO.
6102-WEN
1 1/4" Ø**

PULL NO. 7296-AC
96MM C/C, 4" O/A



PULL NO. 7296-MB
96MM C/C, 4" O/A




PULL NO. 7230-AC
3" C/C, 3 1/4" O/A



PULL NO. 7230-MB
3" C/C, 3 1/4" O/A



PULL NO. 7296-SI
96MM C/C, 4" O/A



PULL NO. 7296-AE
96MM C/C, 4" O/A



PULL NO. 7230-SI
3" C/C, 3 1/4" O/A



PULL NO. 7230-AE
3" C/C, 3 1/4" O/A





KNOB NO. 58-AC
1 1/2"



PULL NO. 558-AC
96MM C/C, 6" O/A




KNOB NO. 58-MB
1 1/2"



PULL NO. 558-MB
96MM C/C, 6" O/A



KNOB NO. 58-SI
1 1/2"




PULL NO. 558-SI
96MM C/C, 6" O/A



PULL NO. 8896-SI
3" C/C, 5¼" O/A



PULL NO. 8896-OB
3" C/C, 5¼" O/A



PULL NO. 8896-SN
3" C/C, 5¼" O/A



PULL NO. 8896-AE
3" C/C, 5¼" O/A



PULL NO. 8896-AC
3" C/C, 5¼" O/A




PULL NO. 8896-WEN
3" C/C, 5¼" O/A



PULL NO. 800-ABM
128MM C/C, 7" O/A



AVAILABLE UNFINISHED IN BIRCH - (B), OR LINDEN - (L)



KNOB NO. 1-W18
1½" Ø



KNOB NO. 1-W26
1½" Ø



KNOB NO. 1-W22
1½" Ø



KNOB NO. 1-W14
1½" Ø



KNOB NO. 150L
1⅜" Ø



LINDEN

PULL NO. 1-W24
3" C/C, 7" O/A



BIRCH

PULL NO. 1-W16
3" C/C, 7" O/A



LINDEN

PULL NO. 1-W12
3" C/C, 7" O/A



BIRCH

PULL NO. 1-W20
3" C/C, 7" O/A

- All items ⅝" - Steel Inserts
- All pulls 3" Center to Center



NO. 1-WL3-RW
ROPE LEG
3½" X 3½" X 35¼" H



NO. 1-WL2-RW
REED LEG
3½" X 3½" X 35¼" H



NO. 1-WP55-RW
4.2" W X 4.2" D X 2.52" H
WITH MACHINE SCREW FOR
MOUNTING ON TOP



NO. 1-WP44-RW
4" W X 4" D X 4" H
WITH WOOD SCREW FOR
MOUNTING ON TOP
(NOT SHOW)



NO. WP4-RW
PEDESTAL FOOT LEFT
6 1/8" W (at Top) X 2 5/8" W (at Bottom) X 4" H



NO. WP5-RW
PEDESTAL FOOT RIGHT
6 1/8" W (at Top) X 2 5/8" W (at Bottom) X 4" H



NO. 1-WP1-RW
PEDESTAL FOOT MIDDLE
11 1/2" W X 1 3/4" H



NO. 1-WP3-RW
PEDESTAL FOOT CORNER
6 1/2" - 6 1/2" W X 4" H



NO. 1-WP2-RW
ROUNDED PEDESTAL FOOT CORNER
5 1/2" - 5 1/2" W X 4" H



NO. 1-WA-4L-RW
5.4" H X 6.54" W X 0.72" D



NO. 1-WA-4R-RW
5.4" H X 6.54" W X 0.72" D



NO. 1-WC-18-RW
4.3" H X 3.04" W X 1.76" D



NO. 1-WC-19-RW
2.3" H X 2.93" W X 0.775" D



NO. 1-WC-17-RW
2.3" H X 2.92" W X 0.796" D



NO. 1-WA-5-RW
3.75" L X 3.75" W X 1.03" D



NO. 1-WA-6-RW
3.38" L X 3.38" W X 0.98" H



WOOD CORBELS



NO. 1-WC16-RW
2" W X 7½" D X 10½" H



NO. 1-WC22-RW
3" W X 6" D X 14" H



NO. 1-WC8-RW
4¼" W X 4¾" D X 9¾" H



NO. 1-WC9-RW
4½" W X 5" D X 10" H



NO. 1-WC15-RW
4¾" W X 21¾" D X 9¾" H



NO. 1-WC11-RW
3 $\frac{3}{8}$ " W X 7 $\frac{3}{4}$ " D X 13" H



NO. 1-WC12-RW
3" W X 6 $\frac{1}{2}$ " D X 12" H



NO. 1-WC13-RW
4 $\frac{1}{2}$ " W X 5 $\frac{5}{8}$ " D X 9 $\frac{3}{4}$ " H



NO. 1-WC10-RW
5" W X 7 $\frac{5}{16}$ " D X 14" H



NO. 1-WC14-RW
2 $\frac{1}{2}$ " W X 9" D X 13" H



SPECIALTY HINGES

Decorite®
Dedicated for the American Home


**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**

- SELF CLOSING
- SIX-WAY ADJUSTABLE
- ALL METAL CONSTRUCTION

To determine (K), the drilling distance between the edge of the door and the edge of the hole for the hinge cup, use these simple formulas.

(D) = Required Overlay.

(A) = Reveal.



SPECIFICATIONS	STEEL SCREW-ON	STEEL KNOCK-IN	REMOVABLES
Pie Corner Slide-On	NO. 1135 11 mm Cup Depth	NO. 1135-WD 11 mm Cup Depth 8 mm Dowels	NO. 1135-WDR 11 mm Cup Depth 8 mm Removable Dowels
Pie Corner Clip-On	NO. C-1135 11 mm Cup Depth	NO. C-1135-WD 11 mm Cup Depth 8 mm Dowels	NO. C1135-WDR 11 mm Cup Depth 8 mm Removable Dowels
Steel Mounting Plates for all Pie Corner Hinges "0" mm	NO. 123 Slide-On	NO. 123-WS Slide-On With Euro Screws	
Steel Mounting Plates for all Pie Corner Hinges "0" mm	NO. 133 Clip-On	NO. 133-WS Clip-On With Euro Screws	

GENERAL INFORMATION

Recommended number of hinges per door.

Maximum door weight:

26 mm Cup 10 lbs. 15 lbs. 20 lbs.

35 mm Cup 20 lbs. 40 lbs. 60 lbs.

No. of Hinges 2 3 4

Recommended No. Of Hinges Per Door.
(Doors Up To 2ft. Wide All Cup Sizes)

Up to 3 ft. in Height. 2 Hinges

Up to 5 ft. in Height. 3 Hinges

Up to 7 ft. in Height. 4 Hinges

Up to 8 ft. in Height. 5 Hinges

Key to Abbreviations

K = Drilling distance

D = Required overlay

A = Reveal

S = Cabinet thickness


T = Door thickness

H = Mount plate Height.



- FOR DOORS UP TO 30 mm
- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm

To determine (K), the drilling distance between the edges of the door and the edge of the hole for the hinge cup, use these simple formulae.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON

NO. C-10-CAM

11 mm
Cup Depth

NO. C-11-CAM

11 mm
Cup Depth

NO. C-12-CAM

11 mm
Cup Depth

NO. 14

STEEL KNOCK-IN

NO. C-10-CAM-WD

11 mm
Cup Depth
8 mm Dowels

NO. C-11-CAM-WD

11 mm
Cup Depth
8 mm Dowels

NO. C-12-CAM-WD

11 mm
Cup Depth
8 mm Dowels

NO. 14-WS

With Euro
Screws

REMOVABLES

NO. C-10-CAM-WDR

11 mm
Cup Depth
8 mm
Removable
Dowels

NO. C-11-CAM-WDR


11 mm
Cup Depth
8 mm
Removable
Dowels

NO. C-12-CAM-WDR

11 mm
Cup Depth
8 mm
Removable
Dowels



115° FACE FRAME CONCEALED HINGES



¾" FRAME
⅜" - ⅝" OVERLAY
STEEL CUP WITH
DETACHABLE
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.

K = 2 - 7 mm

NO. 1150R

11.3 mm
Cup Depth

NO. 1150R-WD

11.3 mm
Cup Depth

8 mm Dowels

NO. 1150R-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels



¾" FRAME
⅜" - ⅝" OVERLAY
STEEL CUP WITH
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.
Cam: In-Out

K = 2 - 7 mm

NO. 1150-CAM

11.3 mm
Cup Depth

NO. 1150-CAM-WD


11.3 mm
Cup Depth

8 mm Dowels

NO. 1150-CAM-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels



½" FRAME
½" OVERLAY
STEEL CUP WITH
DETACHABLE
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.

K = 2 - 7 mm

NO. 1250R

11.3 mm
Cup Depth

NO. 1250R-WD


11.3 mm
Cup Depth

8 mm Dowels

NO. 1250R-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels



¾" FRAME
½" OVERLAY
STEEL CUP WITH
DETACHABLE
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.

K = 2 - 7 mm

NO. 1234R

11.3 mm
Cup Depth

NO. 1234R-WD


11.3 mm
Cup Depth

8 mm Dowels

NO. 1234R-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels



⅝" FRAME
½" OVERLAY
STEEL CUP WITH
DETACHABLE
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.

K = 2 - 7 mm

NO. 1258R

11.3 mm
Cup Depth

NO. 1258R-WD

11.3 mm
Cup Depth



8 mm Dowels

NO. 1258R-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels



	SPECIFICATIONS	SCREW-ON	KNOCK-IN	REMOVABLES
	3/4" FRAME 1/2" OVERLAY STEEL CUP WITH WRAP-AROUND MOUNTING PLATE. Vertically Adjustable. K = 2 - 3 mm	NO. 1015R 10 mm Cup Depth	NO. 1015R-WD 10 mm Cup Depth 8 mm Dowels	NO. 1015R-WDR 10 mm Cup Depth 8 mm Removable Dowels
	1/2" FRAME 1/2" OVERLAY STEEL CUP WITH WRAP-AROUND MOUNTING PLATE. Vertically Adjustable. K = 2 - 7 mm	NO. 1212R 10 mm Cup Depth	NO. 1212R-WD 10 mm Cup Depth 8 mm Dowels	NO. 1212R-WDR 10 mm Cup Depth 8 mm Removable Dowels
	3/4" FRAME 1/2" OVERLAY STEEL CUP WITH WRAP-AROUND MOUNTING PLATE. 6 Way Adjustable. Cam: In-Out K = 2 - 7 mm	NO. 3450-CAM 9 mm Cup Depth	NO. 3450-CAM-WD 9 mm Cup Depth 8 mm Dowels	NO. 3450-CAM-WDR 9 mm Cup Depth 8 mm Removable Dowels
	3/4" FRAME 1/2" OVERLAY STEEL CUP WITH WRAP-AROUND MOUNTING PLATE. 6 Way Adjustable. Cam: In-Out K = 2 - 7 mm	NO. 3450F-CAM 9 mm Cup Depth	NO. 3450F-CAM-WD 9 mm Cup Depth 8 mm Dowels	NO. 3450F-CAM-WDR 9 mm Cup Depth 8 mm Removable Dowels
	3/4" FRAME 3/4" OVERLAY STEEL CUP WITH WRAP-AROUND MOUNTING PLATE. 6 Way Adjustable. Cam: In-Out K = 2 - 7 mm	NO. 3434F-CAM 9 mm Cup Depth	NO. 3434F-CAM-WD 9 mm Cup Depth 8 mm Dowels	NO. 3434F-CAM-WDR 9 mm Cup Depth 8 mm Removable Dowels



115° FACE FRAME CONCEALED HINGES



SPECIFICATIONS

¾" FRAME
1¼" OVERLAY
STEEL CUP WITH
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.

SCREW-ON

NO. 34125

10 mm
Cup Depth

KNOCK-IN

NO. 34125-WD

10 mm
Cup Depth

8 mm Dowels

REMOVABLES

NO. 34125-WDR

10 mm
Cup Depth

8 mm
Removable
Dowels



¾" FRAME
1¼" OVERLAY
STEEL CUP WITH
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.
Cam: In-Out

K = 2 - 7 mm

NO. 34125F-CAM

6 mm
Cup Depth

NO. 34125F-CAM-WD

9 mm
Cup Depth

8 mm Dowels

NO. 34125F-CAM-WDR

9 mm
Cup Depth

8 mm
Removable
Dowels



¾" FRAME
⅜" - ⅝" OVERLAY
STEEL CUP WITH
DETACHABLE
WRAP-AROUND
MOUNTING PLATE.

6 Way Adjustable.
Cam: In-Out

K = 2 - 7 mm

NO. 115-CAM

10 mm
Cup Depth

NO. 115-CAM-WD

10 mm
Cup Depth

8 mm Dowels


NO. 115-CAM-WDR

11.3 mm
Cup Depth

8 mm
Removable
Dowels

- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm*

To determine (K), the drilling distance between the edge of the door and the edge of the hole for the hinge cup, use these simple formulæ:
(D) = Required Overlay
(A) = Reveal



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON

NO. 9510
11.5 mm
Cup Depth

NO. 9520
11.5 mm
Cup Depth

NO. 9530
11.5 mm
Cup Depth

NO. 113
Use with all
mini hinges

STEEL KNOCK-IN

NO. 9510-WD
11.5 mm
Cup Depth
8 mm Dowels

NO. 9520-WD
11.5 mm
Cup Depth
8 mm Dowels

NO. 9530-WD
11.5 mm
Cup Depth
8 mm Dowels

REMOVABLES

NO. 9510-WDR
11.5 mm
Cup Depth
8 mm
Removable
Dowels

NO. 9520-WDR
11.5 mm
Cup Depth
8 mm
Removable
Dowels


NO. 9530-WDR
11.5 mm
Cup Depth
8 mm
Removable
Dowels




110° SLIDE-ON CONCEALED HINGES

- FOR DOORS UP TO 30 mm
- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm

To determine (K), the drilling distance between the edges of the door and the edge of the hole for the hinge cup, use these simple formulæ.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON

NO. 1110
11 mm
Cup Depth

NO. 1120
11 mm
Cup Depth

NO. 1130
11 mm
Cup Depth

NO. 123

STEEL KNOCK-IN

NO. 1110-WD
11 mm
Cup Depth
8 mm Dowels

NO. 1120-WD
11 mm
Cup Depth
8 mm Dowels

NO. 1130-WD
11 mm
Cup Depth
8 mm Dowels

NO. 123-WS
With Euro
Screws

REMOVABLES


NO. 1110-WDR
11 mm
Cup Depth
8 mm
Removable
Dowels

NO. 1120-WDR
11 mm
Cup Depth
8 mm
Removable
Dowels


NO. 1130-WDR
11 mm
Cup Depth
8 mm
Removable
Dowels

- FOR DOORS UP TO 30 mm
- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm

To determine (K), the drilling distance between the edges of the door and the edge of the hole for the hinge cup, use these simple formulæ.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON	STEEL KNOCK-IN	REMOVABLES
NO. C-1110 11 mm Cup Depth	NO. C-1110-WD 11 mm Cup Depth 8 mm Dowels	NO. C-1110-WDR 11 mm Cup Depth 8 mm Removable Dowels
NO. C-1120 11 mm Cup Depth	NO. C-1120-WD 11 mm Cup Depth 8 mm Dowels	NO. C-1120-WDR 11 mm Cup Depth 8 mm Removable Dowels
NO. C-1130 11 mm Cup Depth	NO. C-1130-WD 11 mm Cup Depth 8 mm Dowels	NO. C-1130-WDR 11 mm Cup Depth 8 mm Removable Dowels
NO. 133	NO. 133-WS With Euro Screws	




110° CLIP-ON CONCEALED HINGES

WITH CAM ADJUSTMENT

- FOR DOORS UP TO 30 mm
- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm

To determine (K), the drilling distance between the edges of the door and the edge of the hole for the hinge cup, use these simple formulae.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON

NO. C-1110-CAM

11 mm
Cup Depth

NO. C-1120-CAM

11 mm
Cup Depth

NO. C-1130-CAM

11 mm
Cup Depth

NO. 133

STEEL KNOCK-IN

NO. C-1110-CAM-WD

11 mm
Cup Depth

8 mm Dowels

NO. C-1120-CAM-WD

11 mm
Cup Depth

8 mm Dowels

NO. C-1130-CAM-WD

11 mm
Cup Depth

8 mm Dowels

NO. 133-WS

With Euro
Screws

REMOVABLES

NO. C-1110-CAM-WDR

11 mm
Cup Depth

8 mm
Removable
Dowels

NO. C-1120-CAM-WDR

11 mm
Cup Depth

8 mm
Removable
Dowels


NO. C-1130-CAM-WDR

11 mm
Cup Depth


8 mm
Removable
Dowels

- FOR DOORS UP TO 30 mm
- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION
- POSSIBLE (K) 3 TO 7 mm

To determine (K), the drilling distance between the edges of the door and the edge of the hole for the hinge cup, use these simple formulae.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



STEEL SCREW-ON	STEEL KNOCK-IN	REMOVABLES
NO. 1310 11 mm Cup Depth	NO. 1310-WD 11 mm Cup Depth 8 mm Dowels	NO. 1310-WDR 11 mm Cup Depth 8 mm Removable Dowels
NO. 1320 11 mm Cup Depth	NO. 1320-WD 11 mm Cup Depth 8 mm Dowels	NO. 1320-WDR 11 mm Cup Depth 8 mm Removable Dowels
NO. 123	NO. 123-WS With Euro Screws	

Whether your needs call for Hinges that Slide-On or Clip-On, have Dowels, removable Dowels or no Dowels at all, we can help you. We have Hinges for Frameless as well as Face Frame applications, and with all popular degrees of opening and a variety of adjustment options.



NO. 34125-SFT

Soft Close Mechanism

Attaches to No. 34125



NO. C-71-WD

Full Overlay

10.5 mm Cup Depth

8 mm Dowels

Soft Close



NO. C-72-WD

Half Overlay


10.5 mm Cup Depth

8 mm Dowels

Soft Close

- SELF CLOSING
- SIX WAY ADJUSTABLE
- ALL METAL CONSTRUCTION

To determine (K), the drilling distance between the edge of the door and the edge of the hole for the hinge cup, use these simple formulae.
(D) = Required Overlay.
(A) = Reveal.



**ALL DECORITE HINGES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS**



DIECAST SCREW-ON

NO. C-1710

10.5 mm
Cup Depth

DIECAST KNOCK-IN

NO. C-1710-WD

10.5 mm
Cup Depth

8 mm Dowels

REMOVABLES

NO. C-1710-WDR

10.5 mm
Cup Depth

8 mm
Removable
Dowels

NO. C-1720

10.5 mm
Cup Depth

NO. C-1720-WD

10.5 mm
Cup Depth

8 mm Dowels

NO. C-1720-WDR

10.5 mm
Cup Depth

8 mm
Removable
Dowels

NO. C-1730

10.5 mm
Cup Depth

NO. C-1730-WD

10.5 mm
Cup Depth

8 mm Dowels

NO. C-1730-
WDR

10.5 mm
Cup Depth

8 mm
Removable
Dowels

NO. 133

NO. 133-WS

With Euro
Screws



CONCEALED HINGES MOUNTING PLATES

Decorite®
Decorite for the American Home



FEATURES

NO. 134S
 Steel
 Ø mm
 CAM Adjustable for use
 with all Clip-On Hinges
 Including Soft Close




NO. 113
 Steel
 Ø mm
 Use with 9500 series
 Mini Hinges only
 No. 113-WS
 With Euro Screws




NO. 123
 Steel
 Ø mm
 Use with all Slide-On
 Hinges Except 9500 series
 No. 123-WS
 With Euro Screws



NO. 133
 Steel
 Ø mm
 Use with all Clip-On Hinges
 Except Soft Close
 No. 133-WS
 With Euro Screws
 Also Available NO. 133-4
 4 mm Height



NO. 14
 Steel
 Ø mm
 Use with all clip-on hinges
 including soft close
 No. 14-WS
 With Euro Screws




FEATURES

NO. 144
 Die-Cast
 Ø mm
 Face Frame Mount for use
 with all Clip-On Hinges
 Including Soft Close
 No. 144-3 (3mm)



NO. 134
 Steel
 Ø mm
 CAM Adjustable for use
 with all Clip-On Hinges
 Except Soft Close
 No. 134-WS
 With Euro Screws



NO. 143
 Die-Cast
 Ø mm
 Face Frame Mount for use
 with all Clip-On Hinges
 Except Soft Close
 No. 143-3 (3mm)
 No. 143-6 (6mm)



NO. 243
 Steel
 Ø mm
 Face frame mount with
 all clip-on hinges except
 soft close
 No. 243-3 (3mm)



NO. 18
 Steel
 Ø mm
 Face frame mount for use
 with all clip-on hinges
 including soft close
 Also Available
 NO. 18-3
 3 mm Height

NO. 1032-GR



FEATURES

For 10" - 32" TV
 $\pm 90^\circ$ Roll
 $\pm 12^\circ$ Tilt
 Load Capacity 60 lbs.
 Mounting Hardware Included
 Powder Coated Silver Gray Finish
 Universal Adapter Mount Available

NO. 1037L-BL



For 10" - 37" TV
 EZ-FIT™ Locking Mechanism
 $\pm 90^\circ$ Roll
 $\pm 12^\circ$ Tilt
 Load Capacity 70 lbs.
 Mounting Hardware Included
 Powder Coated Black Finish
 Universal Adapter Mount Available

NO. 2037P-GR



For 25" - 37" TV
 $\pm 12^\circ$ Tilt
 Load Capacity 70 lbs.
 Mounting Hardware Included
 Powder Coated Silver Gray Finish
 Universal Adapter Mount Available
 * Padlock available:
 Order 2 each - Y-75-KA padlocks for
 each mount

NO. 2042P-GR



For 25" - 42" TV
 $\pm 12^\circ$ Tilt
 Load Capacity 80 lbs.
 Mounting Hardware Included
 Powder Coated Silver Gray Finish
 Universal Adapter Mount Available

NO. 2042-GR



For 25" - 42" TV
 $\pm 90^\circ$ Roll
 $\pm 12^\circ$ Tilt
 Load Capacity 80 lbs.
 Mounting Hardware Included
 Powder Coated Silver Gray Finish
 Universal Adapter Mount Available



EZ-FIT™



FEATURES

"THE CLASSIC" NO. 1501-G

- Ball bearing slides with a positive stop position
- Pencil, pen and clip dishes
- Tray 21 $\frac{3}{8}$ " W x 12 $\frac{3}{4}$ " D
- Required Clearances:
24" total clearance including slides, 16" Depth, 3 $\frac{3}{8}$ " Height



"THE PROFESSIONAL" NO. 1502-BL

- Ball bearing pressure slides
- Flip-top pencil tray
- Ergonomically designed for wrist support
- Tray 21 $\frac{7}{8}$ " W x 10 $\frac{3}{4}$ " D
- Required Clearances:
24 $\frac{1}{4}$ " total clearance including slides, 16 $\frac{5}{8}$ " Depth, 3 $\frac{3}{8}$ " Height



NO. 1505-BL

- Ball bearing pressure slides
- Flip-top pencil tray
- Ergonomic wrist support
- Concealable left or right mounting mouse pad
- Tray with pad 21 $\frac{1}{4}$ " W x 12" D
- Required Clearances:
23 $\frac{3}{4}$ " Wide including slides
14" Depth, 3 $\frac{3}{4}$ " Height
Mouse pad 9" W x 7 $\frac{3}{4}$ " D



Polymer Shelf Kidney Design

NO 5324-W 24"

NO 5328-W 28"

NO 5332-W 32"

COMMON FEATURES

EZ-FIT™

- Chromed 3/4" steel shaft system
- Adjustable from 22½" to 33½"
- All shelves rotate independently
- Exceptional durability
- Easy clean finish
- Each shelf height adjustable
- Double screw fixing collars
- Full 2" rim, 1" inside height
- Packed as sets



Polymer Shelf Full-Round Design

NO 1818-W 18"

NO 1824-W 24"

NO 1828-W 28"



FEATURES

EZ-FIT™

ITEM NO. 1802-W
(FEATURED AT LEFT)

- Heavyweight polymer shelves
- White epoxy center pole
- Heavy duty bottom mounting
- Easy clean textured surface
- No tools needed to adjust shelf height
- (2) 18" Shelves on bottom mount 17" pole.
- 2" Incremental shelf adjustment



ITEM NO. 1801-W

- (1) 18" Shelf on bottom
- Mount 4" pole



- Shelves nest easily for shipment or storage



ITEM NO. 1811-W

- (1) 18" Shelf on top mounted hanging center pole
- Keeps bottom shelf fully accessible

**EZ
FIT**™

SINGLE BASKET

NO. 1860-W (White basket / Epoxy wire frame)
NO. 1860-BL (Gloss Black basket / Chrome frame)

- 100 lb. load capacity
- Full extension slides
- Total dimension: 18" D x 10½" W x 20" H
- Capacity 35 litres (37 quarts)
- All mounting hardware included
- Door mount kit available



DOUBLE BASKETS

NO. 2860-W (White baskets / Epoxy wire frame)
NO. 2860-BL (Gloss Black baskets / Chrome frame)

- 100 lb. load capacity
- Full extension slides
- Total dimension: 20¾" D x 14½" W x 20" H
- Capacity 2 x 35 litres (2 x 37 quarts)
- All mounting hardware included
- Door mount kit available



EZ-FIT™ SINK FRONT TRAYS

Decorite®
Decorate for the American Home

FEATURES

EZ-FIT™

- Clean, sanitary surface
- High quality impact resistant plastic
- Trays nest to conserve space
- 112 - 11" long
- 142 - 14" long
- 112 -S - 11" **With Stop**
- 142 -S - 14" **With Stop**
- 112 -R - 11" **With Ring Holder**
- 142 -R - 14" **With Ring Holder**

NEW!

SINK FRONT TRAY
HINGE
NO. 570 NI




- New patent pending design
- No exposed springs
- Positive out stop
- Easy installation

112-W




112-A



142-W



142-A



142-S-W




142-S-A



FEATURES

- Smooth, reliable operation
- Poly bagged per set with screws



- Angle opening from 45° to 90°
- 32 mm hole spacing





SURFACE MOUNTED CONCEALED HINGES



FEATURES

NO. 1064-NI

- Surface Mounting
- 90° Opening
- 4-Way adjustable
- Self-closing



NO. 21-NI

- Surface Mounting
- Works on all doors
Flush overlay, $\frac{3}{8}$ " inset, full inset
- 165° Opening
- 4-Way adjustable
- Self-closing

NEW!




NO. 1066-NI

- Wrap-around mounting on $\frac{3}{4}$ " frame
- Angle opening adjustable from 45° - 90°
- 4-Way adjustable
- Self-closing
- Perfect for sink fronts or RV doors


- All hinges meet NKBA standards
- All hinges tested to 50,000 cycles



NO. 205-W



NO. 205-AB



NO. 205-SN



NO. 205-PC



NO. 205-PB




NO. 205-SI

ALSO
AVAILABLE IN
3/8" INSET


USE NO. 105
TO ORDER




NO. 1214-S-SN




NO. 1214-AB



NO. 520-AB



NO. 520-PB



NO. 52-PC



FEATURES

- NO. 1360-SN**
- 3" x 3½"
 - Reversible
 - Removable Pin
 - Non-mortised
 - Available in:
 - Polished Brass (PB)
 - Satin Nickel (SN)



- NO. 1350-SN**
- 3" x 3½"
 - Reversible
 - Removable Pin
 - Non-mortised
 - Available in:
 - Polished Brass (PB)
 - Satin Nickel (SN)
 - Antique Brass (AB)
 - Oil Rubbed Bronze (OB)



- NO. 1370-SN**
- 2⅞" x 3½"
 - Order either right or left
 - Special drywall style
 - Non-mortised
 - Available in:
 - Polished Brass (PB)
 - Satin Nickel (SN)



FEATURES

- NO. 1309-EXT-SN**
- 2¾" x 3½"
 - Reversible
 - Non-mortised
 - Fixed Pin
 - Available in:
 - Satin Nickel (SN)
 - Oil Rubbed Bronze (OB)



- NO. 1309-SN**
- 2½" x 3½"
 - Reversible
 - Non-mortised
 - Fixed Pin
 - Available in:
 - Satin Nickel (SN)
 - Antique Brass (AB)
 - Matte Black (MB)
 - Oil Rubbed Bronze (OB)
 - Weathered nickel (WEN)



- NO. 1300-SN**
- 1⅞" x 3½"
 - Reversible
 - Non-mortised
 - Fixed Pin
 - Available in:
 - Satin Nickel (SN)



SIX FINGER HINGE NO. 277-SN

- 3¾" x 3½"
- Reversible
- Non-mortised
- Removable Pin
- Available in:
 - Satin Nickel (SN)
 - Polished Brass (PB)

NO. 2118-PB



**FOR LARGE
INSET
DOORS**

NO. TP-516FS

Available in

- Satin Nickel (SN)
- Antique Brass (AB)
- Matte Black (MB)
- Weathered Nickel (MW)
- Nickle (NI)
- Polished Brass (PB)
- Venetian Bronze (VB)



NO. TP-516FS-SN

NO. TP-16FS

Available in

- Satin Nickel (SN)
- Antique Brass (AB)
- Matte Black (MB)
- Weathered Nickel (MW)
- Nickle (NI)
- Polished Brass (PB)
- Venetian Bronze (VB)



NO. TP-16FS-SN



NO. TP-16FS-PB



NO. TP-16FS-VB

NO. 4077-AE

- Half wrap
- 5/8" overlay
- 135° stop



NO. 1392-PB

- 5/8" Overlay
- 32 mm hole spacing



NO. 1392-BL

- 5/8" Overlay
- 32 mm hole spacing





FEATURES

NO. 3514-SN

- ¼" Radius
- 3½" x 3½"
- Removable pin
- Steel Construction
- Available in:
 - Dull Brass (DB)
 - Satin Nickel (SN)
 - Antique Brass (AB)



NO. 3558-SN

- 3½" x 3½"
- ⅝" radius corners
- Removable pin
- Steel Construction
- Available in:
 - Dull Brass (DB)
 - Satin Nickel (SN)
 - Antique Brass (AB)
 - Oil Rubbed Bronze (OB)




NO. 3500 SN

- 3½" x 3½"
- Removable pin
- Steel Construction
- Available in:
 - Polished Brass (PB)



NO. 3374-SC

- Institutional hinge
- For ¾" doors
- ½" overlay
- Steel construction
- Available in:
 - Black (BL)
 - Grey (GRY)
 - Satin Chrome (SC)
 - Polished Brass (PB)



Finish: PB	12572-PB	15030-PB	15048-PB	15072-PB	20072-PB
	1¼" x 72"	1½" x 30"	1½" x 48"	1½" x 72"	2" x 72"



Finish: NI	12572-NI	15030-NI	15048-NI	15072-NI	20072-NI
	1¼" x 72"	1½" x 30"	1½" x 48"	1½" x 72"	2" x 72"



NO. 3004-SS	NO. 3006-SS	NO. 3008-SS	NO. 3114-SS	NO. 3116-SS	NO. 3118-SS
4" High	6" High	8" High	4" High	6" High	8" High



LEGGSTM

FEATURES

**STRONG, ATTRACTIVE
& EASY TO INSTALL!**

**LEGGSTM ARE SUITABLE FOR USE
IN A VARIETY OF SETTINGS...**

- TABLES
- DESKS
- OUTRIGGERS

NO. 238-WH	WHITE GLOSS
NO. 238-BLK	MATTE BLACK
NO. 238-PC	POLISHED CHROME
NO. 238-SC	SATIN CHROME
NO. 238-BLG	BLACK GLOSS

- 4 Leggs / Set with all hardware
- Master carton: 4 Sets
- Height adjustable from 27½" to 28¾"

Adjustable up to 45mm / 1½"



LEGGSTM FEATURE AN EASY 3-STEP INSTALLATION



14 GAUGE				
Item Number	T1750	T1751	T1754	T1755
Outer Diameter	1"	1 1/16"	1 1/4"	1 5/16"
Lengths	4' 5' 6' 8' 10' or 12'	4' 5' 6' 8' 10' or 12'	4' 5' 6' 8' 10' or 12'	4' 5' 6' 8' 10' or 12'
Flange (closed)	1100-PC-POLY, 101-W, 101-BL	1734-PC-POLY	2541-PC	1764-PC-POLY
Flange (open)		1734-PC-POLY	2531-PC	1766-PC-POLY
Flange (set)		1734/35-PC-POLY		1764/66-PC-POLY

18 GAUGE				
Item Number	T2750	T2751	T2754	T2755
Outer Diameter	1"	1 1/16"	1 1/4"	1 5/16"
Lengths	8' or 12'	8' or 12'	8' or 12'	8' or 12'
Flange (closed)	1100-PC-POLY, 101-W, 101-BL	1734-PC-POLY	2541-PC	1764-PC-POLY
Flange (open)		1734-PC-POLY	2531-PC	1766-PC-POLY
Flange (set)		1734/35-PC-POLY		1764/66-PC-POLY

OVAL 1mm gauge		1" Fluted Rod White		1" Fluted Rod Black
Item Number	3015-PC	312-W	305-W	312-BL
Outer Diameter	30mm X 15mm	1"	1"	1"
Lengths	8'	12'	5'	12'
Compatible (closed)	2430-PC	1100-PC-POLY, 101-W, 101-BL		1100-PC-POLY, 101-W, 101-BL
Compatible (open)	1430-NI, 430-NI			



FLANGES FOR TUBING



FEATURES

- NO. 430-NI
- 5mm pins
 - For 30mm x 15mm tubing



- NO. 1430-NI
- Screw mounting
 - For 30mm x 15mm tubing



- NO. 2430-PC
- Screw mounting
 - For 30mm x 15mm tubing
 - Center support



- NO. 1100-PC
- Screw mounting
 - For 1" tubing



- NO. 101-W
- Plastic Screw mounting
 - For 1" tubing



- NO. FSB-508B-PC
NO. FSB-509B-PC

FEATURES

- NO. FSB-508B-PC
• FOR 1 $\frac{1}{16}$ " TUBING
- NO. FSB-509B-PC
• FOR 1 $\frac{5}{16}$ " TUBING



NO. 2531-PC

- NO. 2541-PC
CLOSED
NO. 2531-PC
OPEN
- FOR 1 $\frac{1}{4}$ " TUBING
WITH 5MM PINS



NO. 1734-PC

NO. 1735-PC

- NO. 1734-PC
NO. 1735-PC
- FOR 1 $\frac{1}{16}$ " TUBING
 - Sold individually or as sets poly bagged with screws





NO. 1764-PC


NO. 1766-PC

- NO. 1764-PC
NO. 1766-PC
- FOR 1 $\frac{5}{16}$ " TUBING
 - Sold individually or as sets poly bagged with screws


ARCHITECTURAL GRADE ALUMINUM HARDWARE




NO. 171 COAT HOOK




NO. 180 WARDROBE HOOK



NO. 181 WARDROBE HOOK



NO. 191 SINGLE HOOK



NO. 195 ZINC DIECAST HOOK
Available in SN and OB



CLOSET RODS


NO. 80

- Available in PC, PB and SC
- 32mm hole pattern
- Packet with both Euro and sheet metal screws
- 12" deep x 1 3/4" high
- Extends 9"




SHELF-PINS - CLOSET HOOKS


TIE-HOOK
NO. 55
FOR 5MM HOLE




NO. 282



BELT-HOOK
NO. 552
FOR 5MM HOLE




NO. 2280




CUP HOOKS
NO. 2720-PB 3/4"
NO. 2721-PB 1"




NO. 280




NO. 1284




NO. 2281




NO. 2285



NO. 1285



NO. 281





FEATURES

- NO. 33-91**
5/8" F.H.
- Tan or White
 - 5/8" Flat Head




- NO. 33-92**
3/4" F.H.
- Tan or White
 - 3/4" Flat Head



- NO. 33-73**
5/8" O.H.
- Tan or White
 - 5/8" Oval Head




- ADJUSTABLE
SOFA / CABINET
LEG NO. 1255-BL**
- Perfect to adjust height of all upholstered furniture. Skirt on sofa is always the correct height by raising or lowering leg.



FEATURES

- SUPPORT
BRACKET
NO. 610-Z**
- 1 1/2 x 1 5/8"
 - 3/8" Thread

- GLIDE NO. 38**
- 3/8" - 16 Thread
 - Swivel Base
 - 2", 2 1/2", 3", 3 1/2", 4", 4 1/2", 5 1/2", 6"



- CORNER BRACE
NO. 609-Z**
- 3 7/8" x 1 1/16"
3/8" Thread

- GLIDE NO. 38**
- 3/8" - 16 thread
 - Swivel Base
 - 2", 2 1/2", 3", 3 1/2", 4", 4 1/2", 5 1/2", 6"




- GLIDE NO. 5160**
- 1 1/2" height
 - Use with Corner Brace No. 6516. Same as 609-Z (shown above) but 5/16" thread



- NO. 3816**
3/8" THREAD
- Zinc Finish T-Nut
 - Hardened steel
 - Use No. 38 Glides




- NO. 5566-Z**
- Countertop joiner
 - Easy installation
 - Packed in poly bags




- NO. 1070-W**
- Corner block and top attachment in one piece
 - Strong nylon material
 - Screw, nail or staple




- NO. 8138-Z**
- Leg corner brace
 - 1 3/8" x 1 3/8"
 - Screw mounting



- NO. 182-Z**
- DOUBLE ACTION JOINT FASTENER**
- 10 gauge wrought steel
 - Screw mounting
 - Clamps edges flush and aligns surfaces
 - Compensates for thickness and warp
 - 3 1/4" x 2 1/2"



- NO. 269**
- Available in white brown or black



- NO. 11300**
1" X 1" X 3"

- NO. 11200**
1" X 1" X 2"

- NO. 11175**
1" X 1" X 1 3/4"



- NO. 226**
CORNER BRACES
- Heavy gauge steel
 - Available in 1", 1.5", 2", 2.5", 3", 3.5", 4", 5"

NO. 65-BR



FEATURES

- Self-aligning
- Supports door
- Adjustable mounting


NO. 1140-BR



FEATURES

- Strong solid, plastic legs
- Adjustable
- Sprint steel strike included

RV CATCH
NO. 1910R-EXT-AC
NO. 1910R-EXT-SN




NO. 508-W
BULK



- Strong, permanent magnet
- 40 mm (1½") hole C/C
- Floating head
- Comes with strike plate show
- Adjustable holes
- 8 lb. pulling capacity


NO. 508-BL
BULK



NO. 508-BR
BULK




- **SUPER STRONG**
12 lb pull




NO. 588-BR
BULK




NO. 536-NI




NO. 832-NI



NO. 20-SA
ALUMINUM ELBOW CATCH



NO. 1912




ROLLER CATCHES

- High strength plastic rollers
- Packed with strikes shown

Available in Zinc (Z) or Antique Copper (AC)

NO. 1910




- High strength plastic rollers
- Packed with strikes shown

SOLID BRASS CATCHES

NO. 511-4



NO. 511-3



NO. 511-2



NO. 511-1



Brass (BR) or Nickel (NI) Please Specify



POSITIVE CATCH
NO. 5838-BL

NO. 500



FEATURES

- Strong, permanent magnet
- Packed with strike plate shown
- Floating head
- 6 lb. pull
- Poly w/screws available

NO. 418-BR



- Strong, permanent magnet
- Packed with strike plate shown
- 12 lb. pull
- Poly w/screws available

NO. 718-BR



- Upright floating magnets
- Packed with strike plate shown
- 8 lb. pull
- Poly w/screws available

"SUPER-MAG"



NO. 3277-AL

FEATURES

- Architectural grade aluminum catch
- Perfect for panel fronts
- Floating permanent magnets

"MIGHTY-MAG"



NO. 3266-A

- Packed poly bagged with screws and strike plates
- Incredible holding strength

"MINI-MAG"



NO. 3233-AL




MAGNETIC TOUCH LATCHES



NO. 33-BL



- Poly bagged with screws
- Permanent magnet



NO. 33-BR




NO. 33-W





NO. 22-BL



- Poly bagged with screws
- Permanent magnet



NO. 22-BR



NO. 22-W





NO. 31-W

FEATURES

- Cabinet Hanger
- Non-handed
- Fully adjustable
- Integrated cover



NO. 4112-SN

- Locking Slide Bolt
- Also available in Antique English (AE) and Oil Rubbed Bronze (OB)



NO. 5400-AC

- Center mount
- 60 lb. strength



NO. MS-100-AB

- RV strut
- All steel
- Also available in Satin Nickel (SN) finish



NO. MS-200-BL

- RV strut
- Nylon construction




NO. 2834-PB

- 4" slide bolt
- Furnished with two strikes
- Also available in Satin Nickel (SN) finish




NO. 2833-PB

- 3" slide bolt
- Furnished with two strikes
- Also available in Satin Nickel (SN) finish



NO. 88-PB

- Locking slide bolt
- Furnished with two strikes
- Also available in Satin Nickel (SN) finish



ITEM NO	MATERIAL	SIZE	SHAPE
1216-CL	CLEAR PLASTIC	½" Ø x ⅛"	FLAT
1216-W	WHITE PLASTIC	½" Ø x ⅛"	FLAT
1218-CL	CLEAR PLASTIC	½" Ø x ⅛"	FLAT
1218-W	WHITE PLASTIC	½" Ø x ⅛"	FLAT
1316-CL	CLEAR PLASTIC	⅓" Ø x ⅛"	DOME
1238-BR	BROWN FELT	⅜" Ø	FLAT
1238-W	WHITE FELT	⅜" Ø	FLAT

NO. 946 SN



NO. 5700-NI
Window Locking Pin



NO. 1755-W



**SELF-
ADHESIVE**

NO. 4217-SN



NO. 4220-SN



NO. 4218-SN



NO. 945-SN



NO. 4235-SN



NO. 9006-SN



**ALL FINISHES
AVAILABLE**



FEATURES

**TIE DOWN
NO. 2500**

5"L x 3½"W
4" C/C



**DOOR LATCH
NO. 888-W**

- Stainless steel / plastic construction
- Rust proof



**DOOR STOP
NO. 899-W**

- Mounts on any door holder catch
- Rubber construction



**DOOR STOP
895-W**

- 3" length
- Single screw mounting



**TRAVEL LOCK
NO. 7105**

- Prevents drawers from pull-out
- High quality nylon



FEATURES

**GRAB RAIL
NO. 148-W**

- 7⅞" C/C
- 9⅜" O/A
- Cover caps included



**DOOR HOLDER
NO. 891-W**

- High impact plastic
- Stain resistant finish



**DOOR HOLDER
NO. 890-W**

- High impact plastic
- Stain resistant finish



**DOOR HOLDER
NO. 892-W**

- High impact plastic
- Stain resistant finish

ALL ITEMS NOW AVAILABLE IN BLACK



NO. 2800-W
HEAVY DUTY FOR
14" SHELF



NO. 2650-W
FOR 1" ROD



NO. 2825-W
FOR 12" SHELF



NO. 818-BR
SHOWN

FEATURES

- For closets
- For use with Decorite Steel Tubing
- White epoxy finish
- Made from cold rolled steel
- Reinforced ribs for strength

- For closets
- For use with Decorite Steel Tubing
- White epoxy finish
- Made from cold rolled steel
- Reinforced ribs for strength

- For multi-use
- White epoxy finish
- Made from cold rolled steel
- Reinforced ribs for strength

FOLDING SHELF BRACKET

NO. 818 (8")
NO. 812 (12")
NO. 816 (16")

- Available in white (W) or brown (BR)
- 8" 12" or 16" sizes

NO. 224-BR

NO. 218-W



FEATURES

- Strips come in 18" or 24" lengths
- Shelves adjust without pins
- Staple, nail or screw installation
- Brown or white



TRIGGER

NO. 9612-W

FOLDING BRACKET

NO. 9612-W 12"
NO. 9608-W 8"

- Easy trigger release



ALL MIRROR CHROME FINISH!

DOUBLE BRACKET

NO. 2208-PC, 8"	NO. 2218-PC, 18"
NO. 2210-PC, 10"	NO. 2220-PC, 20"
NO. 2212-PC, 12"	NO. 2222-PC, 22"
NO. 2214-PC, 14"	NO. 2224-PC, 24"
NO. 2216-PC, 16"	



SINGLE STANDARDS

NO. 502-2 FOOT
NO. 503-3 FOOT
NO. 504-4 FOOT
NO. 505-5 FOOT
NO. 506-6 FOOT
NO. 507-7 FOOT
NO. 508-8 FOOT

DOUBLE STANDARDS

NO. 522-2 FOOT
NO. 523-3 FOOT
NO. 524-4 FOOT
NO. 525-5 FOOT
NO. 526-6 FOOT
NO. 527-7 FOOT
NO. 528-8 FOOT



SINGLE BRACKET

NO. 2006-PC, 6"
NO. 2008-PC, 8"
NO. 2010-PC, 10"
NO. 2012-PC, 12"
NO. 2014-PC, 14"
NO. 2016-PC, 16"
NO. 2018-PC, 18"

PILASTER


NO. 5524-Z 24"
NO. 5530-Z 30"
NO. 5536-Z 36"
NO. 5548-Z 48"
NO. 5560-Z 60"
NO. 5572-Z 72"
NO. 5596-Z 96"



**NO. 286-Z
PILASTER CLIP**

HEAVY DUTY STANDARDS

NO. 8702-PC 2 FOOT
NO. 8703-PC 3 FOOT
NO. 8704-PC 4 FOOT
NO. 8705-PC 5 FOOT
NO. 8706-PC 6 FOOT
NO. 8707-PC 7 FOOT
NO. 8708-PC 8 FOOT



HEAVY DUTY BRACKETS


NO. 1808-PC 8"
NO. 1810-PC 10"
NO. 1812-PC 12"
NO. 1814-PC 14"
NO. 1816-PC 16"
NO. 1818-PC 18"
NO. 1820-PC 20"
NO. 1822-PC 22"
NO. 1824-PC 24"




**NO. 210
SHELF LOCK CLIP**




DOUBLE
STORAGE HOOK
NO. 2792-W



ROD HOLDER
NO.310-W



SINGLE
STORAGE HOOK
NO. 2791-W



FLANGE FOR 1"
FLUTED ROD NO. 101-W



1" FLUTED ROD
NO. 305-W, 5 FOOT
NO. 312-W, 12 FOOT



END CAP
NO. 301-W

ALL ITEMS NOW AVAILABLE IN BLACK

120V LED LIGHTING

NO TRANSFORMER NEEDED



Plastic Puck Light

Satin Nickel

L-3703-SN (3,100K WARM)
L-3706-SN (6,000K COOL)

White

L-3703-W (3,100K WARM)
L-3706-W (6,000K COOL)

Black

L-3703-BL (3,100K WARM)
L-3706-BL (6,000K COOL)

Surface mount ring diameter 2 3/4" (1 1/32" depth)
Recessed mount hole diameter 2 3/8" (1" depth)



Steel Puck Light

L-4703-SN (3,000K WARM)


L-4706-SN (6,000K COOL)

Surface mount ring diameter 2 3/4" (1" depth)

Recessed mount hole diameter 2 3/8" (3/4" depth)



- 120v – NO TRANSFORMER NEEDED
- Bulb life up to 30,000 hours
- Dimmable
- Up to 87% energy savings vs. halogen or xenon bulbs
- Cool to the touch
- Surface or recessed mounting hardware included
- Plastic 2.5 watt / Steel 1.8 watt
- 80 Lumens






120V LED LIGHTING

NO TRANSFORMER NEEDED

Decorite®
Value for the American Home



12" - Plastic Strip Light

L-1123-W (3K, WARM)

L-1126-W (6K, COOL)

L-1126-SN (6K, COOL)

Dimensions 12" x 5/16" x 13/32"

18 LEDs offers 108 lumens at 2.8 watts



16" - Plastic Strip Light

L-1163-W (3K, WARM)

L-1166-W (6K, COOL)

L-1166-SN (6K, COOL)

Dimensions 16" x 5/16" x 13/32"

25 LEDs offers 148 lumens at 2.88 watts



16" - Under Cabinet Light

With 2-way switch

L-2164-W (3K, WARM)

Dimensions 16 1/16" x 2 1/64" x 1 1/64"

56 LEDs offers 336 Lumens at 4 watts

- 120v – NO TRANSFORMER NEEDED
- Bulb life up to 30,000 hours
- Dimmable
- Up to 87% energy savings vs. halogen or xenon bulbs
- Cool to the touch

Power Cords and Connectors

L-5601-W	6' POWER CORD WITH SWITCH
L-5600-W	6' POWER CORD WITHOUT SWITCH
L-512-W	12" CONNECTOR
L-536-W	36" CONNECTOR
L-500-W	BUTT CONNECTOR
L-555-W	ON/OFF CONNECTOR WITH 4"+4" CORD





MODULAR / LINKABLE LED UNDERCABINET XTURES WITH DIMMABLE 2835 LEDs,
LOW PROLE HOUSING, SCREWS PRE-INSTALLED FOR EASE OF INSTALLATION.



14" Brown

14" White

**NO TRANSFORMER NEEDED
WORKS ON LINE VOLTAGE.**

**Butt and romex conector included*

Features

- Knock-In connection via romex or plug in connectors with linking cables allows for easy and diverse installation
- Sized to fit under standard cabinets.
Lengths: 9" , 14" , 22" , 32"
- Low heat generation
- 50,000 hour life
- Special lens for even light distribution

Specications

Input voltage	120V AC, 60HZ
Color temperature	3000K
CRI	90+
Maximum run	400 Watts
Beam angle	120°
Dimming	Triac and low voltage electronic
Housing	Extruded aluminum
Lens	Full length extruded acrylic
Rating	ETL Listed, dry locations
Dimensions	4 1/16"W x 1"H x length
Power input	Hardwire, modular or plug-in
Mounting	Through-housing, screws included
Linking	Via inline connector or jumpers
LED type	2835 SMD
Rated life	50,000 hrs

Variations

ITEM NO.	LENGTH	COLOR	LUMENS	WATTS
L-609-W	9"	white	220	4
L-609-OB	9"	oil bronze	220	4
L-614-W	14"	white	320	7
L-614-OB	14"	oil bronze	320	7
L-622-W	22"	white	520	11
L-622-OB	22"	oil bronze	520	11
L-632-W	32"	white	760	15
L-632-OB	32"	oil bronze	760	15

Accessories

ITEM NO.	DESCRIPTION
L-6600-W	6' Power Cord - White
L-6600-BL	6' Power Cord - Black
L-612-W	12" Link Connector Cord - White
L-612-BL	12" Link Connector Cord - Black
L-618-W	18" Link Connector Cord - White
L-618-BL	18" Link Connector Cord - Black






12 VOLT LED LIGHTING

Decorite®
Value for the American Home

Stylish lighting uses a fraction of the power used by traditional incandescent bulbs to produce the same amount of light and last up to 25 times longer.



L-40012-H (high lens)
L-40012-L (low lens)
250 Lumens at 57mA
Warm White Color
CSA Approved

ONE SIZE, TWO HEIGHTS

LIFETIME WARRANTY



Stylish lighting uses a fraction of the power used by traditional incandescent bulbs to produce the same amount of light and last up to 25 times longer.



L-51230-W


- Warm white light with specially designed SunScope® lens.
- Easy 3-screw surface mounting with snap-on lens.
- 5 1/2" OA
- 30 Warm LEDs
- CSA Approved
- 160 lumens
- 180mA

L-40018-W

- Cool light with specially designed SunScope® lens.
- 4-screw surface mounting with twist-on lens
- 18 Super bright LEDs
- CSA Approved
- 90 lumens
- 100mA



"Hollywood Light Bar"



Vanity or under counter light.

- Warm white color.
- Rotates 180°
- 24 Warm LEDs
- Over 70 lumens
- CSA Approved
- 160 mA



L-21202-W

- 2 Screw surface mount
- Water-resistant
- CSA Approved
- 2 LEDs draw only 20mA



LED LIGHTING

Value for the American Home *RV*



No. 1225 - Passage

No. 1325 - Privacy


Available in: Satin Nickel (SN)

Weathered Nickel (WN)

Oil Rubbed Bronze (OB)



KNOB SHAPES



FEATURES

- Grade 3 residential locksets
- 20 year limited warranty
- Interior door application
- 7/8" drive-in latch
- 2 3/8" Backset

HOW TO ORDER:

ORDERING SYSTEM

<u>X</u>	<u>XX</u>	<u>X</u>	<u>-00</u>
LATCH MATERIAL	FUNCTION	KNOB SHAPE	FINISH

LATCH MATERIAL

- 0 - PLASTIC
- 1 - STEEL
- 2 - DIE-CAST

FUNCTION

- 11 - DUMMY
- 22 - PASSAGE
- 33 - PRIVACY

KNOB SHAPE

- 0 - TULIP
- 8 - LEVER
- 5 - CURVED LEVER
- 9 - STRAIGHT LEVER

FINISH

- PB - POLISHED BRASS
- SN - SATIN NICKEL
- OB - OIL BRONZE
- WEN - WEATHERED NICKEL

ELONGATED STRIKES

NO. 640



DIE CAST

PLASTIC

STEEL

LATCH STYLES



**DECORITE LOCK SETS
FEATURE A 20 YEAR
LIMITED WARRANTY!**



NO. 1330-SN

SEE LOCK SET ORDERING
SYSTEM FOR MORE OPTIONS



UNDERMOUNT DRAWER SLIDES

Decorite®
Dedicated for the American Home

SERIES 900 Soft Close Undermount




9993-W



9992-W



9990-Z



TRIGGER


- 12", 15", 18", 21"
- Full extension concealed drawer slide
- 100 lb. dynamic weight capacity
- Trigger drawer release
- For either face frame or frameless undermount application
- Rear bracket NO. 9990 available
- Adjustable rear bracket # 9993 with dowels
- Adjustable rear bracket # 9992

ALL DECORITE SLIDES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS

Value for the American Home
RV

Self-Latching RV Drawer Slide

10 ft. / lbs. hold strength



5000 Series Drawer Slide
Patent Pending

Integrated
self-latching
device

Auto cabinet
front alignment
support

The drawer slide solution
RV manufacturers have been waiting
for. Reduce cost, remove complication,
SAVE TIME.






SERIES 9300 Soft Close

SERIES 8300 Soft Close


Unique Full Length Drawer Member



- 14" - 28"
- Full extension ball bearing action
- 100 lb. load rating
- Lever disconnect
- 32 mm hole spacing
- Face frame front mounting
- Rear bracket Available



9300 SERIES




8300 SERIES

SERIES 9000 Standard Close


SERIES 4500 Standard Close



- 10" - 28"
- Full extension ball bearing action
- 100 lb. load rating
- Lever disconnect
- 32 mm hole spacing
- Face frame front mounting
- Rear bracket Available



9000 SERIES



4500 SERIES


ALL DECORITE SLIDES
ARE TESTED TO EXCEED
ANSI, BFMA & KCMA
STANDARDS

SERIES 3600 Side Mount



SERIES 3600

- 10" - 24"
- Full extension ball bearing action
- 75 lb. load rating
- Lever disconnect
- 32 mm hole spacing
- Face frame front mounting
- Rear bracket Available




SERIES 3500 Side Mount



SERIES 3500

- 10" - 24"
- Full extension ball bearing action
- 60 lb. load rating
- Lever disconnect
- 32 mm hole spacing
- Face frame front mounting
- Rear bracket Available





EPOXY COATED DRAWER SLIDES


Decorite®
Durable for the American Home

NEW!



SERIES 30000 WING SLIDE

- Sizes 11" - 24"
- Custom lengths available
- Wing eliminates side play




SERIES 8000 STRAIGHT SLIDE

SERIES 8800 SELF-CLOSING SLIDE

SERIES 6600 SELF-LOCKING RV SLIDE

- Sizes 12" - 24" in white or almond





#2 Phillips Bits




Item No.	Length
TH-B-440-2	Insert Bit
TH-B-050-PH	2"
TH-B-070-PH	2 3/4"
TH-B-090-PH	3 1/2"
TH-B-150-PH	6"


#1 Phillips Bits

TH-B-440-1	Insert Bit
TH-B-050-PH-1	2"
TH-B-070-PH-1	2 3/4"
TH-B-090-PH-1	3 1/2"

#3 Phillips Bits

TH-B-050-PH-3	2"
TH-B-070-PH-3	2 3/4"
TH-B-090-PH-3	3 1/2"
TH-B-150-PH-3	6"

#2 Square Drive Bits




Item No.	Length
TH-B-950-2	Insert Bit
TH-B-050-SQ	2"
TH-B-070-SQ	2 3/4"
TH-B-090-SQ	3 1/2"
TH-B-150-SQ	6"

#1 Square Bits

TH-B-050-SQ-1	2"
TH-B-070-SQ-1	2 3/4"
TH-B-090-SQ-1	3 1/2"
TH-B-150-SQ-1	6"

#3 Square Bits

TH-B-050-SQ-3	2"
TH-B-070-SQ-3	2 3/4"
TH-B-090-SQ-3	3 1/2"
TH-B-150-SQ-3	6"

Torx



Insert Length Torx

TH-B-TX25-INS	Torx 25
TH-B-TX30-INS	Torx 30
TH-B-TX40-INS	Torx 40
TH-B-TX50-INS	Torx 50

2" Length Torx

TH-B-TX20-2	Torx 20
TH-B-TX25-2	Torx 25
TH-B-TX30-2	Torx 30
TH-B-TX40-2	Torx 40
TH-B-TX50-2	Torx 50
TH-B-TX40-2-T	Torx 40 Security
TH-B-TX45-2-T	Torx 45 Security

Magnetic Nut Setter



Item No.	Length	Description
TH-B-MAG-08-H	1 4/5"	1/4" Nut Setter
TH-B-MAG-10-H	1 4/5"	5/16" Nut Setter
TH-B-MAG-12-H	1 4/5"	3/8" Nut Setter
TH-B-MAG-14-H	1 4/5"	7/16" Nut Setter
TH-B-MAG-16-H	1 4/5"	1/2" Nut Setter
TH-B-MAG-18-H	1 4/5"	9/16" Nut Setter
TH-B-MAG-AT08-H	2"	1/4" Tapered Nut Setter
TH-B-MAG-AT08-H-3	2 1/2"	1/4" Tapered Nut Setter
TH-B-MAG-490	2 3/8"	1/4" Male and 1/4" Female Bit Holder

Slotted Bits



Item No.	Description
TH-B-320SL	1/4 Slotted with Finder Sleeve
TH-B-320	1/4 Slotted

PERHAPS WE WERE ON TO SOMETHING...

Our 1971 Catalog Cover



JDR

LOCATIONS



MAIN OFFICE:
Corona, New York
Tel 800-FOR-HDWE
Tel 718-335-3566
Fax 718-565-1444



High Point, North Carolina
Tel 888-321-8415



Bear Creek, Alabama
Tel 877-355-1155



Goshen, Indiana
Tel 888-432-4822

Decorite®
Value for the American Home

Advanced Affiliates, Inc.
96-12 43rd Avenue • Corona, NY 11368
Tel 718-335-3566 • Fax 718-565-1444 • www.decorite.com