



QUICKSCREWS INTERNATIONAL CORP. 2019 CATALOG

www.quickscrews.com

Why Quickscrews?

Founded in 1987 as a local wholesaler of products for the cabinet and furniture trades, Quickscrews International Corporation has evolved into the supplier of the most popular brand of fasteners in the industry. Quickscrews has become recognized as a leader in both Quality and Performance. Goods are able to arrive anywhere in the country within 4 days due to optimal warehouse locations in California and South Carolina. Our highly trained and experienced personnel are ready to discuss your needs and concerns to ensure you get the product you need when you need it.

Using Technology to Handle Customers Large to Small

Quickscrews continues to use technology to service many different categories of customers. Whether you are a weekend warrior looking to finish your latest project or you are a large commercial cabinetmaker, Quickscrews is prepared to handle your challenges and service your needs. If you are a wholesaler looking to add a profitable screw line or simply trying to support your local customers, we are recognized as having the best custom wholesale program in the country.

Quickscrews Goes Online

In 2010, we began the process of marketing direct through our Website. Our customer base has expanded rapidly while continuing to develop more tools for our wholesale distributors. Although these two results seem opposite in nature, they actually go hand in hand quite well. Distributors, manufacturers, wholesalers and DIY weekend warriors have all been benefactors of our change and growth. We can now service easily over 10,000 customers and we ship all orders within 24 hours of receipt.

Great Employees Make Great Companies

Good companies are forced to change. Great companies embrace it. Employees at Quickscrews work tirelessly to maintain Quickscrews' superior reputation while adapting to the change that comes with growth. We understand that while we grow, we must not forget that stability has been a key to our success. Greg Wiener, Quickscrews founder, has been at the helm since 1987 when he started the business in his garage in San Mateo, California. His philosophy has been to provide employees the opportunity to grow with the company and promote from within. Over 50% of our employees have been with the company longer than 10 years, and 3 of them have been "lifers," with the company for more than 28 years.

Multi-Generation Family Business

Greg's sons, Jared, works at the company as well as his wife, Deborah, who has been working alongside and supporting Greg since the beginning. The Wieners are very proud that the next generation will be here to continue the dream that started so long ago. The Wiener family, along with the Quickscrews family, wants all of our customers and vendor partners to know how grateful we are for your loyalty and business over the years.


30 Years in the Making

Looking back, Mr. Wiener says: "After almost 30 years, I still love to get up and come to work every day. I wouldn't trade it for anything. If I had to do it all over again, I would. Quickscrews has been my life. One day the next generation will make it theirs."


HEADS




DRIVES




THREADS



POINTS



FINISHES



Visit www.quickscrews.com to see the innovative Icon System in action

Cabinet Assembly Screws4

Confirmat Screws9
Funnel Head Screws9



Exterior Decking & Fencing Screws10



Cabinet Installation Screws12

Drywall Screws14



Pocket Hole Screws15



Drawer Front Adjusting Screws17



Hardware Screws19

Drawer Slide Screws20Hinge & Edge Screws25
Undercut Screws22Machine Screws26
Euro Screws22
Hinge Screws23



Accessories28

Drive Bits29Drivers & Extensions35Miscellaneous37
Bit Holders34Corian Sink36
Draw Bolts34Washers36
Nut Setters35Anchors37



Index39



CABINET ASSEMBLY SCREWS

Quickscrews full line of Assembly Screws is the perfect solution for assembling cabinets or furniture made from soft woods, hardwoods, or melamine.

The original Quickscrews design has Coarse Thread for extra holding power and is heat-treated for added strength. The Type 17 Point allows for quicker starting, while Nibs under the Head help the screw to countersink and sit flush.

The Quickscrews Double Type 17 Point Screws are best for working with hardwoods while the Funnel Head Screws are best for melamine.

The line of Quickscrews Assembly Screws are available in a wide range of sizes, drives, and finishes.

Flat Head, Coarse Thread

Size	Length	Drive	Nibs	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#6	1-1/4"	Phillips	Yes	Double	Zinc	14811	10,000	16169	1,000	16170	100
#6	1-1/2"	Phillips	Yes	Double	Zinc	14812	8,000	16171	1,000	16172	100
#8	3/4"	Torx	Yes	Yes	Zinc	13967	12,000	13967M	1,000	13967C	100
#8	1"	Combo	No	No	Plain	9815	10,000	6093	1,000	7605	100
#8	1"	Combo	Yes	Yes	Black	1246	11,000	2783	1,000	7596	100
#8	1"	Combo	Yes	Yes	Zinc	1245	11,000	2477	1,000	7585	100
#8	1"	Combo	Yes	Double	Plain	9020	11,000	9164	1,000	9165	100
#8	1"	Combo	Yes	Double	Zinc	9021	11,000	9120	1,000	9121	100
#8	1"	Phillips	No	No	Black	4732	10,000	5798	1,000	7521	100
#8	1"	Phillips	No	No	Zinc	129	10,000	5791	1,000	7510	100
#8	1"	Phillips	Yes	No	Zinc	136	11,000	1177	1,000	7550	100
#8	1"	Phillips	Yes	Yes	Black	10900	11,000	10909	1,000	10981	100
#8	1"	Phillips	Yes	Yes	Zinc	9005	11,000	9124	1,000	9136	100
#8	1"	Phillips	Yes	Double	Plain	7328	11,000	7738	1,000	7760	100
#8	1"	Phillips	Yes	Double	Zinc	7316	11,000	7717	1,000	7749	100
#8	1"	Square	No	No	Black	179	10,000	5828	1,000	7576	100
#8	1"	Square	No	No	Zinc	4954	10,000	12522	1,000	15018	100
#8	1"	Square	Yes	Yes	Black	11946	11,000	11954	1,000	11961	100
#8	1"	Square	Yes	Yes	Zinc	12613	11,000	12657	1,000	12920	100
#8	1"	Torx	Yes	Yes	Zinc	13968	10,000	13968M	1,000	13968C	100
#8	1-1/8"	Combo	No	No	Plain	5304	10,000	-	-	15043	100
#8	1-1/8"	Phillips	Yes	Yes	Black	13363	10,000	13405	1,000	-	-
#8	1-1/8"	Phillips	Yes	Yes	Zinc	13362	10,000	13404	1,000	-	-
#8	1-1/8"	Square	Yes	Yes	Black	13361	10,000	13403	1,000	-	-
#8	1-1/8"	Square	Yes	Yes	Zinc	13360	10,000	13377	1,000	-	-
#8	1-1/4"	Combo	No	No	Plain	9816	9,000	6094	1,000	7606	100
#8	1-1/4"	Combo	Yes	Yes	Black	1249	9,000	2784	1,000	7597	100
#8	1-1/4"	Combo	Yes	Yes	Zinc	1247	9,000	2478	1,000	7586	100
#8	1-1/4"	Combo	Yes	Double	Plain	5440	9,000	6024	1,000	7567	100
#8	1-1/4"	Combo	Yes	Double	Zinc	3122	9,000	5562	1,000	7558	100
#8	1-1/4"	Phillips	No	No	Black	4733	9,000	5799	1,000	7522	100
#8	1-1/4"	Phillips	No	No	Plain	3971	9,000	5573	1,000	7534	100
#8	1-1/4"	Phillips	No	No	Zinc	130	9,000	5792	1,000	7511	100
#8	1-1/4"	Phillips	Yes	No	Zinc	137	9,000	1178	1,000	7551	100
#8	1-1/4"	Phillips	Yes	Yes	Black	10901	9,000	10910	1,000	10982	100
#8	1-1/4"	Phillips	Yes	Yes	Zinc	9006	9,000	9126	1,000	9137	100
#8	1-1/4"	Phillips	Yes	Double	Plain	7329	9,000	7739	1,000	7762	100
#8	1-1/4"	Phillips	Yes	Double	Zinc	7317	9,000	7718	1,000	7750	100
#8	1-1/4"	Square	No	No	Black	185	9,000	5829	1,000	7578	100
#8	1-1/4"	Square	No	No	Zinc	4955	9,000	12523	1,000	15019	100
#8	1-1/4"	Square	Yes	Yes	Black	11947	9,000	11955	1,000	11962	100
#8	1-1/4"	Square	Yes	Yes	Zinc	12614	9,000	12658	1,000	12921	100
#8	1-1/4"	Torx	Yes	Yes	Zinc	13970	9,000	13970M	1,000	13970C	100
#8	1-3/8"	Phillips	Yes	Double	Zinc	14814	8,000	15293	1,000	-	-
#8	1-1/2"	Combo	No	No	Plain	9817	7,000	6095	1,000	7607	100
#8	1-1/2"	Combo	Yes	Yes	Black	1251	7,000	2785	1,000	7598	100
#8	1-1/2"	Combo	Yes	Yes	Zinc	1250	7,000	2482	1,000	7587	100
#8	1-1/2"	Combo	Yes	Double	Plain	5441	7,000	6025	1,000	7568	100
#8	1-1/2"	Combo	Yes	Double	Zinc	3123	7,000	5563	1,000	7560	100
#8	1-1/2"	Phillips	No	No	Black	7975	7,000	5800	1,000	7523	100
#8	1-1/2"	Phillips	No	No	Plain	3972	7,000	5574	1,000	7535	100
#8	1-1/2"	Phillips	No	No	Zinc	131	7,000	5793	1,000	7512	100

All Torx Assembly Screws Include Free Torx T20 Insert Bit

Double T17 Point Represents Quickcutter Thread

Flat Head, Coarse Thread, Cont'd

Size	Length	Drive	Nibs	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	1-1/2"	Phillips	Yes	No	Zinc	138	7,000	1179	1,000	7552	100
#8	1-1/2"	Phillips	Yes	Yes	Black	10902	7,000	10911	1,000	10983	100
#8	1-1/2"	Phillips	Yes	Yes	Zinc	9007	7,000	9127	1,000	9138	100
#8	1-1/2"	Phillips	Yes	Double	Plain	7330	7,000	7740	1,000	7763	100
#8	1-1/2"	Phillips	Yes	Double	Zinc	7318	7,000	7719	1,000	7751	100
#8	1-1/2"	Square	No	No	Black	186	7,000	5830	1,000	7579	100
#8	1-1/2"	Square	No	No	Zinc	4956	7,000	12524	1,000	15020	100
#8	1-1/2"	Square	Yes	Yes	Black	11948	7,000	11956	1,000	11963	100
#8	1-1/2"	Square	Yes	Yes	Zinc	12615	7,000	12659	1,000	12922	100
#8	1-1/2"	Torx	Yes	Yes	Zinc	13972	7,000	13972M	1,000	13972C	100
#8	1-5/8"	Combo	Yes	Yes	Black	1253	6,000	2786	1,000	7599	100
#8	1-5/8"	Combo	Yes	Yes	Zinc	1252	6,000	2483	1,000	7588	100
#8	1-5/8"	Combo	Yes	Double	Zinc	3124	6,000	5564	1,000	7561	100
#8	1-5/8"	Phillips	No	No	Black	10564	5,000	11198	1,000	11272	100
#8	1-5/8"	Phillips	No	No	Plain	4426	5,000	5575	1,000	7536	100
#8	1-5/8"	Phillips	No	No	Zinc	7125	5,000	7809	1,000	-	-
#8	1-5/8"	Phillips	Yes	No	Zinc	139	6,000	1180	1,000	7553	100
#8	1-5/8"	Phillips	Yes	Yes	Black	10903	6,000	10912	1,000	10984	100
#8	1-5/8"	Phillips	Yes	Yes	Zinc	9008	6,000	9128	1,000	9139	100
#8	1-5/8"	Phillips	Yes	Double	Plain	7331	6,000	7741	1,000	7764	100
#8	1-5/8"	Phillips	Yes	Double	Zinc	7319	6,000	7720	1,000	7752	100
#8	1-5/8"	Square	No	No	Zinc	5876	5,500	12525	1,000	15021	100
#8	1-5/8"	Square	Yes	Yes	Black	11949	6,000	11957	1,000	11964	100
#8	1-5/8"	Square	Yes	Yes	Zinc	12616	6,000	12660	1,000	12923	100
#8	1-3/4"	Combo	No	No	Plain	9818	5,000	6096	1,000	7608	100
#8	1-3/4"	Combo	Yes	Yes	Black	10115	5,000	10132	1,000	10481	100
#8	1-3/4"	Combo	Yes	Yes	Zinc	12800	5,000	12801	1,000	14342	100
#8	1-3/4"	Combo	Yes	Double	Plain	5442	5,000	6026	1,000	7569	100
#8	1-3/4"	Combo	Yes	Double	Zinc	5453	5,000	5565	1,000	7562	100
#8	1-3/4"	Phillips	No	No	Black	4735	4,000	5801	1,000	7524	100
#8	1-3/4"	Phillips	No	No	Plain	3973	5,000	5576	1,000	7537	100
#8	1-3/4"	Phillips	No	No	Zinc	132	5,000	5794	1,000	7513	100
#8	1-3/4"	Phillips	Yes	Yes	Black	10904	5,000	10913	1,000	10985	100
#8	1-3/4"	Phillips	Yes	Yes	Zinc	9009	5,000	9129	1,000	9140	100
#8	1-3/4"	Phillips	Yes	Double	Plain	7332	5,000	7742	1,000	7765	100
#8	1-3/4"	Phillips	Yes	Double	Zinc	7320	5,000	7721	1,000	7753	100
#8	1-3/4"	Square	No	No	Black	187	5,000	5831	1,000	7580	100
#8	1-3/4"	Square	Yes	Yes	Black	12802	5,000	12803	1,000	-	-
#8	1-3/4"	Square	Yes	Yes	Zinc	12617	5,500	12661	1,000	12924	100
#8	1-3/4"	Torx	Yes	Yes	Zinc	13974	5,000	13974M	1,000	13974C	100
#8	2"	Combo	No	No	Plain	9819	4,000	6097	1,000	7609	100
#8	2"	Combo	Yes	Yes	Black	1255	4,000	2787	1,000	7600	100
#8	2"	Combo	Yes	Yes	Zinc	1254	4,000	2484	1,000	7589	100
#8	2"	Combo	Yes	Double	Plain	5443	4,000	6027	1,000	7570	100
#8	2"	Combo	Yes	Double	Zinc	3125	4,000	5566	1,000	7563	100
#8	2"	Phillips	No	No	Black	4736	4,000	5802	1,000	7525	100
#8	2"	Phillips	No	No	Plain	3974	4,000	5577	1,000	7538	100
#8	2"	Phillips	No	No	Zinc	133	4,000	5795	1,000	7514	100
#8	2"	Phillips	Yes	No	Zinc	140	4,000	1181	1,000	7554	100
#8	2"	Phillips	Yes	Yes	Black	10905	4,000	10914	1,000	10986	100
#8	2"	Phillips	Yes	Yes	Zinc	9010	4,000	9131	1,000	9141	100
#8	2"	Phillips	Yes	Double	Plain	7333	4,000	7743	1,000	7766	100

All Torx Assembly Screws Include Free Torx T20 Insert Bit

Double T17 Point Represents Quickcutter Thread

Flat Head, Coarse Thread, Cont'd

Size	Length	Drive	Nibs	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	2"	Phillips	Yes	Double	Zinc	7322	4,000	7722	1,000	7755	100
#8	2"	Square	No	No	Black	188	4,000	5832	1,000	7581	100
#8	2"	Square	No	No	Zinc	4958	4,000	12527	1,000	15023	100
#8	2"	Square	Yes	Yes	Black	11950	4,000	11958	1,000	11965	100
#8	2"	Square	Yes	Yes	Zinc	12618	4,000	12662	1,000	12925	100
#8	2"	Torx	Yes	Yes	Zinc	13975	4,000	13975M	1,000	13975C	100
#8	2-1/4"	Combo	Yes	Yes	Black	5447	3,000	5700	1,000	7601	100
#8	2-1/4"	Combo	Yes	Yes	Zinc	5448	3,000	5580	1,000	7590	100
#8	2-1/4"	Combo	Yes	Double	Plain	5444	3,000	6028	1,000	7571	100
#8	2-1/4"	Phillips	No	No	Black	7126	3,000	11273	1,000	-	-
#8	2-1/4"	Phillips	Yes	Yes	Black	10906	3,000	10915	1,000	10987	100
#8	2-1/4"	Phillips	Yes	Yes	Zinc	9011	3,000	9132	1,000	9142	100
#8	2-1/4"	Phillips	Yes	Double	Plain	7334	3,000	7744	1,000	-	-
#8	2-1/4"	Phillips	Yes	Double	Zinc	7323	3,000	7723	1,000	7761	100
#8	2-1/4"	Square	Yes	Yes	Black	12804	3,000	12805	1,000	15479	100
#8	2-1/4"	Square	Yes	Yes	Zinc	12619	3,000	12663	1,000	12926	100
#8	2-1/4"	Torx	Yes	Yes	Zinc	13976	3,000	13976M	1,000	13976C	100
#8	2-1/2"	Combo	No	No	Plain	9821	2,500	6099	500	7611	50
#8	2-1/2"	Combo	Yes	Double	Plain	5445	2,500	6029	500	7572	50
#8	2-1/2"	Combo	Yes	Double	Zinc	5896	2,500	6044	500	7565	50
#8	2-1/2"	Phillips	No	No	Black	4746	2,500	5803	500	7526	50
#8	2-1/2"	Phillips	No	No	Plain	3975	2,500	5578	500	7539	50
#8	2-1/2"	Phillips	No	No	Zinc	134	2,500	5796	500	-	-
#8	2-1/2"	Phillips	Yes	Double	Plain	7335	2,500	7745	500	7768	50
#8	2-1/2"	Phillips	Yes	Double	Zinc	7324	2,500	7733	500	7756	50
#8	2-1/2"	Square	No	No	Zinc	4959	2,500	12528	500	15025	50
#8	2-1/2"	Torx	Yes	Yes	Zinc	13977	2,500	13977M	500	13977C	50
#8	3"	Combo	No	No	Plain	9822	2,000	6101	500	7613	50
#8	3"	Combo	Yes	Double	Plain	5446	2,000	6030	500	7573	50
#8	3"	Combo	Yes	Double	Zinc	5897	2,000	6045	500	7566	50
#8	3"	Phillips	No	No	Black	4747	2,000	5804	500	7527	50
#8	3"	Phillips	No	No	Plain	3976	2,000	5579	500	7541	50
#8	3"	Phillips	No	No	Zinc	135	2,000	5797	500	7516	50
#8	3"	Phillips	Yes	Double	Plain	7336	2,000	7746	500	7769	50
#8	3"	Phillips	Yes	Double	Zinc	7325	2,000	7734	500	7757	50
#8	3"	Square	No	No	Zinc	4960	2,000	12529	500	15026	50
#8	3"	Torx	Yes	Yes	Zinc	13979	2,000	13979M	500	13979C	50
#9*	2-1/2"	Combo	Yes	Yes	Black	1257	2,500	2788	500	7602	50
#9*	2-1/2"	Combo	Yes	Yes	Zinc	1256	2,500	2485	500	7591	50
#9*	2-1/2"	Phillips	Yes	No	Zinc	142	2,500	1183	500	7556	50
#9*	2-1/2"	Phillips	Yes	Yes	Black	10907	2,500	10916	500	10988	50
#9*	2-1/2"	Phillips	Yes	Yes	Zinc	9012	2,500	9134	500	9143	50
#9*	2-1/2"	Square	No	No	Black	189	2,500	5834	500	7582	50
#9*	2-1/2"	Square	Yes	Yes	Black	11951	2,500	11959	500	11966	50
#9*	2-1/2"	Square	Yes	Yes	Zinc	12620	2,500	12664	500	12927	50
#9*	3"	Combo	Yes	Yes	Black	1259	2,000	2789	500	7603	50
#9*	3"	Combo	Yes	Yes	Zinc	1258	2,000	2486	500	7592	50
#9*	3"	Phillips	Yes	No	Zinc	143	2,000	1184	500	7557	50
#9*	3"	Phillips	Yes	Yes	Black	10908	2,000	10917	500	10989	50
#9*	3"	Phillips	Yes	Yes	Zinc	9013	2,000	9135	500	9144	50

* Represents #9 Body with #8 Head

All Torx Assembly Screws Include Free Torx T20 Insert Bit

** Represents Torx Screw with Free T25 Insert Bit

Double T17 Point Represents Quickcutter Thread

Flat Head, Coarse Thread, Cont'd

Size	Length	Drive	Nibs	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#9*	3"	Phillips	Yes	Yes	Zinc	9013	2,000	9135	500	9144	50
#9*	3"	Square	No	No	Black	190	2,000	5835	500	7583	50
#9*	3"	Square	Yes	Yes	Black	11952	2,000	11960	500	11969	50
#9*	3"	Square	Yes	Yes	Zinc	12621	2,000	12665	500	12928	50
#10	3-1/2"	Combo	Yes	Double	Plain	9484	1,000	9608	250	9609	25
#10	3-1/2"	Phillips	Yes	Double	Plain	7337	1,000	7747	250	-	-
#10	3-1/2"	Phillips	Yes	Double	Zinc	7326	1,000	7736	250	7758	25
#10	3-1/2"	Square	Yes	Yes	Zinc	12622	1,500	12666	250	12929	25
#10	3-1/2"	Torx**	Yes	Yes	Zinc	13982	1,500	13982M	500	13982C	50
#10	4"	Combo	Yes	Double	Plain	9485	1,000	9610	250	9611	25
#10	4"	Phillips	Yes	Double	Plain	7338	1,000	7748	250	-	-
#10	4"	Phillips	Yes	Double	Zinc	7327	1,000	7737	250	7759	25
#10	4"	Square	Yes	Yes	Zinc	12623	1,000	12667	250	12930	25
#10	4"	Torx**	Yes	Yes	Zinc	13983	1,000	13983M	500	13983C	50

* Represents #9 Body with #8 Head

** Represents Torx Screw with Free T25 Insert Bit

All Torx Assembly Screws Include Free Torx T20 Insert Bit

Double T17 Point Represents Quickcutter Thread

Round Washer Head, Coarse Thread

Size	Length	Drive	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	5/8"	Combo	No	Plain	4316	12,000	7772	1,000	7787	100
#8	7/8"	Combo	No	Plain	4318	10,000	15052	1,000	15053	100
#8	1"	Combo	No	Plain	4319	10,000	15054	1,000	15055	100
#8	1"	Combo	No	Zinc	2759	10,000	6585	1,000	7676	100
#8	1"	Combo	Double	Plain	7304	11,000	7776	1,000	7791	100
#8	1"	Square	Yes	Zinc	13291	10,000	13313	1,000	14225	100
#8	1-1/8"	Combo	No	Zinc	6468	9,000	6586	1,000	7677	100
#8	1-1/8"	Square	Yes	Zinc	13364	9,000	13406	1,000	14226	100
#8	1-1/4"	Combo	No	Plain	4321	8,000	15058	1,000	15059	100
#8	1-1/4"	Combo	No	Zinc	2288	9,000	6587	1,000	7678	100
#8	1-1/4"	Combo	Double	Plain	7306	9,000	7777	1,000	7792	100
#8	1-1/4"	Square	Yes	Zinc	13292	9,000	13314	1,000	14227	100
#8	1-1/2"	Combo	No	Plain	4324	5,000	15060	1,000	15061	100
#8	1-1/2"	Combo	No	Zinc	6469	7,000	6588	1,000	7679	100
#8	1-1/2"	Combo	Double	Plain	7307	7,000	7778	1,000	7793	100
#8	1-1/2"	Square	Yes	Zinc	13293	7,000	13315	1,000	14228	100
#8	1-5/8"	Combo	Double	Plain	7308	6,000	7779	1,000	7794	100
#8	1-3/4"	Combo	No	Zinc	6407	5,000	6589	1,000	7680	100
#8	1-3/4"	Combo	Double	Plain	7309	5,000	7780	1,000	7795	100
#8	1-3/4"	Square	Yes	Zinc	13295	5,000	13317	1,000	14229	100
#8	2"	Combo	No	Plain	4326	4,000	15064	1,000	15065	100
#8	2"	Combo	No	Zinc	248	4,000	6590	1,000	7681	100
#8	2"	Combo	Double	Plain	7310	4,000	7781	1,000	7796	100
#8	2"	Square	Yes	Zinc	13296	4,000	13318	1,000	14230	100
#8	2-1/4"	Square	Yes	Zinc	13297	3,000	13319	1,000	14231	100
#8	2-1/4"	Combo	Double	Plain	7311	3,000	7782	1,000	7797	100
#8	2-1/2"	Combo	No	Zinc	6471	2,500	6592	500	7683	50
#8	2-1/2"	Combo	Double	Plain	7312	2,500	7783	500	7798	50
#8	2-1/2"	Square	Yes	Zinc	13298	2,500	13320	500	14232	50
#8	3"	Combo	No	Plain	4330	2,000	15072	500	15073	50
#8	3"	Combo	No	Zinc	6473	2,000	6593	500	7684	50
#8	3"	Combo	Double	Plain	7313	2,000	7784	500	7799	50
#8	3"	Square	Yes	Zinc	13299	2,000	13321	500	14233	50

Double T17 Point Represents Quickcutter Thread

CONFIRMAT SCREWS



Pozi Drive, Flat Head, Zinc Finish

Size	Length	Nibs	Thread	Point	PN# - QTY		PN# - QTY		PN# - QTY	
5mm	40mm	No	Fine	Blunt	11700	5,000	11731	1,000	11732	100
5mm	40mm	Yes	Fine	Sharp	13713	5,000	-	-	-	-
5mm	50mm	Yes	Fine	Sharp	13720	4,000	14161	1,000	-	-
7mm	50mm	No	Coarse	Blunt	225C	2,000	-	-	5960C	100
7mm	50mm	Yes	Coarse	Blunt	5361C	2,000	-	-	6265C	100
7mm	50mm	Yes	Coarse	Sharp	5502C	2,000	-	-	6266C	100
7mm	50mm	No	Fine	Blunt	225F	2,000	-	-	5960F	100
7mm	50mm	Yes	Fine	Blunt	5361F	2,000	-	-	6265F	100
7mm	50mm	Yes	Fine	Sharp	5502F	2,000	-	-	6266F	100

5mm Pozi #2 Drive

7mm Pozi #3 Drive


Confirmat Step Drill Bit

PN# - QTY	
12793P*	1

Typical in assembling frameless cabinets and furniture.



FUNNEL HEAD SCREWS



Square Drive, Funnel Head with Serrations, T17 Spiral Point, Coarse Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	1"	Zinc	15440	11,000	15425	1,000	15416	100
#8	1-1/8"	Zinc	15441	10,000	15426	1,000	15422	100
#8	1-1/4"	Zinc	15445	9,000	15431	1,000	15423	100
#8	1-3/8"	Zinc	15447	8,000	15456	1,000	15465	100
#8	1-1/2"	Zinc	15448	7,000	15457	1,000	15466	100
#8	1-5/8"	Zinc	15449	6,000	15458	1,000	15467	100
#8	1-3/4"	Zinc	15450	5,000	15459	1,000	15468	100
#8	2"	Zinc	15451	4,000	15460	1,000	15469	100
#8	2-1/4"	Zinc	15696	3,000	15697	1,000	15698	100
#8	2-1/2"	Zinc	15452	2,500	15461	500	15470	50
#8	3"	Zinc	15453	2,000	15462	500	15471	50
#10	3-1/2"	Zinc	15454	1,500	15463	250	15472	25
#10	4"	Zinc	15455	1,000	15464	250	15473	25

The Funnel Head is ideal for woods where splitting is common.

The Spiral Thread eliminates splitting and the need for pre-drilling.

The Double-Serrated Head helps the head sink flush with no chipping.





EXTERIOR DECKING & FENCING SCREWS

Quickscrews Exterior Decking and Fencing Screws are for use with decks, fences, or other outdoor furniture.

The Exterior Screws have a 2,000 Hour Ultra Guard Coating to protect against ACQ treated lumber. This coating underwent a salt spray test and withheld rust for 2,000 hours, allowing you to build an outdoor oasis that will withstand time and weather.

These screws also have a Quickcutter Double Type 17 Point with extra Coarse Thread to minimize pre-drilling, allow stress-free faster driving, greater holding power, and reduces splitting.

Square Drive, Flat Head with Nibs, Quickcutter Double T17 Point with Extra Coarse Thread, 2,000 Hour Ultra Guard Finish

Size	Length	PN# - QTY		PN# - QTY	
#7	1-1/4"	13335	8,000	13384	1,000
#7	1-5/8"	13336	5,000	13385	1,000
#7	2"	13337	4,000	13386	1,000
#8	2-1/4"	13338	3,000	13387	1,000
#8	2-1/2"	13339	2,500	13388	500
#8	3"	13340	2,000	13389	500
#10	3-1/2"	13341	1,000	13390	250
#10	4"	13342	1,000	13391	250
#10	4-1/2"	13343	800	13392	250
#10	5"	13344	500	13393	100
#10	6"	13345	500	13394	100

ULTRA GUARD CORROSION RESISTANCE



ZINC PLATED



ULTRA GUARD



The Ultra Guard Coating's corrosion resistance is tested using a salt spray test.

The Screw is continuously sprayed with salt water and observed until the screw shows the first signs of red rust corrosion.

The more hours the screw withholds rust during the salt spray test, the more years the screw will last under normal, real-world applications.

For more information, check out our Corrosion Resistance Scorecard on our website.
www.quickscrews.com/corrosion-resistance



CABINET INSTALLATION SCREWS

The Quickscrews Cabinet Installation Screws are used for installing any manner of cabinets into a variety of studs.

Our Cabinet Installation Screws are available with many different special features. Heads paints White or Sand seamlessly blend into multiple cabinet colors. Self-Drilling Screws that do not require Pilot Holes and can be installed into light, medium, or heavy gauge metal studs.

Furthermore, the QX² Installation Screw is the only Screw approved by the Woodworking Institute (WI) as a Multipurpose Install Screw.

Combo Drive, Round Washer Head, Quickcutter Thread with Double T17 Point

Size	Length	Painted Head	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#10	2-1/2"	No	Zinc	7927	1,500	8335	500	8336	50
#10	2-1/2"	Sand	Zinc	13793	1,500	13797	500	-	-
#10	2-1/2"	White	Zinc	8010	1,500	8343	500	8344	50
#10	3"	No	Black	9912	1,500	8349	500	8350	50
#10	3"	No	Zinc	7935	1,500	8337	500	8338	50
#10	3"	Sand	Zinc	13794	1,500	13798	500	-	-
#10	3"	White	Zinc	8011	1,500	8345	500	8346	50
#10	3-1/2"	No	Zinc	7936	1,000	8339	250	8340	25
#10	3-1/2"	White	Zinc	8012	1,000	8347	250	8348	25
#10	4"	No	Zinc	7937	1,000	8341	250	8342	25
#10	4"	White	Zinc	8013	1,000	8351	250	8353	25

For installing into wood studs. The patented Quickcutter Thread reduces the amount of torque required and significantly reduces splitting.



Phillips Drive #3, Round Washer Head, Hi-Low Thread with T17 Self-Piercing Point

Size	Length	Painted Head	Finish	PN# - QTY		PN# - QTY	
#14	2-1/2"	No	Black	11981	1,500	11987	100
#14	2-1/2"	No	Zinc	8214	1,500	9449	100
#14	2-1/2"	White	Zinc	11979	1,500	11985	100
#14	3"	No	Black	11982	1,200	11988	100
#14	3"	No	Zinc	8215	1,200	9450	100
#14	3"	White	Zinc	11980	1,200	11986	100
#14	3-1/2"	No	Zinc	8216	1,000	9451	50
#14	4"	No	Zinc	8217	700	9452	50

QX² Multipurpose Install Screws work on metal and wood studs. The Self-Piercing Point allows for instant, quicker penetration, and stress-free driving.

Approved by the Woodwork Institute.



Phillips Drive, Bugle Head, Halfway Fine Threaded with T17 Point

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	2-1/2"	Black	10130	2,500	10484	500	10485	50

For frame-to-frame cabinets.



Combo Drive, Round Washer White Painted Head, Coarse Thread

Size	Length	Finish	PN# - QTY		PN# - QTY	
#8	1-1/4"	Zinc	1636	8,000	6716	1,000
#8	3"	Zinc	6713	2,000	6722	500

For installing white melamine cabinets.



Self-Drilling Installation Screws (SDS)

Size	Length	Drive	Head	Finish	PN# - QTY		PN# - QTY	
#8	2-1/2"	Phillips	Round Washer	Zinc	13349	2,500	13380	500
#8	2-1/2"	Square	Round Washer	Zinc	13351	2,500	13382	500
#8	3"	Phillips	Flat	Zinc	15178	1,250	15482	100
#10	2-1/2"	Phillips	Truss	Zinc	13162	2,000	13165	500
#10	2-1/2"	Phillips	Truss**	Zinc	13163	2,000	13166	500
#10	2-1/2"	Square***	Round Washer	Zinc	13353	2,000	13395	500
#10	2-1/2"	Square***	Round Washer**	Zinc	13354	2,000	13396	500
#14*	3"	Phillips***	Round Washer	Zinc	11976	1,000	12330	100

* Represents Partially-Threaded Screw

** Represents White Painted Head

*** Represents #3 Point

For light, medium, or heavy gauge metal studs.



Torx Drive, Round Washer Head, Coarse Thread with XL T17 Point

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#10	2-1/2"	Zinc	15982	1,500	15982M	500	15982C	50
#10	3"	Zinc	15983	1,500	15983M	500	15983C	50
#10	3-1/2"	Zinc	15984	1,000	15984M	250	15984C	25
#10	4"	Zinc	15985	1,000	15985M	250	15985C	25

All Torx Installation Screws Include Free Torx T25 Insert Bit

Requires less torque to drive, prevents cam-out, and results in a longer tool life.



Phillips Drive, Fine Thread Sheet Metal Screw (SMS) with T17 Point

Size	Length	Head	Thread	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#14	3"	Truss	Type A	Zinc	2052	1,000	11282	100	15491	50

For wood studs.




DRYWALL SCREWS



Phillips Drive, Bugle Head, Coarse Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#6	1"	Black	9682	10,000	9718	1,000	14613	100
#6	1"	Yellow Zinc	9696	10,000	9731	1,000	-	-
#6	1-1/8"	Black	9683	10,000	9719	1,000	14615	100
#6	1-1/4"	Black	9684	8,000	9720	1,000	14617	100
#6	1-1/4"	Yellow Zinc	9698	8,000	9733	1,000	-	-
#6	1-1/2"	Black	9741	6,000	6614	1,000	-	-
#6	1-1/2"	Yellow Zinc	9743	6,000	6615	1,000	-	-
#6	1-5/8"	Black	9685	5,000	9721	1,000	14619	100
#6	1-5/8"	Yellow Zinc	9699	5,000	9734	1,000	-	-
#6	2"	Black	9687	3,500	9722	1,000	14620	100
#7	2"	Black	14710	3,000	14713	500	14714	100
#7	2"	Yellow Zinc	14712	3,000	14715	500	14716	100
#7	2-1/4"	Black	14711	3,000	14717	500	14718	100
#8	2-1/2"	Black	9689	2,500	9724	500	14622	100
#8	2-1/2"	Yellow Zinc	9702	2,500	9737	500	-	-
#8	3"	Black	9690	2,000	9725	500	14623	100
#8	3"	Yellow Zinc	9703	2,000	9738	500	-	-
#10	3-1/2"	Black	9691	1,000	9726	250	-	-
#10	3-1/2"	Yellow Zinc	9704	1,000	9739	250	-	-
#10	4"	Black	9693	1,000	9728	250	-	-
#10	4"	Yellow Zinc	9705	1,000	9740	250	-	-

Designed to be driven through drywall into wood studs. Also used for plywood or softer woods. The lower thread count increases installation speed for higher production rates.



Square Drive, Trim Head, Twinfast Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#6	1"	Black	3869	10,000	10814	1,000	-	-
#6	1-5/8"	Black	1229	5,000	11202	1,000	11285	100
#6	2-1/4"	Black	1231	3,000	11203	1,000	13859	100
#8	3"	Black	1849	2,000	13721	500	13860	100



POCKET HOLE SCREWS

Quickscrews is the leading supplier of Pocket Hole Screws in the country. Our Pocket Hole Screws work with Kreg or Castle Jigs. The Modified Pan Head works with either application, while the Round Washer Head is primarily used in Kreg Style applications.

Pocket Hole Screws with Fine Thread are used in hardwoods, such as oak and maple. The Coarse Thread provides greater holding power in softer woods like particle board and melamine. The Hi-Low Thread is best for red oak as it reduces strip-out in the woods.

Phillips Drive, Pan Head, Fine Thread with T17 Point

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#6	1-1/4"	Plain	5715	8,000	5963	1,000	7614	100
#6	1-1/2"	Plain	5716	7,000	5964	1,000	7615	100



Square Drive, Modified Pan Head

Size	Length	Head	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#6	1"	Fine	Yes	Plain	13003	10,000	11817	1,000	11818	100
#6	1-1/4"	Fine	Yes	Plain	2722	8,000	3655	1,000	7616	100
#6	1-1/4"	Fine	Double	Plain	4082	8,000	5706	1,000	7618	100
#6	1-1/2"	Fine	Yes	Plain	2724	7,000	3656	1,000	7617	100
#6	1-1/2"	Fine	Double	Plain	5215	7,000	5707	1,000	7619	100
#6	1-1/2"	Fine	Yes	Yellow Zinc	13574	7,000	13618	1,000	13653	100
#7	1"	Coarse	Yes	Plain	13004	10,000	11819	1,000	11820	100
#7	1-1/4"	Coarse	Yes	Plain	4080	8,000	5598	1,000	7620	100
#7	1-1/4"	Coarse	Yes	Zinc	4080ZP	8,000	5598ZP	1,000	7620ZP	100
#7	1-1/4"	Coarse	Yes, XL	Plain	4080XL	8,000	5598XL	1,000	7620XL	100
#7	1-1/4"	Hi-Low	Yes	Plain	4084	8,000	5600	1,000	7622	100
#7	1-1/4"	Hi-Low	Yes	Zinc	13575	8,000	13619	1,000	13654	100
#7	1-1/2"	Coarse	Yes	Plain	4081	7,000	5599	1,000	7621	100
#7	1-1/2"	Coarse	Yes	Yellow Zinc	13573	7,000	13617	1,000	13651	100
#7	1-1/2"	Coarse	Yes, XL	Plain	4081XL	7,000	5599XL	1,000	7621XL	100
#7	1-1/2"	Hi-Low	Yes	Plain	4085	7,000	5601	1,000	7623	100
#7	1-1/2"	Hi-Low	Yes	Yellow Zinc	13576	7,000	13620	1,000	13655	100



XL Represents Extra Long Type 17 Point

Double T17 Point Represents Quickcutter Thread

Square Drive, Round Washer Head, T17 Point

Size	Length	Thread	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#7	1-1/4"	Fine	Plain	5285	8,000	9158	1,000	9161	100
#7	1-1/4"	Fine	Zinc	14390	8,000	14392	1,000	14393	100
#7	1-1/2"	Fine	Plain	5286	6,000	9159	1,000	9162	100
#7	1-1/2"	Fine	Zinc	14391	7,000	14394	1,000	14395	100
#8	1"	Coarse	Plain	6308	8,000	9155	1,000	9156	100
#8	1-1/4"	Coarse	Plain	4547	8,000	7844	1,000	7845	100
#8	1-1/2"	Coarse	Plain	10032	7,000	9157	1,000	9160	100



Torx Drive (T20), Modified Pan Head, T17 Point, Optical Sorted

Size	Length	Thread	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#7	1-1/4"	Coarse	Zinc	4080TZO	8,000	5598TZO	1,000	7620TZO	100
#7	1-1/4"	Hi-Low	Zinc	4084TZO	8,000	5600TZO	1,000	7622TZO	100

Pocket Hole Drill Bit

PN# - QTY	
KJDSHARP	1





DRAWER FRONT ADJUSTING SCREWS

Quickscrews Drawer Front Adjusting Screws allow the user to move the drawer fronts in case they do not line up properly.



Large Round Washer Head, Coarse Thread

Size	Length	Drive	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8	7/8"	Combo	No	Zinc	7200	8,000	10458	1,000	10459	100
#8	7/8"	Combo	Yes	Zinc	12624	8,000	12668	1,000	12931	100
#8	7/8"	Phillips	No	Zinc	8296	8,000	8811	1,000	9146	100
#8	7/8"	Phillips	Yes	Zinc	9022	8,000	9147	1,000	9151	100
#8	1"	Combo	No	Zinc	9989	7,000	10465	1,000	10466	100
#8	1"	Combo	Yes	Zinc	12625	7,000	12669	1,000	12932	100
#8	1"	Phillips	No	Zinc	1047	7,000	6003	1,000	7660	100
#8	1"	Phillips	Yes	Black	8674	7,000	12332	1,000	12333	100
#8	1"	Phillips	Yes	Zinc	9023	7,000	9148	1,000	9152	100
#8	1-1/8"	Combo	No	Zinc	10252	6,000	10467	1,000	10468	100
#8	1-1/8"	Combo	Yes	Zinc	12626	6,000	12670	1,000	12933	100
#8	1-1/8"	Phillips	No	Zinc	2757	6,000	6004	1,000	7661	100
#8	1-1/8"	Phillips	Yes	Zinc	9024	6,000	9149	1,000	9153	100
#8	1-1/4"	Combo	No	Zinc	10253	6,000	10469	1,000	10470	100
#8	1-1/4"	Combo	Yes	Zinc	12627	6,000	12671	1,000	12934	100
#8	1-1/4"	Phillips	No	Zinc	4103	6,000	6005	1,000	7662	100
#8	1-1/4"	Phillips	Yes	Zinc	9025	6,000	9150	1,000	9154	100
#8	1-1/2"	Combo	No	Zinc	10254	5,000	10471	1,000	10472	100
#8	1-1/2"	Combo	Yes	Zinc	12628	5,000	12672	1,000	12935	100
#8	1-1/2"	Phillips	Yes	Zinc	9532	5,000	9568	1,000	9569	100





HARDWARE SCREWS

Quickscrews full line of Hardware Screws are great for attaching a wide range of hardware to woods, such as Ball Bearing Drawer Slides, European Drawer Slides, Knobs, or Hinges.



DRAWER SLIDE SCREWS



Coarse Thread

Size	Length	Drive	Head	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	7/16"	Phillips	Pan**	Zinc	13355	25,000	11799	5,000	11800	1,000	11801	100
#6	1/2"	Phillips	Pan**	Zinc	13356	25,000	13399	5,000	13398	1,000	13397	100
#6	5/8"	Phillips	Truss	Antique Brass	4635	15,000	6132	5,000	5873	1,000	7487	100
#8*	7/16"	Combo	Truss	Black	10256	20,000	10455	5,000	10456	1,000	10457	100
#8*	7/16"	Combo	Truss	Zinc	10255	20,000	10452	5,000	10453	1,000	10454	100
#8*	7/16"	Phillips	Truss	Black	10123	20,000	10473	5,000	10284	1,000	10474	100
#8*	7/16"	Phillips	Truss	Zinc	4460	20,000	6276	5,000	5961	1,000	7673	100
#8	7/16"	Phillips	Round Washer**	Zinc	5213	20,000	9122	5,000	8810	1,000	9123	100
#8	1/2"	Phillips	Round Washer**	Zinc	4688	14,000	6113	5,000	6271	1,000	7674	100
#8	3/4"	Phillips	Truss***	Zinc	12943	8,000	-	-	15263	1,000	-	-
#8	3/4"	Phillips	Truss***	Black	8114	8,000	-	-	11663	1,000	11885	100

* Represents #8 Body with #6 Head

** Represents Low Profile Head

*** Represents Modified Truss Head

For full extension ball bearing drawer slides. Low Profile Heads allow slide members to pass over without clicking.



Phillips Drive, Fine Thread Type A Sheet Metal Screws (SMS), Zinc Finish

Size	Length	Drive	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	7/16"	Pan**	11572	30,000	12798	5,000	12799	1,000	-	-
#8*	7/16"	Truss	229	20,000	11545	5,000	11547	1,000	11548	100

* Represents #8 Body with #6 Head

** Represents Low Profile Pan Head

For ball-bearing slides in metal or wood drawers.



Phillips Drive, Flat Head, Coarse Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#5	1/2"	Antique Brass	231	40,000	6155	5,000	5864	1,000	–	–	7476	100
#5	1/2"	Zinc	109	40,000	6126	5,000	5781	1,000	–	–	7457	100
#5	5/8"	Antique Brass	233	30,000	6156	5,000	5865	1,000	–	–	7477	100
#5	5/8"	Nickel	11322	30,000	11323	5,000	11324	1,000	–	–	11325	100
#5	5/8"	Zinc	110	30,000	6127	5,000	5782	1,000	–	–	7458	100
#6	1/2"	Antique Brass	232	25,000	6158	5,000	5866	1,000	–	–	7479	100
#6	1/2"	Black	1623	25,000	6250	5,000	6246	1,000	–	–	7518	100
#6	1/2"	Bright Brass	9063	25,000	9598	5,000	9599	1,000	–	–	9601	100
#6	1/2"	Nickel	115	25,000	9219	5,000	8905	1,000	3363	500	13109	100
#6	1/2"	Zinc	114	25,000	1234	5,000	1233	1,000	14628	500	1232	100
#6	5/8"	Antique Brass	235	25,000	6159	5,000	5867	1,000	–	–	7841	100
#6	5/8"	Black	119	25,000	6251	5,000	6247	1,000	–	–	7519	100
#6	5/8"	Bright Brass	4722	25,000	6140	5,000	6089	1,000	–	–	7469	100
#6	5/8"	Nickel	117	25,000	9220	5,000	8906	1,000	3364	500	11276	100
#6	5/8"	Zinc	116	25,000	1236	5,000	1187	1,000	14629	500	1235	100
#6	3/4"	Antique Brass	236	20,000	6163	5,000	5868	1,000	–	–	7489	100
#6	3/4"	Black	122	20,000	6252	5,000	6248	1,000	–	–	7520	100
#6	3/4"	Nickel	121	20,000	9221	5,000	9098	1,000	3365	500	13110	100
#6	3/4"	Zinc	120	20,000	3987	5,000	1189	1,000	14630	500	1237	100
#6	1"	Nickel	9093	13,000	–	–	9099	1,000	3366	500	11876	100
#6	1"	Zinc	123	13,000	–	–	5786	1,000	–	–	7505	100
#6	1-1/4"	Zinc	124	10,000	–	–	5787	1,000	–	–	7506	100
#6	1-1/2"	Zinc	125	8,000	–	–	5788	1,000	–	–	7507	100
#7	5/8"	Nickel	126	20,000	9223	5,000	5901	1,000	3367	500	4991	100
#7	5/8"	Zinc	8995	20,000	9190	5,000	9191	1,000	14609	500	9192	100
#7	3/4"	Nickel	10166	20,000	9224	5,000	9217	1,000	3368	500	11288	100
#7	1"	Nickel	9094	10,000	–	–	9218	1,000	9163	500	16059	100
#8	5/8"	Black	6542	14,000	–	–	7837	1,000	–	–	9185	100
#8	5/8"	Bright Brass	293	14,000	6150	5,000	6091	1,000	–	–	7474	100
#8	5/8"	Plain	3968	14,000	–	–	6240	1,000	–	–	7531	100
#8	5/8"	Zinc	127	14,000	–	–	5789	1,000	–	–	7508	100
#8	3/4"	Black	6566	12,000	–	–	7440	1,000	–	–	258	100
#8	3/4"	Plain	3969	12,000	–	–	6241	1,000	–	–	7532	100
#8	3/4"	Zinc	128	12,000	–	–	5790	1,000	–	–	7509	100
#8	1"	Plain	3970	10,000	–	–	5572	1,000	–	–	7533	100

For a wide variety of hardware applications, including drawer slides and hinges.



UNDERCUT SCREWS



Phillips Drive, Flat Undercut Head, Coarse Thread

Size	Length	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	7/16"	Yes	Zinc	6055	35,000	6132	5,000	6128	1,000	7459	100
#6*	1/2"	No	Zinc	7229	25,000	7350	5,000	7353	1,000	7356	100
#6	1/2"	Yes	Bright Brass	6059	25,000	6144	5,000	6141	1,000	7468	100
#6	1/2"	Yes	Zinc	6056	25,000	6133	5,000	6129	1,000	7462	100
#6*	5/8"	No	Zinc	7230	25,000	7351	5,000	7354	1,000	7357	100
#6	5/8"	Yes	Antique Brass	6063	25,000	6165	5,000	6153	1,000	7484	100
#6	5/8"	Yes	Zinc	6057	25,000	6134	5,000	6130	1,000	7463	100
#6*	3/4"	No	Zinc	7231	20,000	7352	5,000	7355	1,000	7358	100
#6	3/4"	Yes	Bright Brass	6061	20,000	6146	5,000	6143	1,000	7473	100
#6	3/4"	Yes	Zinc	6058	20,000	6135	5,000	6131	1,000	7465	100
#7	3/4"	Yes	Zinc	12846	20,000	13803	5,000	13323	1,000	13324	100

*Represents #6 Body with #5 Head

Sits flush in countersunk holes.



EURO SCREWS



Flat Head, Fine Thread Type B Sheet Metal Screws (Flat Head Euro Screws)

Size	Length	Drive	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
6mm	10mm	Phillips	Zinc	13359	10,000	13402	1,000	-	-	-	-
6.3mm*	7.5mm	Phillips	Nickel	10975	15,000	11733	1,000	-	-	11734	100
6.3mm	10mm	Pozi	Nickel	1097	10,000	1220	1,000	-	-	12300	100
6.3mm*	10mm	Square	Zinc	13357	10,000	13400	1,000	-	-	-	-
6.3mm	10.5mm	Pozi	Nickel	5268	10,000	6181	1,000	-	-	12301	100
6.3mm	11.5mm	Pozi	Nickel	226	10,000	6019	1,000	12302	500	12445	100
6.3mm	11.5mm	Phillips	Zinc	13301	10,000	13311	1,000	-	-	13493	100
6.3mm*	11.5mm	Square	Zinc	13358	10,000	13401	1,000	-	-	13496	100
6.3mm*	13mm	Phillips	Nickel	3500	10,000	6022	1,000	12305	500	9301	100
6.3mm	13mm	Phillips	Zinc	13302	10,000	13312	1,000	-	-	13494	100
6.3mm	13mm	Pozi	Nickel	227	10,000	6020	1,000	12303	500	12449	100
6.3mm*	13mm	Square	Nickel	10589	10,000	10590	1,000	-	-	10593	100
6.3mm	14.5mm	Phillips	Zinc	13463	8,000	13478	1,000	-	-	13479	100
6.3mm	14.5mm	Pozi	Nickel	9437	8,000	11735	1,000	-	-	11736	100
6.3mm	18mm	Pozi	Nickel	10976	5,000	11737	1,000	10999	500	11738	100
6.3mm	20mm	Pozi	Nickel	11192	5,000	11193	1,000	-	-	11740	100
6.3mm	25mm	Pozi	Nickel	1219	5,000	6021	1,000	-	-	12304	100
6.3mm	30mm	Pozi	Nickel	11231	5,000	11741	1,000	-	-	11742	100

For European Drawer Slides and hinge plates in pre-drilled holes.



*For Use with Grass® Brand Drawer Slides 7.5mm - 7.8mm Head
All Other Heads Are 7.0mm - 7.3mm For All Other European Slides

HINGE EDGE SCREWS



Flat Head, Coarse Thread

Size	Length	Drive	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	1/2"	Phillips	Yes	Zinc	9014	25,000	9172	5,000	9175	1,000	9180	100
#6	1/2"	Square	Yes	Zinc	13465	25,000	13635	5,000	13559	1,000	13565	100
#6	1/2"	Square	Yes	Nickel	13593	25,000	13638	5,000	13647	1,000	13670	100
#6	5/8"	Combo	No	Zinc	6478	25,000	10445	5,000	10446	1,000	10447	100
#6	5/8"	Phillips	Yes	Zinc	9015	25,000	9173	5,000	9176	1,000	9181	100
#6	5/8"	Square	Yes	Zinc	13466	25,000	13636	5,000	13560	1,000	13566	100
#6	5/8"	Square	Yes	Nickel	13594	25,000	13639	5,000	13648	1,000	13671	100
#6	3/4"	Combo	No	Zinc	4617	20,000	10448	5,000	10449	1,000	10450	100
#6	3/4"	Phillips	Yes	Zinc	9016	20,000	9174	5,000	9177	1,000	9182	100
#6	3/4"	Square	Yes	Zinc	13467	20,000	13637	5,000	13561	1,000	13567	100
#6	3/4"	Square	Yes	Nickel	13595	20,000	13640	5,000	13649	1,000	13672	100
#6	1"	Square	Yes	Zinc	13468	13,000	-	-	13562	1,000	13568	100
#6	1-1/4"	Square	Yes	Zinc	13469	10,000	-	-	13563	1,000	13569	100
#6	1-1/2"	Combo	No	Plain	4519	8,000	-	-	15038	1,000	15079	100
#6	1-1/2"	Square	Yes	Zinc	13470	8,000	-	-	13564	1,000	13570	100
#6	1-3/4"	Square	Yes	Zinc	-	-	14402	5,000	15000	1,000	13571	100
#8	5/8"	Combo	No	Plain	9812	15,000	-	-	15040	1,000	15081	100
#8	5/8"	Phillips	Yes	Zinc	9017	14,000	-	-	9178	1,000	9183	100
#8	5/8"	Square	No	Zinc	4952	14,000	-	-	12520	1,000	-	-
#8	3/4"	Combo	No	Plain	9813	12,000	-	-	15042	1,000	7604	100
#8	3/4"	Phillips	Yes	Zinc	9018	12,000	-	-	9179	1,000	9184	100
#8	3/4"	Square	No	Black	178	15,000	-	-	5827	1,000	7575	100
#8	3/4"	Square	No	Zinc	4953	12,000	-	-	12521	1,000	-	-
#9	3/4"	Phillips	Yes	Zinc	9770	10,000	-	-	9773	1,000	9776	100

Type 17 Point for attaching items to the edge of hardwoods, but will work in many wood applications.



Phillips Drive, Oval Head, Coarse Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#5	5/8"	Antique Brass	238	30,000	6157	5,000	5869	1,000	7478	100
#6	5/8"	Bright Brass	640	20,000	6148	5,000	6088	1,000	7471	100
#6	5/8"	Antique Brass	239	20,000	6160	5,000	5870	1,000	7485	100

For a variety of hinges and hardware with a curved surface.



Phillips Drive, Twinfast Thread

Size	Length	Head	Finish	PN# - QTY		PN# - QTY		PN# - QTY			
#4	1/2"	Flat	Zinc	5887	40,000	6186	5,000	6176	1,000	7493	100
#4	5/8"	Flat	Bright Brass	5879	40,000	6208	5,000	6193	1,000	7686	100
#4	5/8"	Flat	Zinc	5888	40,000	6187	5,000	6177	1,000	7494	100
#5	1/2"	Flat	Antique Brass	200	30,000	6228	5,000	6221	1,000	7498	100
#5	1/2"	Flat	Bright Brass	216	30,000	6211	5,000	6196	1,000	7689	100
#5	5/8"	Flat	Antique Brass	201	25,000	6229	5,000	6222	1,000	-	-
#5	5/8"	Flat	Bright Brass	217	25,000	6212	5,000	6197	1,000	8285	100
#5	5/8"	Oval	Antique Brass	193	25,000	6230	5,000	6223	1,000	7500	100
#6	1/2"	Flat	Antique Brass	206	25,000	6231	5,000	6224	1,000	7501	100
#6	5/8"	Flat	Antique Brass	207	20,000	6233	5,000	6225	1,000	7502	100
#6	5/8"	Flat	Bright Brass	219	20,000	6217	5,000	6202	1,000	7695	100
#6	5/8"	Oval	Antique Brass	197	20,000	6234	5,000	6226	1,000	7503	100
#8	3/4"	Truss*	Zinc	12943	8,000	-	-	15263	1,000	-	-
#8	3/4"	Truss*	Black	8114	8,000	-	-	11663	1,000	11885	100

*Represents Low Profile Truss Head

Phillips Drive, Fine Thread Sheet Metal Screws (SMS), Zinc Finish

Size	Length	Head	Thread	PN# - QTY		PN# - QTY		PN# - QTY			
#6	7/16"	Pan**	Type A***	11572	30,000	12798	5,000	12799	1,000	-	-
#6	1/2"	Flat	Type AB	14240	22,000	-	-	14528	1,000	14570	100
#6	1/2"	Pan	Type AB	14533	16,000	-	-	14599	1,000	14566	100
#6	5/8"	Flat	Type AB	14241	18,000	-	-	14529	1,000	14571	100
#6	5/8"	Pan	Type AB	14534	15,000	-	-	14600	1,000	14567	100
#6	3/4"	Flat	Type AB	14242	16,000	-	-	14530	1,000	14572	100
#6	1"	Flat	Type AB	14243	13,000	-	-	14531	1,000	14573	100
#6	1"	Pan	Type AB	14536	11,000	-	-	14602	1,000	14569	100
#8	1/2"	Flat	Type AB	14256	15,000	-	-	14268	1,000	14574	100
#8*	7/16"	Truss	Type A***	229	20,000	11545	5,000	11547	1,000	11548	100
#8	5/8"	Flat	Type AB	14257	13,000	-	-	14269	1,000	14575	100
#8	3/4"	Flat	Type AB	14258	12,000	-	-	14270	1,000	14576	100
#8	1"	Flat	Type AB	14260	8,000	-	-	14272	1,000	14577	100
#8	1-1/4"	Flat	Type AB	14261	7,000			14273	1,000	14578	100
#8	1-3/4"	Flat	Type AB	14263	5,000	-	-	14275	1,000	14580	100
#8	2"	Flat	Type AB	14264	4,000	-	-	14276	1,000	14581	100
#8	2-1/2"	Flat	Type AB	14266	2,500	-	-	14278	500	14582	50
#8	3"	Flat	Type AB	14267	2,000	-	-	14279	500	14583	50
#14	3"	Truss	Type A****	2052	1,000	-	-	11282	100	15491	50

*Represents #8 Body with #6 Head

**Represents Low Profile Pan Head

***Represents Ball-Bearing Drawer Slide Screw

****Represents T17 Point

Phillips Drive, Large Flat Head (OD .275), Coarse Thread

Size	Length	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	1/2"	No	Nickel	10505	25,000	10736	5,000	10739	1,000	-	-
#6	1/2"	No	Zinc	9526	25,000	9590	5,000	5783	1,000	-	-
#6	5/8"	No	Nickel	10506	25,000	10737	5,000	10740	1,000	-	-
#6	5/8"	No	Zinc	9501	25,000	9592	5,000	5784	1,000	-	-
#6	5/8"	Yes	Nickel	13591	25,000	13633	5,000	13645	1,000	-	-
#6	5/8"	Yes	Zinc	13588	25,000	13630	5,000	13642	1,000	-	-
#6	3/4"	No	Nickel	10507	20,000	10738	5,000	10741	1,000	6490	500
#6	3/4"	No	Zinc	9594	20,000	9595	5,000	9596	1,000	-	-
#6	3/4"	Yes	Nickel	13592	20,000	13634	5,000	13646	1,000	-	-
#6	3/4"	Yes	Zinc	13589	20,000	13631	5,000	13643	1,000	-	-

Phillips Drive, Pan Head, Coarse Thread

Size	Length	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY			
#6	1/2"	No	Black	144	30,000	-	-	5836	1,000	7639	100
#6	1/2"	No	Zinc	157	30,000	6260	5,000	5584	1,000	7624	100
#6	1/2"	Yes	Antique Brass	8081	30,000	8087	5,000	8091	1,000	8101	100
#6	1/2"	Yes	Zinc	8083	30,000	8088	5,000	8092	1,000	8102	100
#6	5/8"	No	Black	145	25,000	-	-	5837	1,000	7640	100
#6	5/8"	No	Zinc	158	25,000	6261	5,000	5586	1,000	7625	100
#6	5/8"	Yes	Antique Brass	8082	25,000	8089	5,000	8093	1,000	8103	100
#6	5/8"	Yes	Zinc	8084	25,000	8090	5,000	8094	1,000	8104	100
#6	3/4"	No	Black	146	20,000	-	-	5838	1,000	7641	100
#6	3/4"	No	Zinc	159	20,000	6262	5,000	6109	1,000	7626	100
#6	1"	No	Black	5173	15,000	-	-	5839	1,000	7642	100
#8	1/2"	No	Black	6882	15,000	-	-	9615	1,000	9616	100
#8	1/2"	No	Zinc	163	15,000	-	-	5589	1,000	7627	100
#8	5/8"	No	Black	147	12,000	-	-	5843	1,000	7645	100
#8	5/8"	No	Zinc	164	12,000	-	-	5590	1,000	7628	100
#8	5/8"	Yes	Antique Brass	7891	12,000	-	-	8095	1,000	8105	100
#8	5/8"	No	Bright Brass	294	12,000	6151	5,000	6092	1,000	7475	100
#8	5/8"	Yes	Zinc	8085	12,000	-	-	8096	1,000	8106	100
#8	3/4"	No	Zinc	165	10,000	-	-	5591	1,000	7629	100
#8	3/4"	Yes	Black	148	10,000	-	-	5844	1,000	7646	100
#8	3/4"	Yes	Zinc	8086	10,000	-	-	8099	1,000	8112	100
#8*	7/8"	Yes	Zinc	9830	10,000	-	-	10475	1,000	-	-
#8	1"	No	Black	150	9,000	-	-	5845	1,000	7647	100
#8	1"	No	Zinc	166	9,000	-	-	5592	1,000	7630	100
#8	1"	Yes	Zinc	10189	9,000	-	-	10477	1,000	10478	100
#8	1-1/4"	No	Black	151	9,000	-	-	9617	1,000	9618	100
#8	1-1/4"	No	Zinc	167	9,000	-	-	5593	1,000	7631	100
#8	1-1/2"	No	Zinc	168	6,000	-	-	5594	1,000	7632	100
#10	5/8"	No	Black	152	10,000	-	-	5849	1,000	7648	100
#10	5/8"	No	Zinc	170	10,000	-	-	5595	1,000	7633	100
#10	5/8"	Yes	Nickel	10991	10,000	-	-	11020	1,000	11021	100
#10	3/4"	No	Black	154	9,000	-	-	5850	1,000	7649	100
#10	3/4"	No	Nickel	9341	9,000	-	-	11026	1,000	11027	100
#10	3/4"	No	Zinc	171	9,000	-	-	5596	1,000	7634	100
#10	3/4"	Yes	Nickel	10918	9,000	-	-	11016	1,000	11017	100
#10	1"	No	Black	155	7,000	-	-	5851	1,000	7650	100
#10	1"	No	Zinc	174	7,000	-	-	5597	1,000	7635	100
#10	1"	Yes	Nickel	10993	7,000	-	-	11024	1,000	11025	100
#10	1-1/4"	No	Black	5973	6,000	-	-	6263	1,000	7651	100
#10	1-1/4"	No	Zinc	5972	6,000	-	-	6259	1,000	7637	100
#10	1-1/2"	No	Zinc	6565	5,000	-	-	7811	1,000	7638	100
#12**	5/8"	Yes	Zinc	9799	7,000	-	-	9802	1,000	9806	100
#12**	3/4"	Yes	Zinc	9800	6,000	-	-	9803	1,000	9807	100
#12**	1"	Yes	Zinc	9801	5,000	-	-	9805	1,000	9808	100

*Represents Screw with Serrations Under Head

**Represents Phillips #3

COMPACT HINGE SCREWS



Coarse Thread

Size	Length	Drive	Head	T17 Point	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#7*	3/4"	Phillips	Round Washer	Yes, XL	Zinc	R14026	10,000	15788	1,000	15789	100
#7*	7/8"	Phillips	Round Washer	Yes, XL	Antique Brass	14963	9,000	16109	1,000	-	-
#7*	7/8"	Phillips	Round Washer	Yes, XL	Zinc	14964	9,000	14964M	1,000	14964C	100
#7*	1"	Combo	Round Washer	Yes, XL	Zinc	15899	9,000	15899M	1,000	15899C	100
#8	5/8"	Combo	Round Washer	No	Zinc	14160	12,000	17000	1,000	17001	100
#8	5/8"	Combo	Round Washer	Yes	Plain	7379	10,000	7773	1,000	7788	100
#8	5/8"	Combo	Round Washer	Yes	Zinc	16075	12,000	15857	1,000	15858	100
#8	5/8"	Phillips	Truss	Yes	Antique Brass	8080	10,000	8097	1,000	8107	100
#8	5/8"	Phillips	Truss	Yes	Zinc	7892	10,000	8098	1,000	8108	100
#8	5/8"	Square	Pan	Yes	Zinc	13579	12,000	13621	1,000	13656	100
#8	5/8"	Square	Truss	Yes	Zinc	13581	10,000	13623	1,000	13658	100
#8	3/4"	Combo	Round Washer	Yes	Plain	7380	10,000	7775	1,000	7790	100
#8	3/4"	Combo	Round Washer	Yes	Zinc	8883	10,000	9118	1,000	9824	100
#8	3/4"	Phillips	Round Washer	Yes	Nickel	14820	10,000	14821	1,000	14822	100
#8	3/4"	Phillips	Truss	Yes	Zinc	6802	10,000	8157	1,000	8158	100
#8	3/4"	Phillips	Truss	Yes	Antique Brass	7915	10,000	8100	1,000	8113	100
#8	3/4"	Square	Pan	Yes	Zinc	13580	10,000	13622	1,000	13657	100
#8	3/4"	Square	Truss	Yes	Zinc	13582	10,000	13624	1,000	13659	100

*Represents #7 Body with #8 Head

XL Represents Extra Long Type 17 Point

KNOB & PULL MACHINE SCREWS



Phillips/Slotted Drive, Truss Head, 8-32 Machine Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8-32	1/2"	Zinc	308	14,000	1192	1,000	1206	100
#8-32	5/8"	Zinc	309	12,000	1193	1,000	1207	100
#8-32	3/4"	Zinc	310	10,000	1194	1,000	1208	100
#8-32	7/8"	Zinc	311	8,500	1195	1,000	1209	100
#8-32	1"	Zinc	312	7,000	1196	1,000	1210	100
#8-32	1-1/8"	Zinc	313	6,500	1197	1,000	1211	100
#8-32	1-1/4"	Zinc	314	5,500	1198	1,000	1212	100
#8-32	1-3/8"	Zinc	315	5,000	1199	1,000	1213	100
#8-32	1-1/2"	Zinc	316	5,000	1200	1,000	1214	100
#8-32	1-5/8"	Zinc	317	4,000	1201	1,000	1215	100
#8-32	1-3/4"	Zinc	318	4,000	1202	1,000	1216	100
#8-32	1-7/8"	Zinc	319	3,500	1203	1,000	1217	100
#8-32	2"	Zinc	320	3,000	1204	1,000	1218	100
#8-32	2-1/4"	Zinc	321	2,000	15779	1,000	15780	100



Phillips/Slotted Drive, Truss Head, M4 Machine Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
4mm	22mm	Zinc	10890	8,500	10899	1,000	10949	100
4mm	25mm	Zinc	10891	7,000	10939	1,000	10950	100
4mm	30mm	Zinc	10892	6,500	10940	1,000	10951	100
4mm	35mm	Zinc	10893	5,000	10941	1,000	10952	100
4mm	38mm	Zinc	10894	4,000	10942	1,000	10953	100
4mm	40mm	Zinc	10895	5,000	10945	1,000	10954	100
4mm	45mm	Zinc	10896	4,000	10946	1,000	10955	100
4mm	50mm	Zinc	10897	3,000	10947	1,000	10956	100

Designed for pulls, knobs, handles, and other types of hardware attachments.

Phillips Drive, Pan Head, 8-32 Machine Thread

Size	Length	Finish	PN# - QTY		PN# - QTY	
#8-32	3/8"	Zinc	R16011	15,000	15175	100

Phillips/Slotted Drive, Truss Head, Machine Breakaway Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#8*	1-3/4"	Zinc	10772	4,000	8903	1,000	9100	100
4mm**	45mm	Zinc	10783	4,000	8892	1,000	9103	100
4mm**	61mm	Zinc	14253	2,800	-	-	15635	100

* Represents 8-32 Thread

** Represents M4 Thread

Breakaway feature allows for customized screw length.



Phillips #3/Slotted Drive, Round Washer Head, Self-Tapping Type B SMS Thread

Size	Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#12	1"	Zinc	7117	5,000	9228	1,000	-	-	9234	100	-	-
#12	1-1/4"	Zinc	7118	3,000	10752	1,000	9229	500	10755	100	9235	50
#12	1-1/2"	Zinc	7119	3,000	10753	1,000	9230	500	10756	100	9236	50
#12	1-3/4"	Zinc	7120	2,000	10754	1,000	9231	500	10757	100	9237	50

Knobscrews for attaching wooden knobs that do not include threaded inserts.





ACCESSORIES

Quickscrews Accessory line covers a wide range of products.

Our Drive Bits come in plastic bags or plastic cases. We carry Standard Drive Bits as well as Impact Drive Bits.

Along with Drive Bits, we also carry a wide range of Bit Holders, Nut Setters, Drivers/Extensions, and Draw Bolts. Our Bit Kits feature a combination of our Drive Bits and Bit Holders in a range of drives.

We also supply attachments of Corian Sinks and Wall Anchors, as well as miscellaneous tools designed to make the woodworker's job easier.

DRIVE BITS



Double-Ended Drive Bits

Size	Length	PN# - QTY	
PH #2 Reduced & PZ #2	2"	11790	5
PH #2 & PH #2	2"	13245B	100
PH #2 & Slotted	2"	13246	100
T20 & T25	2"	13247	100
PH #2 & PZ #2	3"	11791	5
PH #2 & SQ #2	3"	11792	5

Hex Drive Bits

Size	Length	PN# - QTY	
3/32"	1"	12165	10
7/64"	1"	12166	10
1/8"	1"	12167	10
9/64"	1"	12168	10
3/16"	1"	12170P*	10
7/32"	1"	12171	10
1/4"	1"	12172	10
5/16"	1"	12173	10
3/32"	1-15/16"	12177	10
7/64"	1-15/16"	12178	10
1/8"	1-15/16"	12179P*	10
9/64"	1-15/16"	12180	10
5/32"	1-15/16"	12181P*	10
7/32"	1-15/16"	12183	10

*Represents Packaging In Plastic Case

Pozi Drive Bits

Size	Length	PN# - QTY		PN# - QTY	
#1	1"	-	-	11768	10
#2	1"	11769B	100	11769P*	10
#2 Reduced	1"	-	-	11910P*	10
#2	1-15/16"	-	-	11911	10
#2 Reduced	1-15/16"	-	-	16128V5*	10
#2	2-3/4"	-	-	11770P*	10
#2	3-1/2"	-	-	11771P*	10
#3	1"	-	-	11772P*	10
#3	1-15/16"	-	-	11912	10
#3	2-3/4"	-	-	11773P*	10

*Represents Packaging In Plastic Case

V5 Represents Impact Drive Bits



Impact Drive Bits, made from V5 Alloy Steel, last 30-50% longer than standard drive bits. They are the strongest, toughest, and most wear-resistant bits in the Quickscrews product line.

Phillips Drive Bits

Size	Length	PN# - QTY		PN# - QTY	
#1	1"	11758B	100	11758P*	10
#1 ACR	1"	-	-	12114	10
#1	1-15/16"	-	-	11901P*	10
#1 ACR	1-15/16"	-	-	12115	10
#1	2-3/4"	-	-	11902	10
#1	3-1/2"	-	-	11972	10
#1	6"	-	-	11903P*	10
#2	1"	11760B	100	11760P*	10
#2	1"	-	-	11760V5*	10
#2 ACR	1"	-	-	12117P*	10
#2 Flush	1"	-	-	13241	10
#2 Full Hex	1"	-	-	13238P*	10
#2 Reduced	1"	11759B	100	11759P*	10
#2 Reduced	1"	-	-	11759V5*	10
#2 Reduced ACR	1"	-	-	12118P*	10
#2	1-1/2"	-	-	11904P*	10
#2	1-15/16"	11905B	100	11905P*	10
#2**	1-15/16"	12960B	100	12690P*	10
#2**	1-15/16"	-	-	12690V5*	10
#2 ACR	1-15/16"	-	-	12119	10
#2 Flush	1-15/16"	-	-	13242	25
#2 Reduced	1-15/16"	13006B	100	13006P*	10
#2 Reduced ACR	1-15/16"	-	-	13236	10
#2	2-3/4"	11761B	100	11761P*	10
#2**	2-3/4"	12691B	100	12691P*	10
#2**	2-3/4"	-	-	12691V5*	10
#2	3-1/2"	11762B	100	11762P*	10
#2**	3-1/2"	-	-	12692P*	10
#2**	3-1/2"	-	-	12692V5*	10
#2	4-1/2"	-	-	11763P*	10
#2**	4-1/2"	12693B	100	12693P*	10
#2**	4-1/2"	-	-	12693V5*	10
#2	6"	11764B	100	11764P*	10
#2**	6"	12964B	100	12694P*	10
#2**	6"	-	-	12694V5*	10
#3	1"	11765B	100	11765P*	10
#3 ACR	1"	-	-	12121	10
#3	1-15/16"	11906B	100	11906P*	10
#3 ACR	1-15/16"	-	-	12122P*	10
#3	2-3/4"	-	-	11766P*	10
#3	3-1/2"	-	-	11908P*	10
#3	6"	-	-	11767P*	10

*Represents Packaging In Plastic Case

**Represents Magnetized Power Bit

V5 Represents Impact Drive Bits



Slotted Drive Bits

Size	Length	PN# - QTY	
SL 3-4	2"	11783	5
SL 5-6	2"	11785	5
SL 6-7	2"	11786	5
SL 10-12	2"	11788	5

Combo Drive Bits

Size	Length	PN# - QTY	
#2	1"	13112P*	10
#2	1-15/16"	13113P*	10
#2	2-3/4"	13114P*	10

*Represents Packaging In Plastic Case



Square Drive Bits

Size	Length	PN# - QTY		PN# - QTY	
#1	1"	11774B	100	11774P*	10
#1 2-Piece	1"	-	-	13147P*	10
#1	1-15/16"	11775B	100	11775P*	10
#1 2-Piece	2"	-	-	13148P*	10
#1	2-3/4"	-	-	11913	10
#1**	2-3/4"	-	-	13269	10
#1	3-1/2"	-	-	11914P*	10
#1 2-Piece	4"	-	-	13150	10
#1**	6"	-	-	13272	10
#1 2-Piece	6"	-	-	13151P*	10
#2	1"	11778B	100	11778P*	10
#2	1"	-	-	11778V5*	10
#2 2-Piece	1"	-	-	13152P*	10
#2	1-15/16"	11779B	100	11779P*	10
#2**	1-15/16"	-	-	12695P*	10
#2**	1-15/16"	-	-	12695V5*	10
#2 2-Piece	2"	-	-	13153P*	10
#2	2-3/4"	11915B	100	11915P*	10
#2**	2-3/4"	12696B	100	12696P*	10
#2**	2-3/4"	-	-	12696V5*	10
#2 2-Piece	3"	-	-	13154P*	10
#2	3-1/2"	-	-	11916P*	10
#2**	3-1/2"	12697B	100	12697P*	10
#2**	3-1/2"	-	-	12697V5*	10
#2 2-Piece	4"	-	-	13155P2	10
#2	4-1/2"	11917B	100	11917P*	10
#2	6"	11782B	100	11782P*	10
#2**	6"	12698B	100	12698P*	10
#2**	6"	-	-	12698V5*	10
#2 2-Piece	6"	13156B	100	13156P*	10
#3	1"	11918B	100	11918P*	10
#3 2-Piece	1"	-	-	13157	10
#3	1-15/16"	11919B	100	11919	10
#3 2-Piece	2"	-	-	13158P*	10
#3 2-Piece	3"	-	-	13159	10
#3	3-1/2"	-	-	11920P*	10
#3 2-Piece	4"	-	-	13160	10
#3	6"	-	-	12483	10
#3 2-Piece	6"	-	-	13161	10

*Represents Packaging In Plastic Case

**Represents Magnetized Power Bit

V5 Represents Impact Drive Bits



Tamperproof 1" Insert Bits

Drive	PN# - QTY		PN# - QTY	
3/32 Hex	–	–	12246	10
7/64 Hex	–	–	12247	10
1/8 Hex	12248B	100	12248P*	10
9/64 Hex	–	–	12249	10
5/32 Hex	12250B	100	12250P*	10
3/16 Hex	12251B	100	12251	10
7/32 Hex	12252B	100	12252P*	10
1/4 Hex	–	–	12253	10
5/16 Hex	–	–	12254	10
T6 Torx	–	–	12255	10
T7 Torx	–	–	12256	10
T9 Torx	–	–	12258	10
T10 Torx	–	–	12259P*	10
T15 Torx	12260B	100	12260P*	10
T20 Torx	12261B	100	12261P*	10
T25 Torx	12262B	100	12262P*	10
T27 Torx	12263B	100	12263P*	10
T30 Torx	–	–	12264	10
T40 Torx	–	–	12265	10
#6 Spanner	–	–	12538	5
#8 Spanner	12539B	100	12539	5
#10 Spanner	–	–	12540	5
#12 Spanner	–	–	12541	5
#14 Spanner	–	–	12542	5

*Represents Packaging In Plastic Case



Torx Drive Bits

Size	Length	PN# - QTY		PN# - QTY	
T5	1"	–	–	12184	10
T6	1-15/16"	–	–	12199	10
T6	2-3/4"	–	–	12210	10
T6	3-1/2"	–	–	12221	10
T6	6"	–	–	12232	10
T7	1"	–	–	12186	10
T7	1-15/16"	–	–	12200	10
T7	2-3/4"	–	–	12211	10
T7	3-1/2"	–	–	12222	10
T7	6"	–	–	12233	10
T8	1-15/16"	–	–	12201P*	10
T8	2-3/4"	–	–	12212	10
T8	3-1/2"	–	–	12223	10
T8	6"	–	–	12234	10
T9	1"	–	–	12188	10
T9	1-15/16"	–	–	12202	10
T9	2-3/4"	–	–	12213	10
T9	3-1/2"	–	–	12224	10
T9	6"	–	–	12235	10
T10	1"	12189B	100	12189P*	10
T10	1-15/16"	12203B	100	12203P*	10

*Represents Packaging In Plastic Case

Torx Drive Bits , Cont'd

Size	Length	PN# - QTY		PN# - QTY	
T10	2-3/4"	-	-	12214	10
T10	3-1/2"	-	-	12225	10
T10	6"	-	-	12236	10
T15	1"	12190B	100	12190	10
T15	1-15/16"	12204B	100	12204	10
T15	2-3/4"	-	-	12215	10
T15	3-1/2"	-	-	12226	10
T15	6"	-	-	12237	10
T20	1"	12191B	100	12191P*	10
T20	1"	-	-	12191V5*	10
T20	1-15/16"	12205B	100	12205P*	10
T20	1-15/16"	-	-	12205V5*	10
T20	3-1/2"	-	-	12227	10
T20	6"	-	-	12238P*	10
T25	1"	12192B	100	12192	10
T25	1"	-	-	12192V5*	10
T25	1-15/16"	12206B	100	12206P*	10
T25	1-15/16"	-	-	12206V5*	10
T25	2-3/4"	-	-	12217	10
T25	6"	-	-	12239P*	10
T27	1"	12193B	100	12193P*	10
T27	1-15/16"	-	-	12207	10
T27	2-3/4"	-	-	12218	10
T27	3-1/2"	-	-	12229	10
T27	6"	-	-	12240	10
T30	1"	12194B	100	12194P*	10
T30	1"	-	-	12194V5*	10
T30	1-15/16"	12208B	100	12208	10
T30	1-15/16"	-	-	12208V5*	10
T30	2-3/4"	-	-	12219	10
T30	3-1/2"	-	-	12230P*	10
T40	1"	12195B	100	12195P*	10
T40	1-15/16"	-	-	12209P*	10
T40	2-3/4"	-	-	12220	10
T40	3-1/2"	-	-	12231	10
T40	6"	-	-	12242	10

*Represents Packaging In Plastic Case

V5 Represents Impact Drive Bits



BIT HOLDERS



Quick Release Mag Holders

Length	PN# - QTY		PN# - QTY	
2-3/8"	11793B	25	11793P*	5

*Represents Packaging In Plastic Case



2-Piece Magnetic Bit Holder with C-Ring

Length	PN# - QTY		PN# - QTY		PN# - QTY	
2-7/8"	11794B	25	-	-	11794P*	3
4"	-	-	11923	5	-	-
6"	-	-	11924	5	-	-

*Represents Packaging In Plastic Case

1-Piece Magnetic Bit Holder with C-Ring

Length	PN# - QTY		PN# - QTY	
2-7/8"	12702B	25	12702	5
6"	-	-	14935	5
8"	-	-	14936	5
10"	-	-	14937	5

Magnetic Bit Holder with Cap

Length	PN# - QTY		PN# - QTY	
2-7/8"	13282B	25	13282	5

Ultra Magnetic Bit Holder

Length	PN# - QTY	
3"	14203P*	3

*Represents Packaging In Plastic Case

The Ultra Magnetic Bit Holder combines the Quick Release and Super Magnetic Bit Holders. The high-powered magnet holds screws so they won't fall off while driving. The Quick Release feature locks bits in place. Our most popular Bit Holder yet!



DRAW BOLTS



Hex Drive Draw Bolt

Size	Length	Head	Finish	PN# - QTY		PN# - QTY	
#1/4	3-1/2"	Hex	Zinc	322	500	6277	100
#1/4	4"	Hex	Zinc	5368	350	-	-

NUT SETTERS



Magnetic Nut Setters

Size	Length	PN# - QTY		PN# - QTY	
1/4"	1-3/4"	12306B	25	12306P*	3
5/16"	1-3/4"	12307B	25	12307P*	3
3/8"	1-3/4"	12308B	25	12308P*	3
1/2"	1-3/4"	-	-	13239	5
7/16"	1-3/4"	12309B	25	12309	5
1/4"	2-9/16"	12310B	25	12310P*	3
5/16"	2-9/16"	12311B	25	12311P*	3
3/8"	2-9/16"	12312B	25	12312P*	3
7/16"	2-9/16"	-	-	12313P*	5
1/4"	4"	-	-	11925	5
5/16"	4"	-	-	12314	5
3/8"	4"	-	-	12315	5
7/16"	4"	-	-	12316	5
1/4"	6"	-	-	11926P*	5
5/16"	6"	-	-	12317P*	5
3/8"	6"	-	-	12318	5

*Represents Packaging In Plastic Case

For driving standard
Hex Screws and Bolts.



DRIVERS & EXTENSIONS



Hanger Bolt Drivers

Size	Length	PN# - QTY		PN# - QTY	
1/4"	1-3/4"	12362P*	5	-	-
5/16"	1-15/16"	-	-	12363P*	3
3/8"	1-3/4"	12364	5	12364P*	3
5/16"	2-9/16"	-	-	12366P*	3
3/8"	2-9/16"	12367P*	5	12367	5

*Represents Packaging In Plastic Case

Hex Extensions

Size	Length	PN# - QTY		PN# - QTY	
1/4" - 3/8"	3"	13278B	25	13278P*	5
1/4" - 1/2"	3"	-	-	13677P*	5

*Represents Packaging In Plastic Case

CORIAN SINK



Corian Counter Sink Clip Kits


PN# - QTY		PN# - QTY	
700KC	40	700KP	4
701KC	40	701KP	4

Wing Nut

Size	Type	PN# - QTY		PN# - QTY	
#10-32	Stamped	3-1010B	8,000	3-1010	100
1/4"-20	Die Cast ZP	-	-	5357	100

Corian Counter Sink Clips

Length	Finish	PN# - QTY		PN# - QTY	
2-3/4"	Zinc	703B	1,000	703	100



For attaching sinks to counter-tops.



Knurled Brass Insert - Use with Corian Sink Clips & Machine Screws

Size	Finish	PN# - QTY		PN# - QTY		PN# - QTY	
#10	1/4"	3-0704B	5,000	3-0704	500	3-0704-1C	100

Phillips Drive, Slotted Truss Head Machine Screws

Size	Length	PN# - QTY		PN# - QTY		PN# - QTY	
#10-32	3/8"	3-0612B	8,000	3-0612	500	3-0612-1C	100
#10-32	1-1/4"	3-0610B	4000	3-0610A	500	3-0610	100

Corian Sink Base Plate

Size	Finish	PN# - QTY	
1/4-20 X 3/4" X 1-1/2"	Zinc	702	100

WASHER



Finish (Cup) Washers

Length	Finish	PN# - QTY		PN# - QTY		PN# - QTY		PN# - QTY	
#6	Black	-	-	10495	1,000	14653	500	10496	100
#8	Black	-	-	10497	1,000	14654	500	10498	100
#8	Zinc	506	25,000	8893	1,000	-	-	1998	100
#10	Black	-	-	10499	1,000	-	-	10500	100
#10	Nickel	-	-	10391	1,000	-	-	4474	100

ANCHORS



EZ Anchors

Size	Finish	PN# - QTY	
#8	Nylon	1934	100
#8	Zinc	1436	100

For attachments in drywall.



MISCELLANEOUS



Drive Bit Magnetizer And Demagnetizer

PN# - QTY	
15767	1



Power Easy Chuck

Size	PN# - QTY		PN# - QTY	
1/4"	15438	5	15546	1

Screw Finder/Driver

Size	Length	PN# - QTY		PN# - QTY	
3"	80mm	15442	5	15548	1
3"	120mm	15443	5	15550	1

Self-retracting guide sleeve protects fingers and holds screws in place while eliminating wobbling and slipping.



Includes Phillips, Pozi, and Square Insert Bits plus one Super Magnetic Bit Holder.

10-Piece Bit Kit

PN# - QTY	
11795	1



11-Piece Ultra QuickBit Insert Kit

PN# - QTY	
11796	1



Includes Phillips, Pozi, and Square Insert Bits plus one Ultra Magnetic Bit Holder.

62-Piece Bit Kit


PN# - QTY	
15765	1



Includes a wide variety of insert bits plus one Quick Release Bit Holder.

6-in-1 Screwdriver

PN# - QTY	
12361	1



Includes PH #1 and PH #2, Slot 4.5mm and 6mm, 1/4" Hex and 5/16" Hex.

T-Handle Driver

PN# - QTY	
15766	1



Includes a combination of Phillips, Square, and Slotted Insert Bits. 10 Bits total.

Figure 8 Clips

PN# - QTY		PN# - QTY		PN# - QTY	
15738	3,000	15768	1,000	15769	100



For attaching Drawer Fronts to Drawer Boxes.

4" Screwdriver

Drive	PN# - QTY	
Square #2	12357	1
Phillips #2	12358	1
Reduced Pozi #2	12359	1
Pozi #2	12360	1



INDEX BY PART NUMBER

PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#	PN - Pg#
109	21	193	24	1189	21	2478	5	4460	20	5584	25	5843	25
110	21	197	24	1192	26	2482	5	4474	36	5586	25	5844	25
114	21	200	24	1193	26	2483	6	4519	23	5589	25	5845	25
115	21	201	24	1194	26	2484	6	4547	16	5590	25	5849	25
116	21	206	24	1195	26	2485	7	4617	23	5591	25	5850	25
117	21	207	24	1196	26	2486	7	4635	20	5592	25	5851	25
119	21	216	24	1197	26	2722	16	4688	20	5593	25	5864	21
120	21	217	24	1198	26	2724	16	4722	21	5594	25	5865	21
121	21	219	24	1199	26	2757	18	4732	5	5595	25	5866	21
122	21	225C	9	1200	26	2759	8	4733	5	5596	25	5867	21
123	21	225F	9	1201	26	2783	5	4735	6	5597	25	5868	21
124	21	226	22	1202	26	2784	5	4736	6	5598	16	5869	23
125	21	227	22	1203	26	2785	5	4746	7	5598TZO	16	5870	23
126	21	229	20	1204	26	2786	6	4747	7	5598XL	16	5873	20
127	21	229	24	1206	26	2787	6	4952	23	5598ZP	16	5876	6
128	21	231	21	1207	26	2788	7	4953	23	5599	16	5879	24
129	5	232	21	1208	26	2789	7	4954	5	5599XL	16	5887	24
130	5	233	21	1209	26	3122	5	4955	5	5600	16	5888	24
131	5	235	21	1210	26	3123	5	4956	6	5600TZO	16	5896	7
132	6	236	21	1211	26	3124	6	4958	7	5601	16	5897	7
133	6	238	23	1212	26	3125	6	4959	7	5700	7	5901	21
134	7	239	23	1213	26	3363	21	4960	7	5706	16	5960C	9
135	7	248	8	1214	26	3364	21	4991	21	5707	16	5960F	9
136	5	258	21	1215	26	3365	21	5173	25	5715	16	5961	20
137	5	293	21	1216	26	3366	21	5213	20	5716	16	5963	16
138	6	294	25	1217	26	3367	21	5215	16	5781	21	5964	16
139	6	308	26	1218	26	3368	21	5268	22	5782	21	5972	25
140	6	309	26	1219	22	3500	22	5285	16	5783	24	5973	25
142	7	310	26	1220	22	3655	16	5286	16	5784	24	6003	18
143	7	311	26	1229	14	3656	16	5304	5	5786	21	6004	18
144	25	312	26	1231	14	3869	14	5357	36	5787	21	6005	18
145	25	313	26	1232	21	3968	21	5361C	9	5788	21	6019	22
146	25	314	26	1233	21	3969	21	5361F	9	5789	21	6020	22
147	25	315	26	1234	21	3970	21	5368	34	5790	21	6021	22
148	25	316	26	1235	21	3971	5	5440	5	5791	5	6022	22
150	25	317	26	1236	21	3972	5	5441	5	5792	5	6024	5
151	25	318	26	1237	21	3973	6	5442	6	5793	5	6025	5
152	25	319	26	1245	5	3974	6	5443	6	5794	6	6026	6
154	25	320	26	1246	5	3975	7	5444	7	5795	6	6027	6
155	25	321	26	1247	5	3976	7	5445	7	5796	7	6028	7
157	25	322	34	1249	5	3987	21	5446	7	5797	7	6029	7
158	25	506	36	1250	5	4080	16	5447	7	5798	5	6030	7
159	25	640	23	1251	5	4080TZO	16	5448	7	5799	5	6044	7
163	25	700KC	36	1252	6	4080XL	16	5453	6	5800	5	6045	7
164	25	700KP	36	1253	6	4080ZP	16	5502C	9	5801	6	6055	22
165	25	701KC	36	1254	6	4081	16	5502F	9	5802	6	6056	22
166	25	701KP	36	1255	6	4081XL	16	5562	5	5803	7	6057	22
167	25	702	36	1256	7	4082	16	5563	5	5804	7	6058	22
168	25	703	36	1257	7	4084	16	5564	6	5827	23	6059	22
170	25	703B	36	1258	7	4084TZO	16	5565	6	5828	5	6061	22
171	25	1047	18	1259	7	4085	16	5566	6	5829	5	6063	22
174	25	1097	22	1623	21	4103	18	5572	21	5830	6	6088	23
178	23	1177	5	1636	13	4316	8	5573	5	5831	6	6089	21
179	5	1178	5	1849	14	4318	8	5574	5	5832	7	6091	21
185	5	1179	6	1934	37	4319	8	5575	6	5834	7	6092	25
186	6	1180	6	1998	36	4321	8	5576	6	5835	8	6093	5
187	6	1181	6	2052	14	4324	8	5577	6	5836	25	6094	5
188	7	1183	7	2052	24	4326	8	5578	7	5837	25	6095	5
189	7	1184	7	2288	8	4330	8	5579	7	5838	25	6096	6
190	8	1187	21	2477	5	4426	6	5580	7	5839	25	6097	6


PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#			
8094	25	9010	6	9158	16	9596	24	9813	23	10499	36	10946	27	11731	9	11796	38	11972	30	12205P	33	12261P	32	12538	32
8095	25	9011	7	9159	16	9597	24	9815	5	10500	36	10947	27	11732	9	11799	20	11976	13	12205V5	33	12262B	32	12539	32
8096	25	9012	7	9160	16	9598	21	9816	5	10505	24	10949	27	11733	22	11800	20	11979	13	12206B	33	12262P	32	12539B	32
8097	26	9013	7	9161	16	9599	21	9817	5	10506	24	10950	27	11734	22	11801	20	11980	13	12206P	33	12263B	32	12540	32
8098	26	9013	8	9162	16	9601	21	9818	6	10507	24	10951	27	11735	22	11817	16	11981	13	12206V5	33	12263P	32	12541	32
8099	25	9014	23	9163	21	9608	8	9819	6	10564	6	10952	27	11736	22	11818	16	11982	13	12207	33	12264	32	12542	32
8100	26	9015	23	9164	5	9609	8	9821	7	10589	22	10953	27	11737	22	11819	16	11985	13	12208	33	12265	32	12613	5
8101	25	9016	23	9165	5	9610	8	9822	7	10590	22	10954	27	11738	22	11820	16	11986	13	12208B	33	12300	22	12614	5
8102	25	9017	23	9172	23	9611	8	9824	26	10593	22	10955	27	11740	22	11876	21	11987	13	12208V5	33	12301	22	12615	6
8103	25	9018	23	9173	23	9615	25	9830	25	10736	24	10956	27	11741	22	11885	20	11988	13	12209P	33	12302	22	12616	6
8104	25	9020	5	9174	23	9616	25	9912	13	10737	24	10975	22	11742	22	11885	24	12114	30	12210	32	12303	22	12617	6
8105	25	9021	5	9175	23	9617	25	9989	18	10738	24	10976	22	11758B	30	11901P	30	12115	30	12211	32	12304	22	12618	7
8106	25	9022	18	9176	23	9618	25	10032	16	10739	24	10981	5	11758P	30	11902	30	12117P	30	12212	32	12305	22	12619	7
8107	26	9023	18	9177	23	9682	14	10115	6	10740	24	10982	5	11759B	30	11903P	30	12118P	30	12213	32	12306B	35	12620	7
8108	26	9024	18	9178	23	9683	14	10123	20	10741	24	10983	6	11759P	30	11904P	30	12119	30	12214	33	12306P	35	12621	8
8112	25	9025	18	9179	23	9684	14	10130	13	10742	24	10984	6	11759V5	30	11905B	30	12121	30	12215	33	12307B	35	12622	8
8113	26	9063	21	9180	23	9685	14	10132	6	10743	24	10985	6	11760B	30	11905P	30	12122P	30	12217	33	12307P	35	12623	8
8114	20	9093	21	9181	23	9687	14	10166	21	10744	24	10986	6	11760P	30	11906B	30	12165	29	12218	33	12308B	35		

PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#		PN - Pg#	
12698V5	31	13112P	31	13296	8	13362	5	13496	22	13634	24	13967	5	14229	8	14531	24	14714	14	15072	8	15466	9	15984	14
12702	34	13113P	31	13297	8	13363	5	13559	23	13635	23	13967C	5	14230	8	14533	24	14715	14	15073	8	15467	9	15984C	14
12702B	34	13114P	31	13298	8	13364	8	13560	23	13636	23	13967M	5	14231	8	14534	24	14716	14	15079	23	15468	9	15984M	14
12798	20	13147P	31	13299	8	13377	5	13561	23	13637	23	13968	5	14232	8	14536	24	14717	14	15081	23	15469	9	15985	14
12798	24	13148P	31	13301	22	13380	13	13562	23	13638	23	13968C	5	14233	8	14566	24	14718	14	15175	27	15470	9	15985C	14
12799	20	13150	31	13302	22	13382	13	13563	23	13639	23	13968M	5	14240	24	14567	24	14811	5	15178	13	15471	9	15985M	14
12799	24	13151P	31	13311	22	13384	11	13564	23	13640	23	13970	5	14241	24	14569	24	14812	5	15263	20	15472	9	16059	21
12800	6	13152P	31	13312	22	13385	11	13565	23	13642	24	13970C	5	14242	24	14570	24	14814	5	15263	24	15473	9	16075	26
12801	6	13153P	31	13313	8	13386	11	13566	23	13643	24	13970M	5	14243	24	14571	24	14820	26	15293	5	15479	7	16109	26
12802	6	13154P	31	13314	8	13387	11	13567	23	13645	24	13972	6	14253	27	14572	24	14821	26	15416	9	15482	13	16128V5	29
12803	6	13155P2	31	13315	8	13388	11	13568	23	13646	24	13972C	6	14256	24	14573	24	14822	26	15422	9	15491	14	16169	5
12804	7	13156B	31	13317	8	13389	11	13569	23	13647	23	13972M	6	14257	24	14574	24	14935	34	15423	9	15491	24	16170	5
12805	7	13156P	31	13318	8	13390	11	13570	23	13648	23	13974	6	14258	24	14575	24	14936	34	15425	9	15546	37	16171	5
12846	22	13157	31	13319	8	13391	11	13571	23	13649	23	13974C	6	14260	24	14576	24	14937	34	15426	9	15548	37	16172	5
12920	5	13158P	31	13320	8	13392	11	13573	16	13651	16	13974M	6	14261	24	14577	24	14963	26	15431	9	15550	37	17000	26
12921	5	13159	31	13321	8	13393	11	13574	16	13653	16	13975	7	14263	24	14578	24	14964	26	15438	37	15635	27	17001	26
12922	6	13160	31	13323	22	13394	11	13575	16	13654	16	13975C	7	14264	24	14580	24	14964C	26	15440	9	15696	9	3-0610	36
12923	6	13161	31	13324	22	13395	13	13576	16	13655	16	13975M	7	14266	24	14581	24	14964M	26	15441	9	15697	9	3-0610A	36
12924	6	13162	13	13335	11	13396	13	13579	26	13656	26	13976	7	14267	24	14582	24	15000	23	15442	37	15698	9	3-0610B	36
12925	7	13163	13	13336	11	13397	20	13580	26	13657	26	13976C	7	14268	24	14583	24	15018	5	15443	37	15738	38	3-0612	36
12926	7	13165	13	13337	11	13398	20	13581	26	13658	26	13976M	7	14269	24	14599	24	15019	5	15445	9	15765	38	3-0612-1C	36
12927	7	13166	13	13338	11	13399	20	13582	26	13659	26	13977	7	14270	24	14600	24	15020	6	15447	9	15766	38	3-0612B	36
12928	8	13236	30	13339	11	13400	22	13588	24	13665	24	13977C	7	14272	24	14602	24	15021	6	15448	9	15767	37	3-0704	36
12929	8	13238P	30	13340	11	13401	22	13589	24	13666	24	13977M	7	14273	24	14609	21	15023	7	15449	9	15768	38	3-0704-1C	36
12930	8	13239	35	13341	11	13402	22	13591	24	13668	24	13979	7	14275	24	14613	14	15025	7	15450	9	15769	38	3-0704B	36
12931	18	13241	30	13342	11	13403	5	13592	24	13669	24	13979C	7	14276	24	14615	14	15026	7	15451	9	15779	26	3-1010	36
12932	18	13242	30	13343	11	13404	5	13593	23	13670	23	13979M	7	14278	24	14617	14	15038	23	15452	9	15780	26	3-1010B	36
12933	18	13245B	29	13344	11	13405	5	13594	23	13671	23	13982	8	14279	24	14619	14	15040	23	15453	9	15788	26	KJDSHARP	16
12934	18	13246	29	13345	11	13406	8	13595	23	13672	23	13982C	8	14342	6	14620	14	15042	23	15454	9	15789	26	R14026	26
12935	18	13247	29	13349	13	13463	22	13617	16	13677P	35	13982M	8	1436	37	14622	14	15043	5	15455	9	15857	26	R16011	27
12943	20	13269	31	13351	13	13465	23	13618	16	13713	9	13983	8	14390	16	14623	14	15052	8	15456	9	15858	26		
12943	24	13272	31	13353	13	13466	23	13619	16	13720	9	13983C	8	14391	16	14628	21	15053	8	15457	9	15899	26		
12960B	30	13278B	35	13354	13	13467	23	13620	16	13721	14	13983M	8	14392	16	14629	21	15054	8	15458	9	15899C	26		
12964B	30	13278P	35	13355	20	13468	23	13621	26	13793	13	14160	26	14393	16	14630	21	15055	8	15459	9	15899M	26		
13003	16	13282	34	13356	20	13469	23	13622	26	13794	13	14161	9	14394	16	14653	36	15058	8	15460	9	15982	14		
13004	16	13282B	34	13357	22	13470	23	13623	26	13797	13	14203P	34	14395	16	14654	36	15059	8	15461	9	15982C	14		
13006B	30	13291	8	13358	22	13478	22	13624	26	13798	13	14225	8	14402	23	14710	14	15060	8	15462	9	15982M	14		
13006P	30	13292	8	13359	22	13479	22	13630	24	13803	22	14226	8	14528	24	14711	14	15061	8	15463	9	15983	14		
13109	21	13293	8	13360	5	13493	22	13631	24	13859	14	14227	8	14529	24	14712	14	15064	8	15464	9	15983C	14		
13110	21	13295	8	13361	5	13494	22	13633	24	13860	14	14228	8	14530	24	14713	14	15065	8	15465	9	15983M	14		

FIND A DISTRIBUTOR NEAR YOU

Quickscrews has distributors located throughout the United States.

You can find a distributor near you by visiting www.quickscrews.com/nearby-distributors





FIND US AT A DISTRIBUTOR NEAR YOU

OR

O R D E R O N L I N E

www.quickscrews.com

Phone - (800) 743-6916 | Fax - (800) 689-7975