

2 0 1 3

PRODUCT CATALOG



Quality Solutions For Your Fastener Needs

www.quickscrews.com



Phone: (800) 743-6916



A Message from Quickscrews International Corporation

It's our business to know your business.

At Quickscrews International Corporation, our goal has always remained the same – find out what problems woodworkers are experiencing, and offer them products to lessen or eliminate those challenges. We are proud to offer the most complete line of fasteners, designed to provide solutions for every woodworking application. The innovative products that we have developed throughout the years can reduce your overall cost by increasing productivity, decreasing waste and in some cases, eliminating manufacturing processes. QuickScrews® fasteners will also add quality and integrity to your end product.

Fasteners for every application.

Celebrating over 20 years in business, Quickscrews International Corporation continues to strive to provide the most in-depth information within our industry. Our catalog is designed for easier use and understanding as our product line has grown significantly over the years. We have divided our catalog into the five major manufacturing areas to make it easier for you to find the product you need. These five categories are *Hardware Screws, Drawer Front Adjusting Screws, Pockethole Screws, Assembly Screws, and Installation Screws*. We have also expanded our Fastener Guide to provide additional product data and specifications, and added a separate section at the end for Drive Bits, Holders and Accessories..

Experience.

The Quickscrews International Sales and management team have over 90 years combined experience in the woodworking industry. This experience allows us to provide our customers with an accurate and extensive fastener knowledge base as well as information about fastener-related issues within the industry.

Technology.

Our web site, www.quickscrews.com is one of the most comprehensive sites of its kind. We are continually updating and upgrading our web site in order to provide our customers with the most up-to-date product and industry information. Also available online is our E3 Commerce site which allows complete account access where you can check stock, get real-time pricing, place orders, track shipments, and more.

Distribution.

Behind an aggressive national advertising campaign we have created product recognition and market demand for our name brand QuickScrews® fasteners. Throughout the years, our Distribution Network has greatly expanded. Our Quickscrews Distributors are some of the largest and most well-respected hardware and fastener distributors within the United States and Canada.

Moving Forward.

As always we appreciate your business and look forward to continuing our long history of supplying quality products specifically designed for the Cabinet, Woodworking and Furniture industries.

Terms and Conditions

We have made every effort to ensure that all the information contained within this catalog is complete and accurate. Quickscrews International Corporation reserves the right to make any changes or corrections to any information which may have been published in error. Part numbers, quantities, and weights are subject to change without notice.

Freight Policy:

All orders will be FOB shipping origin.

We reserve the right to ship orders from any of our warehouse locations at our discretion.

We offer you the benefit of the only No Minimum "Drop-Ship" policy in our industry. Drop shipped orders will not be billed 3rd party or freight collect. Note that shipments made to branch locations within your own company are not deemed to be "drop shipments" but normal orders..

Notification of Errors:

Shipping errors must be documented in writing to our Customer Service department within 5 days of receipt of merchandise. We must be notified of any shortages within 5 days of receipt of merchandise. Shortages will not be credited unless noted on trucking company bill of lading at time of delivery

Carton Quantities/Weights:

We make every effort to ensure the published carton quantities and weights are accurate, but make no guarantees and such information is subject to change without notice.

Pak Quantities/Weights:

We make every effort to ensure the published pak quantities, paks per case, and weights are accurate, but make no guarantees and such information is subject to change without notice. We reserve the right to ship paks to the nearest full case quantities.

Warranty:

All products are produced to standard and commercial tolerances. We warranty products to be free from defects in materials and manufacturing. When we have determined that a product is defective, it will be replaced. At our discretion, a credit may be issued instead of replacement. Our liability is limited to the cost of the defective product only. No other warranty is implied.

Liability:

The customer shall be responsible for testing and verifying the suitability of the product for intended use. No warranty for intended use is implied. The customer assumes all risk and liability. Our only obligation is replacement or credit for product proven defective. We shall not be deemed liable for any loss or damage that may occur from the use or inability to use the product.

Return Policy

All returns will be at the discretion of Quickscrews International Corporation.

Do not return any merchandise for any reason without first contacting our Customer Service department, and receiving a return authorization.

All unauthorized returns will be refused at our shipping dock.

All returns MUST be sent directly to a Quickscrews Warehouse per our instructions. Any returns sent to our Corporate Office will be refused.

Products shipped as ordered will not be accepted for return without written permission from Quickscrews International Corporation.

All returns must be shipped prepaid, unless otherwise authorized by us in writing.

All returns are subject to a 30% restocking fee.

No returns will be accepted after 30 days of receipt of order, unless materials are defective.

Order mistakes shipped due to shipper error will be re-shipped at the expense of Quickscrews International Corporation, providing the original purchase order was received with our Part Numbers, and/or exact description of products. If these requirements are met, we will pay for all normal freight charges incurred on replacement merchandise, as well as all normal freight charges incurred on returned merchandise received in error. We will also waive all restocking fees.

To ensure proper and accurate order entry, we recommend using our E3 Order Entry System on our www.quickscrews.com website. The E3 system also allows you to check inventory and order status. If you prefer, you may fax us your Purchase Order at 1-800-689-7975.

We accept faxed orders, E-mailed orders, and orders placed to our E3 website.

If you have any questions, please call us at 1-800-743-6916.

Table of Contents

| | |
|--|----|
| Terms and Conditions | i |
| Return Policy | i |
| Quickscrews Fastener Guide | |
| Quickscrews vs. Wood/Tapping Screws | 1 |
| Size Specifications | 1 |
| Thread Styles | 1 |
| Special Features | 1 |
| Head Styles and Specifications | 2 |
| Drives | 3 |
| Finishes | 3 |
| Screw Lengths and Gauges | 4 |
| Hardware Screws | |
| Product Specifications | 5 |
| Phillips Drive, Low Profile Pan Head, Type AB Thread, Zinc | 6 |
| Phillips Drive, Low Profile Pan Head, Quickscrews Thread, Zinc | 6 |
| Specialty Low Profile Round Washer Head, Drawer Slide Quickscrews | 7 |
| Specialty Truss Head, Drawer Slide Quickscrews | 7 |
| Phillips Drive, Truss Head, Type AB Thread | 7 |
| Undercut Quickscrews for Drawer Slides and Hinges | 8 |
| EuroScrews - European Drawer Slide Screws | 9 |
| Phillips Drive, Flat Head, Hardware Quickscrews | 10 |
| Phillips Drive, Oval Head, Hardware Quickscrews | 10 |
| Flat Head, Hardware Quickscrews | 11 |
| Phillips Drive, .275 Outside Diameter, Flat Head, Hardware Quickscrews | 11 |
| #1 Square Drive, Flat Head, Hardware Quickscrews | 12 |
| #2 Square Drive, Flat Head, Hardware Quickscrews | 12 |
| Combo Drive, Round Washer Head, Type 17, Quickscrews | 13 |
| Phillips Drive, Truss Head, Type 17, Quickscrews | 13 |
| Phillips Drive, Truss Head, Type 17, SMS Thread | 13 |
| #2 Square Drive, Pan Head, Type 17, Quickscrews | 14 |
| #2 Square Drive, Truss Head, Type 17, Quickscrews | 14 |
| Phillips Drive, Pan Head, Quickscrews | 15 |
| Phillips Drive, Pan Head, Type 17, Quickscrews | 15 |
| Phillips Drive, Flat Head and Oval Head, Twinfast Screws | 16 |
| #8-32 Combo-Truss Machine Screws | 17 |
| 08C x 1" Hanger Bolt, Plain (<i>a.k.a. - Bread Board Screw</i>) | 17 |
| M4, Metric Combo-Truss Machine Screws | 18 |
| Breakaway Combo-Truss Machine Screws, Standard and Metric | 18 |
| Phillips/Slotted Combo Drive, Round Washer Head, Type B Thread, KnobScrews | 19 |
| Phillips Drive, Round Washer Head, Fully Threaded Quickscrews | 19 |
| Drawer Front Adjusting Screws | |
| Product Specifications | 20 |
| Large Round Washer Head, Drawer front Adjusting Screws | 21 |
| Pockethole Screws | |
| Product Specifications | 22 |
| Pockethole Screws, Plain | 24 |
| Pockethole Screws, Zinc and Zinc Yellow | 24 |

Table of Contents

Assembly Screws

| | |
|--|-----|
| Product Specifications | 25 |
| Square Drive, Trim Head, Fine Thread, Sharp Point | 25A |
| Phillips Drive, Bugle Head, Coarse Thread Drywall Screws | 25A |
| Phillips Drive, Flat Head, Quickscrews | 26 |
| Combo Drive, Flat Head, Quickscrews | 26 |
| Square Drive, Flat Head, Quickscrews | 26 |
| #9, Phillips Flat Head, Quickscrews | 26 |
| Phillips Drive, Flat Head with Nibs, Type 17 Quickscrews | 27 |
| Combo Drive, Flat Head with Nibs, Type 17 Quickscrews | 27 |
| Square Drive, Flat Head with Nibs, Type 17 Quickscrews | 27 |
| Phillips Drive, Flat Head with Nibs, Quickscrews | 27 |
| Square Drive, Flat Head with Nibs, Quickscrews | 27 |
| Square Drive, Round Washer Head, Type 17 Quickscrews | 27 |
| Combo Drive, Round Washer Head Head, Quickscrews | 27 |
| Square Drive, Funnel Head, Spiral Point, T17 | 27A |
| Phillips Drive, Flat Head with Nibs, QuickCutters [®] | 28 |
| Combo Drive, Flat Head with Nibs, QuickCutters [®] | 28 |
| Connecting Screws - Conformat Style Assembly Screws; Pozi Drive | 29 |
| Square Drive, Flat Head with Nibs, ACQ QuickCutters [®] with UltraGuard | 30 |
| Phillips Drive, Flat and Pan Heads, Sheet Metal Screws, Type AB | 31 |

Installation Screws

| | |
|--|----|
| Anchors; EZ /Super Plastic /Conical /Hammer Drive /Lag Shield | 32 |
| Combo Drive, Round Washer Head, Installation QuickCutters [®] | 34 |
| Phillips Drive, Round Washer Head, QX2 [®] Installation Screws | 34 |
| Combo Drive, Type 17, Installation Quickscrews, Zinc Yellow | 34 |
| Phillips Drive, Bugle Head, Type 17, Half Threaded, Twinfast Screws | 35 |
| Phillips Drive, Truss Head, Installation Twinfast Screws | 35 |
| Combo Drive, Round Washer Head, Installation Twinfast Screws | 35 |
| Phillips Drive, Round Washer Head, Sheet Metal Thread, Self Drilling Point | 36 |
| Square Drive, Round Washer Head, Sheet Metal Thread, Self Drilling Point | 36 |
| #3 Phillips Drive, Round Washer Head, Sheet Metal Thread, #3 Self Drilling Point | 36 |
| Phillips Drive, Truss Head, Sheet Metal Thread, Self Drilling Point | 36 |
| #3 Phillips Drive, Truss Head, Sheet Metal Thread, Type 17 Auger Point | 37 |
| 1/4-20 Draw Bolts | 37 |
| Undermount Blanco Stainless Steel Sink Counter Clips and Fasteners | 37 |

Drive Bits, Bit Holders and Accessories

| | |
|--|----|
| Insert Bits - Phillips, Pozi, Square, and Combo Drive | 38 |
| Insert Bits - ACR [®] Phillips, Slotted, Torx, Hexagon, and Spanner | 39 |
| 10 Piece Insert Bit Kit | 39 |
| Power Bits - Phillips, Pozi, Square, Combo, and ACR [®] Phillips | 40 |
| Power Bits - Slotted, Torx, and Hexagon | 41 |
| Double Ended Bits | 42 |
| Specialty Bits and Nut Setters | 42 |
| Bit Holders - Super Magnetic, Quick Release, C-Ring, and Magnetic | 43 |
| Conformat "Step" Drill Bit | 43 |

Index

| | |
|-------------------|----|
| Part Number Index | 44 |
|-------------------|----|

Quickscrews Fastener Guide

Quickscrews vs. Wood/Tapping Screws

| | Quickscrews | vs. | Wood/Tapping Screws | The Quickscrews Advantage |
|----------------|-------------|-----|---------------------|--|
| Thread Angle | 45° | | 60° | ÉEasier driving ÉLess splitting ÉLess material distortion |
| Trailing Angle | 22 ½° | | 30° | ÉResists pull-out ÉLarger gap area ÉGreater holding power |
| Point | 20-28° | | 30° | ÉFull thread ÉInstant start ÉNo powdering ÉLow end pressure |

Size Specifications

| Nominal or Screw Diameter | Threads per inch | Major Diameter | Minor Diameter | Length Range | Min.Torque lbs./inch |
|---------------------------|------------------|----------------|----------------|---------------|----------------------|
| #5 .125 | 14 | .128/.122 | .078/.072 | 3/8" - 1" | 18 lbs./inch |
| #6 .138 | 13 | .141/.135 | .0787/.087 | 3/8" - 1-1/2" | 25 lbs./inch |
| #7 .151 | 12 | .154/.148 | .0874/.096 | 1/2" - 2" | 25 lbs./inch |
| #8 .164 | 9 | .168/.161 | .0937/.1028 | 1/2" - 3" | 32 lbs./inch |
| #8 .164 | 11 | .168/.161 | .0937/.1028 | 1/2" - 3" | 32 lbs./inch |
| #9 .177 | 10 | .181/.174 | .0984/.1098 | 1" - 4" | 37 lbs./inch |
| #10 .190 | 9 | .194/.187 | .1098/.1189 | 5/8" - 6" | 45 lbs./inch |
| #12 .216 | 8 | .230/.225 | .1695/.1685 | 5/8" - 1-3/4" | 65 lbs./inch |
| #14 .250 | 7 | .243/.235 | .175/.165 | 2-1/2" - 4" | 100 lbs./inch |



Thread Styles



Quickscrews Thread

21° - 23° point designed for particleboard, but works well in all types of wood. Wide thread provides greater holding power.



Extra Coarse Thread

Extra wide thread for greater holding power in pine and other soft, porous woods. Available on Round Washer Head Pockethole Screws only.



Fine Thread

Designed for hardwoods such as Oak and Maple. Available on Pockethole Screws..



Hi-Lo Thread - Pockethole Screws

The "All-purpose" thread. Designed for greater holding and less strip-out in all woods.



Hi-Lo Thread - QX2™ Installation Screws

The Hi thread provides greater holding power in wood studs. The Lo thread reduces binding in metals studs, while allowing for greater holding power. The Quickcutterℒ Thread allows for faster penetration and stress free driving in dissimilar materials.



Twinfast Thread

Also known as twin lead. 21° - 23° point is typically used for hinge attachment in hardwoods.



Sheet Metal Thread

30° - 45° point with thread designed specifically for use in sheet metal applications.



QuickCutter™ Fine Thread - Pockethole Screws

Patented QuickCutterℒ Thread for faster stress-free driving. Minimizes pre-drilling in even the hardest woods.



QuickCutter™ Extra Coarse Thread

QuickCutterℒ Thread for faster stress-free driving. Minimizes pre-drilling in even the hardest woods. The extra coarse thread provided greater holding power in the wood.

Special Features



Type 17 Auger Point

For reduced torque, quicker starting and penetration, as well as reduced splitting.



QX2™ Point

Self-piercing point instant starting, quicker penetration and faster stress-free driving.




Self-Drilling Point


Self-piercing point for light, medium, and heavy gauge metal studs.

Quickscrews Fastener Guide


Head Styles




Head Specifications




| Size | Head Diameter | | Driver Size | |
|----------|---------------|------|-------------|-------|
| | Max. | Min. | PH | CO/SQ |
| #4 | .225 | .195 | 1 | - |
| #5 | .252 | .220 | 2R | - |
| #6 | .255 | .240 | 2R | SQ2 |
| #6 Large | .279 | .260 | 2R | SQ2 |
| #7 | .295 | .267 | 2R | SQ2 |
| #8 | .332 | .292 | 2R | SQ2 |
| #9 | .335 | .295 | 2 | SQ2 |
| #10 | .385 | .340 | 2 | SQ2 |




| Size | Head Diameter | | Driver Size |
|------|---------------|----------|-------------|
| | Max. | Min. | |
| #6 | Modified | Modified | SQ2 |
| #7 | Modified | Modified | SQ2 |




| Size | Head Diameter | | Driver Size |
|------|---------------|------|-------------|
| | Max. | Min. | |
| #5 | .252 | .220 | 2R |
| #6 | .279 | .244 | 2R |




| Size | Head Diameter | | Driver Size |
|------|---------------|------|-------------|
| | Max. | Min. | |
| #6 | .321 | .303 | 2R |
| #8 | .384 | .364 | 2R |
| #10 | .448 | .425 | 2 |



| Size | Head Diameter | | Driver Size | |
|------|---------------|------|-------------|-------|
| | Max. | Min. | PH | CO/SQ |
| #6 | .270 | .256 | 2R | - |
| #7 | .296 | .281 | 2R | - |
| #8 | .322 | .306 | 2R | SQ2 |
| #10 | .373 | .357 | 2 | - |
| #12 | .425 | .407 | 3 | - |



| Size | Head Diameter | | Driver Size | |
|------|---------------|------|-------------|-------|
| | Max. | Min. | PH | CO/SQ |
| #8 | .375 | .345 | - | SQ2 |
| #9 | .471 | .376 | - | SQ2 |
| #10 | .500 | .472 | - | SQ2 |
| #12 | .433 | .413 | - | SQ2 |
| #14 | .524 | .505 | 3 | - |



| Size | Head Diameter | | Driver Size |
|------|---------------|------|-------------|
| | Max. | Min. | |
| #8 | .500 | .472 | 2R |

Quickscrews Fastener Guide


Drives



PH

Phillips Drive


The most common drive for wood application fasteners.



SQ

Square Drive

Provides better engagement and reduction of bit "cam-out" while driving.



CO

Combination Square/Phillips Drive

Designed to be driven with a Combo or Square Drive Bit to provide better engagement and reduction of "cam-out" while driving. A Phillips Drive Bit *cannot* be used for installation, but could be used for removal if a Square or Combo Bit is not available.



PZ

Pozz Drive

Designed to provide higher torque in hand driving applications.



PH-SL

Phillips-Slotted

Combination Phillips and Slotted Drive found primarily on Truss Head Machine Screws. A Phillips Bit is recommended for driving. A Slotted Drive Bit is recommended *only* for removal.

Finishes



Antique Brass



UltraGuard



Black



Zinc



Bright Brass



Zinc with Painted Sand Head



Nickel



Zinc with painted White Head



Plain




Zinc Yellow

Custom Painted Screws:

All Zinc Finished screws can be custom painted upon request.

Quickscrews Fastener Guide

Screw Lengths and Gauges





Measuring Length

Flat Head Screws are measured from the top of the head to the tip of the point.

Pan Head, Truss Head, and Round Washer Head Screws are measured from the base of the washer to the tip of the point.

Gauges





Hardware Screws

Hardware Screws

| Gauge and Length | #4 | #5 | #6 | #7 | #8 | #8-32 | #9 | #10 | #12 |
|------------------|----|----|----|----|----|-------|----|-----|-----|
| 3/8" | | | | | | x | | | |
| 7/16" | | | x | | x | | | | |
| 1/2" | x | x | x | | x | x | | | |
| 5/8" | x | x | x | x | x | x | | x | x |
| 3/4" | x | x | x | x | x | x | x | x | x |
| 7/8" | | | | | x | x | | | |
| 1" | | x | x | x | x | x | x | x | x |
| 1-1/4" | | | x | | | | | | |
| 1-1/2" | | | x | | | | | | |

KnobScrews

| Gauge and Length | #8 | #8-32 | #10 | #12 |
|------------------|----|-------|-----|-----|
| 1-1/8" | | x | | |
| 1-1/4" | x | x | x | x |
| 1-3/8" | | x | | |
| 1-1/2" | x | x | x | x |
| 1-5/8" | | x | | |
| 1-3/4" | x | x | | x |
| 1-7/8" | | x | | |
| 2" | | x | | |

Metric Hardware Screws

| Gauge and Length | 5.0mm | 6.3mm | 7.0mm | M4 |
|------------------|-------|-------|-------|----|
| 7.5mm | | x | | |
| 10mm | | x | | |
| 10.5mm | | x | | |
| 11.5mm | | x | | |
| 13mm | | x | | |
| 14.5mm | | x | | |
| 18mm | | x | | |
| 20mm | | x | | x |
| 22mm | | | x | |
| 25mm | | x | | x |
| 30mm | | x | | x |
| 35mm | | | | x |
| 38mm | | | x | |
| 40mm | x | | | x |
| 45mm | | | | x |
| 50mm | | | x | x |
| 61mm | | | | x |

Thread Styles *

| | |
|--------------------------|---|
| Fine Thread | |
| Hi-Lo Thread | |
| Machine Thread | x |
| Breakaway Machine Thread | x |
| Quickscrews Thread | x |
| Extra Coarse Thread | |
| Quickscrews Full Thread | x |
| Sheet Metal Thread | |
| Twinfast Thread | x |
| Twinfast Half Thread | |
| Type A Thread | x |
| Type AB Thread | x |
| Type B Thread | x |

Head Styles *

| | |
|-------------------------------|---|
| Bugle Head | x |
| Flat Head | |
| Flat Head with Nibs | x |
| .275 O.D. Flat Head | |
| Modified Flat Head with Nibs | |
| Hex Head | x |
| Oval Head | x |
| Pan Head | |
| Modified Pan Head | x |
| Low Profile Pan Head | x |
| Round Washer Head | x |
| Low Profile Round Washer Head | |
| Large Round Washer Head | x |
| Truss Head | x |
| Undercut Flat Head | x |

Special Features *

| | |
|--------------------------|---|
| Type 17 Auger Point | x |
| QuickCutter Double Auger | |
| QX2 Auger Point | |
| Self Drilling Point | |

Finishes *

| | |
|-------------------------------|---|
| Antique Brass | x |
| Bright Brass | x |
| Black | x |
| Nickel | x |
| Plain | x |
| Zinc | x |
| Zinc with White Painted Heads | x |

*All lengths and gauges may not be available with each head style, thread style, special feature or finish.
Please see individual parts in catalog for specifics.





Pan Head Drawer Slide Screws
Phillips Drive, Low Profile Pan Head, Type AB Thread, Zinc

| Size | Weight per M | Case Qty. | Part # |
|------------|--------------|-----------|--------|
| #6 x 7/16" | 2.02 lbs. | 30,000 | 11572 |
| | | | |
| Size | Weight per M | Pak Qty. | Part # |
| #6 x 7/16" | 2.02 lbs. | 5,000 | 12798 |
| | | | |
| Size | Weight per M | Pak Qty. | Part # |
| #6 x 7/16" | 2.02 lbs. | 1,000 | 12799 |




Phillips Drive

Phillips Drive, Low Profile Pan Head, Quickscrews Thread, Zinc
Ball Bearing Drawer Slide Screws - Works Great in KV 8400 Slides!

| Size | Weight per M | Case Qty. | Part # |
|------------|--------------|-----------|------------|
| #6 x 7/16" | 1.92 lbs. | 25,000 | 13355 |
| #6 x 1/2" | 2.09 lbs. | 25,000 | 13356 |
| | | | |
| Size | Weight per M | Pak Qty. | Pak Part # |
| #6x 7/16" | 1.92 lbs. | 5,000 | 11799 |
| #6 x 1/2" | 2.09 lbs. | 5,000 | 13399 |
| | | | |
| Size | Weight per M | Pak Qty. | Pak Part # |
| #6x 7/16" | 1.92 lbs. | 1,000 | 11800 |
| #6 x 1/2" | 2.09 lbs. | 1,000 | 13398 |
| | | | |
| Size | Weight per M | Pak Qty. | Pak Part # |
| #6 x 7/16" | 1.92 lbs. | 100 | 11801 |
| #6 x 1/2" | 2.09 lbs. | 100 | 13397 |



Phillips Drive



KV 8400 Drawer Slide



Phillips and Combination Drive, Drawer Slide Quickscrews

| Size | Weight per M | Case Qty. | Phillips-RWH Low Profile Zinc | Phillips-Truss Black | Phillips-Truss Zinc | Phillips-Truss Antique Brass | Combo-Truss Black | Combo-Truss Zinc |
|-------------------|--------------|-----------|-------------------------------------|-------------------------|------------------------|---------------------------------|----------------------|---------------------|
| #6 x 5/8" | 2.34 lbs. | 15,000 | - | - | - | 4635 | - | - |
| #8 x 7/16" | 2.20 lbs. | 20,000 | 5213 | 10123* | 4460* | - | 10256* | 10255* |
| #8 x 1/2" | 2.25 lbs. | 14,000 | 4688 | - | - | - | - | - |
| * Denotes #6 Head | | | | | | | | |
| Size | Weight per M | Pak Qty. | Phillips-RWH Low Profile Zinc | Phillips-Truss Black | Phillips-Truss Zinc | Phillips-Truss Antique Brass | Combo-Truss Black | Combo-Truss Zinc |
| #6 x 5/8" | 2.34 lbs. | 5,000 | - | - | - | - | - | - |
| #8 x 7/16" | 2.20 lbs. | 5,000 | 9122 | 10473* | 6276* | - | 10455* | 10452* |
| #8 x 1/2" | 2.25 lbs. | 5,000 | 6113 | - | - | - | - | - |
| * Denotes #6 Head | | | | | | | | |
| Size | Weight per M | Pak Qty. | Phillips-RWH Low Profile Zinc | Phillips-Truss Black | Phillips-Truss Zinc | Phillips-Truss Antique Brass | Combo-Truss Black | Combo-Truss Zinc |
| #6 x 5/8" | 2.34 lbs. | 1,000 | - | - | - | 5873 | - | - |
| #8 x 7/16" | 2.20 lbs. | 1,000 | 8810 | 10284* | 5961* | - | 10456* | 10453* |
| #8 x 1/2" | 2.25 lbs. | 1,000 | 6271 | - | - | - | - | - |
| * Denotes #6 Head | | | | | | | | |



Phillips Drive



Combo Drive

Phillips Truss Head, Type AB Thread All with #6 Head



| Size | Weight per M | Case Qty. | Zinc | Black | Zinc/White Hd. |
|------------|--------------|-----------|-------|-------|----------------|
| #8 x 7/16" | 4.13 lbs. | 20,000 | 229 | 11549 | 11553 |
| Size | Weight per M | Pak Qty. | Zinc | Black | Zinc/White Hd. |
| #8 x 7/16" | 4.13 lbs. | 5,000 | 11545 | 11550 | 11554 |
| Size | Weight per M | Pak Qty. | Zinc | Black | Zinc/White Hd. |
| #8 x 7/16" | 4.13 lbs. | 1,000 | 11547 | 11551 | 11555 |



For Full Extension Ball Bearing Drawer Slides, we recommend:

É#8 Low Profile Round Washer Head, Quickscrews Coarse Thread (Part #5213 and #4688)

É#6 Truss Head, Quickscrews Coarse Thread, with a #8 body (Part #4460, #10256, #10255)

Note: The #8 body provides added strength for the heavier load rating of these drawer slides.

Our **Quickscrews Coarse Thread** provides greater holding power and reduced ôspin-outô and ôpull outô in Particleboard, Melamine and MDF, which are the most commonly used materials.



QuickFact • Africa is 28% wilderness; North America is 38% wilderness



Undercut Quickscrews for Hinges and Drawer Slides

| | | | PH-FL UC #5 | PH-FL UC #5 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #7 |
|-----------------------------------|--------------|-----------|-------------|-------------|-----------------|--------------------------|-------------------------|-----------------|
| Size | Weight per M | Case Qty. | Black | Zinc | Type 17 Zinc | Type 17 Antique Brass | Type 17 Bright Brass | Type 17 Zinc |
| #6 x 7/16" | 1.45 lbs. | 35,000 | - | 6319 * | 6055 | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 25,000 | 8681 * | 7229 * | 6056 | 6062 | 6059 | - |
| #6 x 5/8" | 1.80 lbs. | 25,000 | - | 7230 * | 6057 | 6063 | 6060 | - |
| #6 x 3/4" | 1.85 lbs. | 20,000 | - | 7231 * | 6058 | - | 6061 | - |
| #7 x 5/8" | 2.14 lbs. | 20,000 | - | - | - | - | - | 12846 |
| * Represents #6 Body with #5 Head | | | | | | | | |
| | | | PH-FL UC #5 | PH-FL UC #5 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #7 |
| Size | Weight per M | Pak Qty. | Black | Zinc | Type 17 Zinc | Type 17 Antique Brass | Type 17 Bright Brass | Type 17 Zinc |
| #6 x 7/16" | 1.45 lbs. | 5,000 | - | 7365 * | 6132 | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 5,000 | 9586 * | 7350 * | 6133 | 6164 | 6144 | - |
| #6 x 5/8" | 1.80 lbs. | 5,000 | - | 7351 * | 6134 | 6165 | 6145 | - |
| #6 x 3/4" | 1.85 lbs. | 5,000 | - | 7352 * | 6135 | - | 6146 | - |
| #7 x 5/8" | 1.85 lbs. | 5,000 | - | - | - | - | - | 13803 |
| * Represents #6 Body with #5 Head | | | | | | | | |
| | | | PH-FL UC #5 | PH-FL UC #5 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #6 | PH-FL UC #7 |
| Size | Weight per M | Pak Qty. | Black | Zinc | Type 17 Zinc | Type 17 Antique Brass | Type 17 Bright Brass | Type 17 Zinc |
| #6 x 7/16" | 1.45 lbs. | 1,000 | - | 7366 * | 6128 | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 1,000 | 9587 * | 7353 * | 6129 | 6152 | 6141 | - |
| #6 x 5/8" | 1.80 lbs. | 1,000 | - | 7354 * | 6130 | 6153 | 6142 | - |
| #6 x 3/4" | 1.85 lbs. | 1,000 | - | 7355 * | 6131 | - | 6143 | - |
| #7 x 5/8" | 1.85 lbs. | 1,000 | - | - | - | - | - | 13323 |
| * Represents #6 Body with #5 Head | | | | | | | | |




Standard Flat Heads may penetrate into the wood, causing it to split. The head may also protrude slightly above the countersink holes in the hinge.



The **Undercut Flat Head** seats flush in the countersink holes providing a more aesthetically pleasing look in the finished product.



The **Type 17 Auger Point** provides quicker penetration and reduced splitting.



Undercut Flat Head screws can also be used on European Drawer Slides to eliminate clicking during operation.



QuickFact • Alligators are able to outrun humans, AND can climb trees. Uh-oh.

EURO SCREWS™



European Drawer Slide Screws

| Size | Weight per M | Case Qty. | Phillips-Flat Nickel | Phillips-Flat Zinc | Pozi-Flat Nickel | #2 SQ-Flat Nickel | #2 SQ-Flat Zinc |
|----------------|--------------|-----------|-------------------------|-----------------------|---------------------|----------------------|--------------------|
| 6.3mm x 7.5mm | 3.20 lbs. | 15,000 | 10975 * | - | - | - | - |
| 6.3mm x 10mm | 3.00 lbs. | 10,000 | - | 13359 | 1097 | - | 13357 * |
| 6.3mm x 10.5mm | 3.10 lbs. | 10,000 | - | - | 5268 | - | - |
| 6.3mm x 11.5mm | 3.70 lbs. | 10,000 | - | 13301 | 226 | - | 13358 * |
| 6.3mm x 13mm | 4.20 lbs. | 10,000 | 3500 * | 13302 | 227 | 10589 * | - |
| 6.3mm x 14.5mm | 4.90 lbs. | 8,000 | - | 13463 | 9437 | - | - |
| 6.3mm x 18mm | 6.19 lbs. | 5,000 | - | - | 10976 | - | - |
| 6.3mm x 20mm | 8.93 lbs. | 5,000 | - | - | 11192 | - | - |
| 6.3mm x 25mm | 6.80 lbs. | 5,000 | - | - | 1219 | - | - |
| 6.3mm x 30mm | 9.33 lbs. | 5,000 | - | - | 11231 | - | - |

* For use with Grass® Drawer Slides

| Size | Weight per M | Pak Qty. | Phillips-Flat Nickel | Phillips-Flat Zinc | Pozi-Flat Nickel | Square-Flat Nickel | #2 SQ-Flat Zinc |
|----------------|--------------|----------|-------------------------|-----------------------|---------------------|-----------------------|--------------------|
| 6.3mm x 7.5mm | 3.20 lbs. | 1,000 | 11733 * | - | - | - | - |
| 6.3mm x 10mm | 3.00 lbs. | 1,000 | - | 13402 | 1220 | - | 13400 * |
| 6.3mm x 10.5mm | 3.10 lbs. | 1,000 | - | - | 6181 | - | - |
| 6.3mm x 11.5mm | 3.70 lbs. | 1,000 | - | 13311 | 6019 | - | 13401 * |
| 6.3mm x 13mm | 4.20 lbs. | 1,000 | 6022 * | 13312 | 6020 | 10590 * | - |
| 6.3mm x 14.5mm | 4.90 lbs. | 1,000 | - | 13478 | 11735 | - | - |
| 6.3mm x 18mm | 6.19 lbs. | 1,000 | - | - | 11737 | - | - |
| 6.3mm x 20mm | 8.93 lbs. | 1,000 | - | - | 11193 | - | - |
| 6.3mm x 25mm | 6.80 lbs. | 1,000 | - | - | 6021 | - | - |
| 6.3mm x 30mm | 9.33 lbs. | 1,000 | - | - | 11741 | - | - |

* For use with Grass® Drawer Slides




Phillips Drive



Pozi Drive



Square Drive



Euro Screws are used when installing European Drawer Slides into cabinets with a 32mm line bore pattern.

The Drawer Slide "cabinet member" is attached with Euro Screws into the pre-drilled holes.

32mm line bore pattern



7.0mm - 7.3mm
Outside Diameter

Most European Drawer Slides use a Euro Screw with a 7.0mm - 7.3mm outside head diameter. This size is often referred to as a "Blum®" Euro Screw.



7.5mm - 7.8mm
Outside Diameter

Grass® brand Drawer Slides require a Euro Screw with a slightly larger outside head diameter of 7.5mm - 7.8mm.



QuickFact • The whip was the first invention to break the sound barrier.



Phillips Flat Head Hardware Quickscrows

| Size | Weight per M | Case Qty. | Phillips Flat Plain | Phillips Flat Zinc | Phillips Flat Nickel | Phillips Flat Black | Phillips Flat Bright Brass | Phillips Flat Antique Brass |
|-------------|--------------|-----------|---------------------|--------------------|----------------------|---------------------|----------------------------|-----------------------------|
| #5 x 1/2" | 1.20 lbs. | 40,000 | - | 109 | - | - | 6068 | 231 |
| #5 x 5/8" | 1.49 lbs. | 30,000 | - | 110 | 11322 | - | - | 233 |
| #6 x 1/2" | 1.50 lbs. | 25,000 | 6065 | 114 | 115 | 1623 | 9063 | 232 |
| #6 x 5/8" | 1.80 lbs. | 25,000 | - | 116 | 117 | 119 | 4722 | 235 |
| #6 x 3/4" | 1.85 lbs. | 20,000 | - | 120 | 121 | 122 | 1293 | 236 |
| #6 x 1" | 2.50 lbs. | 13,000 | - | 123 | 9093 | - | - | - |
| #6 x 1-1/4" | 2.93 lbs. | 10,000 | - | 124 | - | - | - | - |
| #6 x 1-1/2" | 3.46 lbs. | 8,000 | - | 125 | - | - | - | - |
| #7 x 5/8" | 1.90 lbs. | 20,000 | 8258 | 8995 | 126 | - | - | - |
| #7 x 3/4" | 2.06 lbs. | 20,000 | - | - | 10166 | - | - | - |
| #7 x 1" | 3.32 lbs. | 10,000 | - | - | 9094 | - | - | - |
| #8 x 5/8" | 2.80 lbs. | 14,000 | 3968 | 127 | - | 6542 | 293 | - |
| #8 x 3/4" | 3.00 lbs. | 12,000 | 3969 | 128 | - | 6566 | - | - |
| #8 x 7/8" | 3.34 lbs. | 10,000 | - | - | - | 259 | - | - |

| Size | Weight per M | Pak Qty. | Phillips Flat Plain | Phillips Flat Zinc | Phillips Flat Nickel | Phillips Flat Black | Phillips Flat Bright Brass | Phillips Flat Antique Brass |
|-------------|--------------|----------|---------------------|--------------------|----------------------|---------------------|----------------------------|-----------------------------|
| #5 x 1/2" | 1.20 lbs. | 5,000 | - | 6126 | - | - | 6138 | 6155 |
| #5 x 5/8" | 1.49 lbs. | 5,000 | - | 6127 | 11323 | - | - | 6156 |
| #6 x 1/2" | 1.50 lbs. | 5,000 | 6242 | 1234 | 9219 | 6250 | 9598 | 6158 |
| #6 x 5/8" | 1.80 lbs. | 5,000 | - | 1236 | 9220 | 6251 | 6140 | 6159 |
| #6 x 3/4" | 1.85 lbs. | 5,000 | - | 3987 | 9221 | 6252 | 6149 | 6163 |
| #6 x 1" | 2.50 lbs. | 5,000 | - | - | - | - | - | - |
| #6 x 1-1/4" | 2.93 lbs. | 5,000 | - | - | - | - | - | - |
| #6 x 1-1/2" | 3.46 lbs. | 5,000 | - | - | - | - | - | - |
| #7 x 5/8" | 1.90 lbs. | 5,000 | 9612 | 9190 | 9223 | - | - | - |
| #7 x 3/4" | 2.06 lbs. | 5,000 | - | - | 9224 | - | - | - |
| #7 x 1" | 3.32 lbs. | 5,000 | - | - | - | - | - | - |
| #8 x 5/8" | 2.80 lbs. | 5,000 | - | - | - | 9167 | 6150 | - |
| #8 x 3/4" | 3.00 lbs. | 5,000 | - | - | - | - | - | - |

| Size | Weight per M | Pak Qty. | Phillips Flat Plain | Phillips Flat Zinc | Phillips Flat Nickel | Phillips Flat Black | Phillips Flat Bright Brass | Phillips Flat Antique Brass |
|-------------|--------------|----------|---------------------|--------------------|----------------------|---------------------|----------------------------|-----------------------------|
| #5 x 1/2" | 1.20 lbs. | 1,000 | - | 5781 | - | - | 6136 | 5864 |
| #5 x 5/8" | 1.49 lbs. | 1,000 | - | 5782 | 11324 | - | - | 5865 |
| #6 x 1/2" | 1.50 lbs. | 1,000 | 6237 | 1233 | 8905 | 6246 | 9599 | 5866 |
| #6 x 5/8" | 1.80 lbs. | 1,000 | - | 1187 | 8906 | 6247 | 6089 | 5867 |
| #6 x 3/4" | 1.85 lbs. | 1,000 | - | 1189 | 9098 | 6248 | 6090 | 5868 |
| #6 x 1" | 2.50 lbs. | 1,000 | - | 5786 | 9099 | - | - | - |
| #6 x 1-1/4" | 2.93 lbs. | 1,000 | - | 5787 | - | - | - | - |
| #6 x 1-1/2" | 3.46 lbs. | 1,000 | - | 5788 | - | - | - | - |
| #7 x 5/8" | 1.90 lbs. | 1,000 | 9613 | 9191 | 5901 | - | - | - |
| #7 x 3/4" | 2.06 lbs. | 1,000 | - | - | 9217 | - | - | - |
| #7 x 1" | 3.32 lbs. | 1,000 | - | - | 9218 | - | - | - |
| #8 x 5/8" | 2.80 lbs. | 1,000 | 6240 | 5789 | - | 7837 | 6091 | - |
| #8 x 3/4" | 3.00 lbs. | 1,000 | 6241 | 5790 | - | 7440 | - | - |
| #8 x 7/8" | 3.34 lbs. | 1,000 | - | - | - | 13691 | - | - |



Phillips Drive

Phillips Oval Head Hardware Quickscrows

| Size | Weight per M | Case Qty. | Phillips Oval Bright Brass | Phillips Oval Antique Brass |
|-----------|--------------|-----------|----------------------------|-----------------------------|
| #5 x 5/8" | 1.49 lbs. | 30,000 | - | 238 |
| #6 x 5/8" | 1.80 lbs. | 20,000 | 640 | 239 |

| Size | Weight per M | Pak Qty. | Phillips Oval Bright Brass | Phillips Oval Antique Brass |
|-----------|--------------|----------|----------------------------|-----------------------------|
| #5 x 5/8" | 1.49 lbs. | 5,000 | - | 6157 |
| #6 x 5/8" | 1.80 lbs. | 5,000 | 6148 | 6160 |

| Size | Weight per M | Pak Qty. | Phillips Oval Bright Brass | Phillips Oval Antique Brass |
|-----------|--------------|----------|----------------------------|-----------------------------|
| #5 x 5/8" | 1.49 lbs. | 1,000 | - | 5869 |
| #6 x 5/8" | 1.80 lbs. | 1,000 | 6088 | 5870 |



Phillips Drive



Overlay or öslabö hinges are a low cost product that mount on the outside of the cabinet frame.

The hinges are commonly finished in Antique or Bright Brass.

Typically, the hinges are attached with **two Oval Head Quickscrows** and three **Flat Head Quickscrows**



Type 17 Hinge Screws are great for attaching hardware items that are being installed at the edge of the wood.



Flat Head Hardware Quickscrews

| Size | Weight per M | Case Qty. | Phillips-Flat Type 17 Zinc | Phillips-Flat Type 17 Bright Brass | Phillips-Flat Type 17 Dry Lube | Combo Flat Plain | Combo Flat Zinc | #2 Square Flat Black | #2 Square Flat Zinc |
|-----------|--------------|-----------|----------------------------------|--|--------------------------------------|------------------------|-----------------------|----------------------------|---------------------------|
| #5 x 5/8" | 1.36 lbs. | 25,000 | 14314** | 14178 | 14177 | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 25,000 | 9014 | - | - | - | 4875 | - | - |
| #6 x 5/8" | 1.80 lbs. | 25,000 | 9015 | - | - | - | 6478 | - | - |
| #6 x 3/4" | 1.90 lbs. | 20,000 | 9016 | - | - | - | 4617 | - | - |
| #8 x 5/8" | 2.80 lbs. | 14,000 | 9017 | - | - | 9812*** | - | 176 | 4952 |
| #8 x 3/4" | 3.00 lbs. | 12,000 | 9018 | - | - | 9813 | - | 178 | 4953 |
| #9 x 3/4" | 3.57 lbs. | 10,000 | 9770 | - | - | - | - | - | - |
| #9 x 1" | 4.45 lbs. | 9,000 | 9771 | - | - | - | - | - | - |

**Part 14314 is packed at 30,000 per case.

***Part 9812 is packed at 15,000 per case.

| Size | Weight per M | Pak Qty. | Phillips-Flat Type 17 Zinc | Phillips-Flat Type 17 Bright Brass | Phillips-Flat Type 17 Dry Lube | Combo Flat Plain | Combo Flat Zinc | #2 Square Flat Black | #2 Square Flat Zinc |
|-----------|--------------|----------|----------------------------------|--|--------------------------------------|------------------------|-----------------------|----------------------------|---------------------------|
| #5 x 5/8" | 1.36 lbs. | 5,000 | 14437 | 14412 | 14422 | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 5,000 | 9172 | - | - | - | 10442 | - | - |
| #6 x 5/8" | 1.80 lbs. | 5,000 | 9173 | - | - | - | 10445 | - | - |
| #6 x 3/4" | 1.90 lbs. | 5,000 | 9174 | - | - | - | 10448 | - | - |
| #8 x 5/8" | 2.80 lbs. | 5,000 | - | - | - | 15040 | - | - | - |
| #8 x 3/4" | 3.00 lbs. | 5,000 | - | - | - | 15042 | - | - | - |

| Size | Weight per M | Pak Qty. | Phillips-Flat Type 17 Zinc | Phillips-Flat Type 17 Bright Brass | Phillips-Flat Type 17 Dry Lube | Combo Flat Plain | Combo Flat Zinc | #2 Square Flat Black | #2 Square Flat Zinc |
|-----------|--------------|----------|----------------------------------|--|--------------------------------------|------------------------|-----------------------|----------------------------|---------------------------|
| #5 x 5/8" | 1.36 lbs. | 1,000 | 14438 | 14413 | 14423 | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 1,000 | 9175 | - | - | - | 10443 | - | - |
| #6 x 5/8" | 1.80 lbs. | 1,000 | 9176 | - | - | - | 10446 | - | - |
| #6 x 3/4" | 1.90 lbs. | 1,000 | 9177 | - | - | - | 10449 | - | - |
| #8 x 5/8" | 2.80 lbs. | 1,000 | 9178 | - | - | 15081 | - | 13021 | 12520 |
| #8 x 3/4" | 3.00 lbs. | 1,000 | 9179 | - | - | - | - | 5827 | 12521 |
| #9 x 3/4" | 3.57 lbs. | 1,000 | 9773 | - | - | - | - | - | - |
| #9 x 1" | 4.45 lbs. | 1,000 | 9774 | - | - | - | - | - | - |



Phillips Drive



Combo Drive



Square Drive



Phillips Drive, .275 Outside Diameter Flat Head Hardware Quickscrews

| Size | Weight per M | Case Qty. | Phillips-Flat .275 OD Zinc | Phillips-Flat .275 OD Nickel | Phillips-Flat .275 OD Type 17 Zinc | Phillips-Flat .275 OD Type 17 Nickel | Phillips-Flat .275 OD Type 17 Bright Brass | Phillips-Flat .275 OD Type 17 Dry Lube |
|------------|--------------|-----------|----------------------------------|------------------------------------|---|---|---|---|
| #6 x 7/16" | 1.49 lbs. | 25,000 | 9525 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 25,000 | 9526 | 10505 | 13587 | 13590 | - | - |
| #6 x 5/8" | 1.80 lbs. | 25,000 | 9501 | 10506 | 13588 | 13591 | 14180 | 14179 |
| #6 x 3/4" | 1.90 lbs. | 20,000 | 9594 | 10507 | 13589 | 13592 | 14315 | 14181 |

| Size | Weight per M | Pak Qty. | Phillips-Flat .275 OD Zinc | Phillips-Flat .275 OD Nickel | Phillips-Flat .275 OD Type 17 Zinc | Phillips-Flat .275 OD Type 17 Nickel | Phillips-Flat .275 OD Type 17 Bright Brass | Phillips-Flat .275 OD Type 17 Dry Lube |
|------------|--------------|----------|----------------------------------|------------------------------------|---|---|---|---|
| #6 x 7/16" | 1.49 lbs. | 5,000 | 9527 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 5,000 | 9590 | 10736 | 13629 | 13632 | - | - |
| #6 x 5/8" | 1.80 lbs. | 5,000 | 9592 | 10737 | 13630 | - | 14416 | 14426 |
| #6 x 3/4" | 1.90 lbs. | 5,000 | 9595 | 10738 | 13631 | 13634 | 14418 | 14428 |

| Size | Weight per M | Pak Qty. | Phillips-Flat .275 OD Zinc | Phillips-Flat .275 OD Nickel | Phillips-Flat .275 OD Type 17 Zinc | Phillips-Flat .275 OD Type 17 Nickel | Phillips-Flat .275 OD Type 17 Bright Brass | Phillips-Flat .275 OD Type 17 Dry Lube |
|------------|--------------|----------|----------------------------------|------------------------------------|---|---|---|---|
| #6 x 7/16" | 1.49 lbs. | 1,000 | 9528 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 1,000 | 5783 | 10739 | 13641 | 13644 | - | - |
| #6 x 5/8" | 1.80 lbs. | 1,000 | 5784 | 10740 | 13642 | - | 14417 | 14427 |
| #6 x 3/4" | 1.90 lbs. | 1,000 | 9596 | 10741 | 13643 | 13646 | 14419 | 14429 |



Phillips Drive



.275
Outside Diameter

These screws are designed with a larger (.275) *outside head diameter* to better fit hinge plates and drawer slides that are manufactured with countersink holes that are at the higher end of tolerance specifications.



Square Drive, Flat Head Hardware Quickscrews



#1 Square Drive, Flat Head, Type 17, Quickscrews, Zinc

| Size | Weight per M | Case Qty. | Part # |
|-----------|--------------|-----------|------------|
| #6 x 1/2" | 1.59 lbs. | 25,000 | 13285 |
| #6 x 5/8" | 1.85 lbs. | 25,000 | 13286 |
| #6 x 3/4" | 2.12 lbs. | 20,000 | 13287 |
| Size | Weight per M | Pak Qty. | Pak Part # |
| #6 x 1/2" | 1.59 lbs. | 1,000 | 13304 |
| #6 x 5/8" | 1.85 lbs. | 1,000 | 13305 |
| #6 x 3/4" | 2.12 lbs. | 1,000 | 13306 |



Square Drive

#2 Square Drive, Flat Head, Type 17, Quickscrews

| Size | Weight per M | Case Qty. | Zinc | Nickel |
|-------------|--------------|-----------|-------|--------|
| #6 x 1/2" | 1.50 lbs. | 25,000 | 13465 | 13593 |
| #6 x 5/8" | 1.80 lbs. | 25,000 | 13466 | 13594 |
| #6 x 3/4" | 1.90 lbs. | 20,000 | 13467 | 13595 |
| #6 x 1" | 2.50 lbs. | 13,000 | 13468 | - |
| #6 x 1-1/4" | 2.93 lbs. | 10,000 | 13469 | - |
| #6 x 1-1/2" | 3.46 lbs. | 8,000 | 13470 | - |
| Size | Weight per M | Pak Qty. | Zinc | Nickel |
| #6 x 1/2" | 1.50 lbs. | 5,000 | 13635 | 13638 |
| #6 x 5/8" | 1.80 lbs. | 5,000 | 13636 | 13639 |
| #6 x 3/4" | 1.90 lbs. | 5,000 | 13637 | 13640 |
| #6 x 1" | 2.50 lbs. | 5,000 | - | - |
| #6 x 1-1/4" | 2.93 lbs. | 5,000 | - | - |
| #6 x 1-1/2" | 3.46 lbs. | 5,000 | - | - |
| Size | Weight per M | Pak Qty. | Zinc | Nickel |
| #6 x 1/2" | 1.50 lbs. | 1,000 | 13559 | 13647 |
| #6 x 5/8" | 1.80 lbs. | 1,000 | 13560 | 13648 |
| #6 x 3/4" | 1.90 lbs. | 1,000 | 13561 | 13649 |
| #6 x 1" | 2.50 lbs. | 1,000 | 13562 | - |
| #6 x 1-1/4" | 2.93 lbs. | 1,000 | 13563 | - |
| #6 x 1-1/2" | 3.46 lbs. | 1,000 | 13564 | - |



Square Drive





QuickFact • Manhole covers are round so they cannot fall through the hole.



**Round Washer Head and
Truss Head QuickScrews®**



Hinge Screws

| Size | Weight per M |  Case Qty. | Combo-RWH Type 17 Plain | Combo-RWH Type 17 Zinc | PH-RWH Type 17 Nickel | PH-Truss Type 17 Zinc | PH-Truss Type 17 Antique Brass | PH-Truss SMS Type A Type 17 Zinc |
|-------------------|--------------|---|-------------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------------------|---|
| #7 x 5/8" | | 10,000 | - | - | - | - | - | 13699 * |
| #8 x 5/8" | 3.52 lbs. | 10,000 | 7379 | - | - | 7892 | 8080 | 13701 |
| #8 x 3/4" | 3.66 lbs. | 10,000 | 7380 | 8883 | 14820 | 6802 | 7915 | - |
| * Denotes #8 Head | | | | | | | | |
| Size | Weight per M |  Pak Qty. | Combo-RWH Type 17 Plain | Combo-RWH Type 17 Zinc | PH-RWH Type 17 Nickel | PH-Truss Type 17 Zinc | PH-Truss Type 17 Antique Brass | PH-Truss SMS Type A Type 17 Zinc |
| #7 x 5/8" | | | | | | | | 13801 * |
| #8 x 5/8" | 3.52 lbs. | 1,000 | 7773 | - | - | 8098 | 8097 | 13802 |
| #8 x 3/4" | 3.66 lbs. | 1,000 | 7775 | 9118 | 14821 | 8157 | 8100 | - |
| * Denotes #8 Head | | | | | | | | |




Combo Drive



Phillips Drive



Compact Hinges



Institutional Hinges



Knife Hinges



Magnetic Catches




The **Type 17 Auger Point** provides quicker penetration and reduced splitting.

The **Type 17 Auger Point** is very useful when attaching hardware into or near the edge of the material.

The **Quickscrews Coarse Thread** provides greater holding power, and a reduction in pull out.



Mending Plates



QuickFact • The average number of people airborne over the U.S. in any given hour: 61,000



#2 Square Drive, Pan Head Quickscrews



Compact Hinge Screws

| Size | Weight per M | Case Qty. | Square-Pan Type 17 Zinc | Square-Pan Type 17 Antique Brass |
|-----------|--------------|-----------|-------------------------------|--|
| #8 x 5/8" | 3.20 lbs. | 12,000 | 13579 | 13583 |
| #8 x 3/4" | 3.60 lbs. | 10,000 | 13580 | 13584 |

| Size | Weight per M | Pak Qty. | Square-Pan Type 17 Zinc | Square-Pan Type 17 Antique Brass |
|-----------|--------------|----------|-------------------------------|--|
| #8 x 5/8" | 3.20 lbs. | 1,000 | 13621 | 13625 |
| #8 x 3/4" | 3.60 lbs. | 1,000 | 13622 | 13626 |



Square Drive

#2 Square Drive, Truss Head Quickscrews



Compact Hinge Screws


| Size | Weight per M | Case Qty. | Square-Truss Type 17 Zinc | Square-Truss Type 17 Antique Brass |
|-----------|--------------|-----------|---------------------------------|--|
| #8 x 5/8" | 3.52 lbs. | 10,000 | 13581 | - |
| #8 x 3/4" | 3.66 lbs. | 10,000 | 13582 | 13586 |

| Size | Weight per M | Pak Qty. | Square-Pan Type 17 Zinc | Square-Pan Type 17 Antique Brass |
|-----------|--------------|----------|-------------------------------|--|
| #8 x 5/8" | 3.20 lbs. | 1,000 | 13623 | - |
| #8 x 3/4" | 3.52 lbs. | 1,000 | 13624 | 13628 |



Square Drive

Type 17 Hardware Quickscrews Screws for Compact Hinges in Framed Cabinets



Type 17 Quickscrews are recommended for this application to prevent splitting when the hardware is attached to the cabinet frame.

Less torque is required to drive the screws.

The result is a reduction in user fatigue, which can greatly decrease the potential hazard of repetitive stress syndrome, or carpal tunnel, caused by the continuous driving of screws.



QuickFact • When the sport of basketball was first invented, the game was played with a soccer ball.



Pan Head Quickscrews

| Size | Weight per M | Case Qty. | Phillips-Pan Black | Phillips-Pan Zinc | Phillips-Pan Nickel | Phillips-Pan Type 17 Zinc | Phillips-Pan Type 17 Black | Phillips-Pan Type 17 Antique Brass | Phillips-Pan Type 17 Nickel |
|--------------|--------------|-----------|-----------------------|----------------------|------------------------|---------------------------------|----------------------------------|--|-----------------------------------|
| #6 x 1/2" | 1.91 lbs. | 30,000 | 144 | 157 | - | 8083 | - | 8081 | - |
| #6 x 5/8" | 2.11 lbs. | 25,000 | 145 | 158 | - | 8084 | - | 8082 | - |
| #6 x 3/4" | 2.50 lbs. | 20,000 | 146 | 159 | - | - | - | - | - |
| #6 x 1" | 3.00 lbs. | 15,000 | 5173 | - | - | - | - | - | - |
| #7 x 3/4" | 2.40 lbs. | 15,000 | 805 | - | - | - | - | - | - |
| #8 x 1/2" | 2.80 lbs. | 15,000 | 6882 | 163 | - | - | - | - | - |
| #8 x 5/8" | 3.20 lbs. | 12,000 | 147 | 164 | - | 8085 | - | 7891 | - |
| #8 x 3/4" | 3.60 lbs. | 10,000 | 148 | 165 | - | 8086 | 12610 | - | - |
| #8 x 7/8" | 3.70 lbs. | 10,000 | - | - | - | 9830 | - | - | - |
| #8 x 1" | 4.40 lbs. | 9,000 | 150 | 166 | - | 10189 | 12629 | - | - |
| #8 x 1-1/4" | 5.10 lbs. | 9,000 | 151 | 167 | - | - | - | - | - |
| #8 x 1-1/2" | 5.98 lbs. | 6,000 | - | 168 | - | - | - | - | - |
| #10 x 5/8" | 4.90 lbs. | 10,000 | 152 | 170 | - | - | - | - | 10991 |
| #10 x 3/4" | 5.40 lbs. | 9,000 | 154 | 171 | 9341 | - | - | - | 10918 |
| #10 x 1" | 6.00 lbs. | 7,000 | 155 | 174 | 10992 | - | - | - | 10993 |
| #10 x 1-1/4" | 6.63 lbs. | 6,000 | 5973 | 5972 | - | - | - | - | - |
| #10 x 1-1/2" | 7.60 lbs. | 5,000 | - | 6565 | - | - | - | - | - |
| #12 x 5/8" | 4.99 lbs. | 7,000 | - | - | - | 9799 | - | - | - |
| #12 x 3/4" | 6.01 lbs. | 6,000 | - | - | - | 9800 | - | - | - |
| #12 x 1" | 7.25 lbs. | 5,000 | - | - | - | 9801 | - | - | - |

| Size | Weight per M | Pak Qty. | Phillips-Pan Black | Phillips-Pan Zinc | Phillips-Pan Nickel | Phillips-Pan Type 17 Zinc | Phillips-Pan Type 17 Black | Phillips-Pan Type 17 Antique Brass | Phillips-Pan Type 17 Nickel |
|--------------|--------------|----------|-----------------------|----------------------|------------------------|---------------------------------|----------------------------------|--|-----------------------------------|
| #6 x 1/2" | 1.91 lbs. | 1,000 | 5836 | 5584 | - | 8092 | - | 8091 | - |
| #6 x 5/8" | 2.11 lbs. | 1,000 | 5837 | 5586 | - | 8094 | - | 8093 | - |
| #6 x 3/4" | 2.50 lbs. | 1,000 | 5838 | 6109 | - | - | - | - | - |
| #6 x 1" | 3.00 lbs. | 1,000 | 5839 | - | - | - | - | - | - |
| #7 x 3/4" | 2.40 lbs. | 1,000 | 5841 | - | - | - | - | - | - |
| #8 x 1/2" | 2.80 lbs. | 1,000 | 9615 | 5589 | - | - | - | - | - |
| #8 x 5/8" | 3.20 lbs. | 1,000 | 5843 | 5590 | - | 8096 | - | 8095 | - |
| #8 x 3/4" | 3.60 lbs. | 1,000 | 5844 | 5591 | - | 8099 | 14446 | - | - |
| #8 x 7/8" | 3.70 lbs. | 1,000 | - | - | - | 10475 | - | - | - |
| #8 x 1" | 4.40 lbs. | 1,000 | 5845 | 5592 | - | 10477 | 14447 | - | - |
| #8 x 1-1/4" | 5.10 lbs. | 1,000 | 9617 | 5593 | - | - | - | - | - |
| #8 x 1-1/2" | 5.98 lbs. | 1,000 | - | 5594 | - | - | - | - | - |
| #10 x 5/8" | 4.90 lbs. | 1,000 | 5849 | 5595 | - | - | - | - | 11020 |
| #10 x 3/4" | 5.40 lbs. | 1,000 | 5850 | 5596 | 11026 | - | - | - | 11016 |
| #10 x 1" | 6.00 lbs. | 1,000 | 5851 | 5597 | 11022 | - | - | - | 11024 |
| #10 x 1-1/4" | 6.63 lbs. | 1,000 | 6263 | 6259 | - | - | - | - | - |
| #10 x 1-1/2" | 7.60 lbs. | 1,000 | - | 7811 | - | - | - | - | - |
| #12 x 5/8" | 4.99 lbs. | 1,000 | - | - | - | 9802 | - | - | - |
| #12 x 3/4" | 6.01 lbs. | 1,000 | - | - | - | 9803 | - | - | - |
| #12 x 1" | 7.25 lbs. | 1,000 | - | - | - | 9805 | - | - | - |



Phillips Drive



QuickFact • There are 12 flowers in the design stamped on each side of an Oreo cookie.

TWINFAST SCREWS



Phillips Drive, Twinfast Thread, Hardware Screws

| Size | Weight per M | Case Qty. | Phillips-Flat Zinc | Phillips-Flat Antique Brass | Phillips-Flat Bright Brass | Phillips-Flat Type 17 Bright Brass | Phillips-Oval Antique Brass |
|-----------|--------------|-----------|-----------------------|--------------------------------|-------------------------------|--|--------------------------------|
| #4 x 1/2" | 1.01 lbs. | 40,000 | 5887 | - | - | - | - |
| #4 x 5/8" | 1.21 lbs. | 40,000 | 5888 | - | 5879 | - | - |
| #4 x 3/4" | 1.40 lbs. | 30,000 | 5889 | - | - | - | - |
| #5 x 1/2" | 1.20 lbs. | 30,000 | - | 200 | 216 | - | - |
| #5 x 5/8" | 1.49 lbs. | 25,000 | - | 201 | 217 | - | 193 |
| #5 x 3/4" | 1.85 lbs. | 25,000 | - | - | 5882 | - | - |
| #5 x 1" | 2.33 lbs. | 18,000 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 25,000 | - | 206 | - | - | - |
| #6 x 5/8" | 1.80 lbs. | 20,000 | - | 207 | 219 | - | 197 |
| #6 x 3/4" | 1.85 lbs. | 20,000 | - | - | - | 4289 | - |
| #6 x 1" | 2.50 lbs. | 13,000 | - | - | - | - | - |

| Size | Weight per M | Pak Qty. | Phillips-Flat Zinc | Phillips-Flat Antique Brass | Phillips-Flat Bright Brass | Phillips-Flat Type 17 Bright Brass | Phillips-Oval Antique Brass |
|-----------|--------------|----------|-----------------------|--------------------------------|-------------------------------|--|--------------------------------|
| #4 x 1/2" | 1.01 lbs. | 5,000 | 6186 | - | - | - | - |
| #4 x 5/8" | 1.21 lbs. | 5,000 | 6187 | - | 6208 | - | - |
| #4 x 3/4" | 1.40 lbs. | 5,000 | 6188 | - | - | - | - |
| #5 x 1/2" | 1.20 lbs. | 5,000 | - | 6228 | 6211 | - | - |
| #5 x 5/8" | 1.49 lbs. | 5,000 | - | 6229 | 6212 | - | 6230 |
| #5 x 3/4" | 1.85 lbs. | 5,000 | - | - | 6214 | - | - |
| #5 x 1" | 2.33 lbs. | 5,000 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 5,000 | - | 6231 | - | - | - |
| #6 x 5/8" | 1.80 lbs. | 5,000 | - | 6233 | 6217 | - | 6234 |
| #6 x 3/4" | 1.85 lbs. | 5,000 | - | - | - | 5374 | - |

| Size | Weight per M | Pak Qty. | Phillips-Flat Zinc | Phillips-Flat Antique Brass | Phillips-Flat Bright Brass | Phillips-Flat Type 17 Bright Brass | Phillips-Oval Antique Brass |
|-----------|--------------|----------|-----------------------|--------------------------------|-------------------------------|--|--------------------------------|
| #4 x 1/2" | 1.01 lbs. | 1,000 | 6176 | - | - | - | - |
| #4 x 5/8" | 1.21 lbs. | 1,000 | 6177 | - | 6193 | - | - |
| #4 x 3/4" | 1.40 lbs. | 1,000 | 6178 | - | - | - | - |
| #5 x 1/2" | 1.20 lbs. | 1,000 | - | 6221 | 6196 | - | - |
| #5 x 5/8" | 1.49 lbs. | 1,000 | - | 6222 | 6197 | - | 6223 |
| #5 x 3/4" | 1.85 lbs. | 1,000 | - | - | 6199 | - | - |
| #5 x 1" | 2.33 lbs. | 1,000 | - | - | - | - | - |
| #6 x 1/2" | 1.50 lbs. | 1,000 | - | 6224 | 6201 | - | - |
| #6 x 5/8" | 1.80 lbs. | 1,000 | - | 6225 | 6202 | - | 6226 |
| #6 x 3/4" | 1.85 lbs. | 1,000 | - | - | - | 6112 | - |
| #6 x 1" | 2.50 lbs. | 1,000 | - | - | - | - | - |



Phillips Drive

Twinfast Screws are also known as "twin lead" or "dual lead"

The Twinfast thread, which is finer than the Quickscrews thread, prevents splitting in hardwoods. Pre-drilling of a pilot hole is recommended.



Twinfast thread



Quickscrews thread

COMBO-TRUSS MACHINE SCREWS

Phillips/Slotted Combo Drive, Truss Head, Machine Screws, Zinc

| Size | Weight per M | Case Qty. | Part # |
|----------------|--------------|-----------|--------|
| #8-32 x 3/8" | 3.40 lbs. | 16,000 | 307 |
| #8-32 x 1/2" | 3.80 lbs. | 14,000 | 308 |
| #8-32 x 5/8" | 4.40 lbs. | 12,000 | 309 |
| #8-32 x 3/4" | 5.20 lbs. | 10,000 | 310 |
| #8-32 x 7/8" | 5.50 lbs. | 8,500 | 311 |
| #8-32 x 1" | 6.30 lbs. | 7,000 | 312 |
| #8-32 x 1-1/8" | 6.60 lbs. | 6,500 | 313 |
| #8-32 x 1-1/4" | 7.00 lbs. | 5,500 | 314 |
| #8-32 x 1 3/8" | 8.00 lbs. | 5,000 | 315 |
| #8-32 x 1-1/2" | 8.40 lbs. | 5,000 | 316 |
| #8-32 x 1-5/8" | 9.30 lbs. | 4,000 | 317 |
| #8-32 x 1-3/4" | 9.40 lbs. | 4,000 | 318 |
| #8-32 x 1 7/8" | 10.30 lbs. | 3,500 | 319 |
| #8-32 x 2" | 10.60 lbs. | 3,000 | 320 |
| #8-32 x 2-1/4" | 11.70 lbs. | 2,000 | R16028 |



Phillips/Slotted Drive

| Size | Weight per M | Pak Qty. | Part # |
|----------------|--------------|----------|--------|
| #8-32 x 3/8" | 3.40 lbs. | 1,000 | 1191 |
| #8-32 x 1/2" | 3.80 lbs. | 1,000 | 1192 |
| #8-32 x 5/8" | 4.40 lbs. | 1,000 | 1193 |
| #8-32 x 3/4" | 5.20 lbs. | 1,000 | 1194 |
| #8-32 x 7/8" | 5.50 lbs. | 1,000 | 1195 |
| #8-32 x 1" | 6.30 lbs. | 1,000 | 1196 |
| #8-32 x 1-1/8" | 6.60 lbs. | 1,000 | 1197 |
| #8-32 x 1-1/4" | 7.00 lbs. | 1,000 | 1198 |
| #8-32 x 1 3/8" | 8.00 lbs. | 1,000 | 1199 |
| #8-32 x 1-1/2" | 8.40 lbs. | 1,000 | 1200 |
| #8-32 x 1-5/8" | 9.30 lbs. | 1,000 | 1201 |
| #8-32 x 1-3/4" | 9.40 lbs. | 1,000 | 1202 |
| #8-32 x 1 7/8" | 10.30 lbs. | 1,000 | 1203 |
| #8-32 x 2" | 10.60 lbs. | 1,000 | 1204 |
| #8-32 x 2-1/4" | 11.70 lbs. | 1,000 | 15779 |



Combo Truss Machine Screws are designed for pulls, knobs, handles, and other types of hardware attachment.

| Size | Weight per M | Pak Qty. | Part # |
|----------------|--------------|----------|--------|
| #8-32 x 3/8" | 3.40 lbs. | 100 | 1205 |
| #8-32 x 1/2" | 3.80 lbs. | 100 | 1206 |
| #8-32 x 5/8" | 4.40 lbs. | 100 | 1207 |
| #8-32 x 3/4" | 5.20 lbs. | 100 | 1208 |
| #8-32 x 7/8" | 5.50 lbs. | 100 | 1209 |
| #8-32 x 1" | 6.30 lbs. | 100 | 1210 |
| #8-32 x 1-1/8" | 6.60 lbs. | 100 | 1211 |
| #8-32 x 1-1/4" | 7.00 lbs. | 100 | 1212 |
| #8-32 x 1 3/8" | 8.00 lbs. | 100 | 1213 |
| #8-32 x 1-1/2" | 8.40 lbs. | 100 | 1214 |
| #8-32 x 1-5/8" | 9.30 lbs. | 100 | 1215 |
| #8-32 x 1-3/4" | 9.40 lbs. | 100 | 1216 |
| #8-32 x 1 7/8" | 10.30 lbs. | 100 | 1217 |
| #8-32 x 2" | 10.60 lbs. | 100 | 1218 |
| #8-32 x 2-1/4" | 11.70 lbs. | 100 | 15780 |

Bread Board Screw

Hanger Bolt, Plain - - (a.k.a. the bread-board screw)

| Size | Weight per M | Pak Qty. | Part # |
|----------|--------------|----------|--------|
| 08C x 1" | .40 lbs. | 100 | 11229 |



Bread Board Screw

COMBO-TRUSS MACHINE SCREWS

Phillips/Slotted Combo Drive, Truss Head, Metric Machine Screws, Zinc

| Size | Standard Length Equivalent | Weight per M | Case Qty. | Part # |
|-----------|----------------------------|--------------|-----------|--------|
| M4 x 22mm | 7/8" | 4.40 lbs. | 8,500 | 10890 |
| M4 x 25mm | 1" | 6.30 lbs. | 7,000 | 10891 |
| M4 x 30mm | 1-3/16" | 6.60 lbs. | 6,500 | 10892 |
| M4 x 35mm | 1-3/8" | 7.00 lbs. | 5,000 | 10893 |
| M4 x 38mm | 1-1/2" | 8.40 lbs. | 4,000 | 10894 |
| M4 x 40mm | 1-5/8" | 9.30 lbs. | 5,000 | 10895 |
| M4 x 45mm | 1-3/4" | 9.40 lbs. | 4,000 | 10896 |
| M4 x 50mm | 2" | 10.60 lbs. | 3,000 | 10897 |
| M4 x 61mm | 2-3/8" | 11.36 lbs. | 4,000 | 14253 |

| Size | Standard Length Equivalent | Weight per M | Pak Qty. | Part # |
|-----------|----------------------------|--------------|----------|--------|
| M4 x 22mm | 7/8" | 4.40 lbs. | 1,000 | 10899 |
| M4 x 25mm | 1" | 6.30 lbs. | 1,000 | 10939 |
| M4 x 30mm | 1-3/16" | 6.60 lbs. | 1,000 | 10940 |
| M4 x 35mm | 1-3/8" | 7.00 lbs. | 1,000 | 10941 |
| M4 x 38mm | 1-1/2" | 8.40 lbs. | 1,000 | 10942 |
| M4 x 40mm | 1-5/8" | 9.30 lbs. | 1,000 | 10945 |
| M4 x 45mm | 1-3/4" | 9.40 lbs. | 1,000 | 10946 |
| M4 x 50mm | 2" | 10.60 lbs. | 1,000 | 10947 |
| M4 x 61mm | 2-3/8" | 11.36 lbs. | 1,000 | 14468 |

| Size | Standard Length Equivalent | Weight per M | Pak Qty. | Part # |
|-----------|----------------------------|--------------|----------|--------|
| M4 x 22mm | 7/8" | 4.40 lbs. | 100 | 10949 |
| M4 x 25mm | 1" | 6.30 lbs. | 100 | 10950 |
| M4 x 30mm | 1-3/16" | 6.60 lbs. | 100 | 10951 |
| M4 x 35mm | 1-3/8" | 7.00 lbs. | 100 | 10952 |
| M4 x 38mm | 1-1/2" | 8.40 lbs. | 100 | 10953 |
| M4 x 40mm | 1-5/8" | 9.30 lbs. | 100 | 10954 |
| M4 x 45mm | 1-3/4" | 9.40 lbs. | 100 | 10955 |
| M4 x 50mm | 2" | 10.60 lbs. | 100 | 10956 |



Phillips/Slotted Drive

Phillips/Slotted Combo Drive, Truss Head, Breakaway Machine Screws, Zinc

| Size | Weight per M | Case Qty. | Part # |
|----------------|--------------|-----------|--------|
| #8-32 x 1-3/4" | 9.40 lbs. | 4,000 | 10772 |
| M4 x 45mm | 9.40 lbs. | 4,000 | 10783 |

| Size | Weight per M | Pak Qty. | Part # |
|----------------|--------------|----------|--------|
| #8-32 x 1-3/4" | 9.40 lbs. | 1,000 | 8903 |
| M4 x 45mm | 9.40 lbs. | 1,000 | 8892 |

| Size | Weight per M | Pak Qty. | Part # |
|----------------|--------------|----------|--------|
| #8-32 x 1-3/4" | 9.40 lbs. | 100 | 9100 |
| M4 x 45mm | 9.40 lbs. | 100 | 9103 |



Phillips/Slotted Drive



QuickFact • The football huddle was first used in the 19th century by a team at a college for the deaf.



Phillips/Slotted Combo Drive, Round Washer Head, Type B Thread, Zinc - For Wooden Knobs

| Size | Weight per M | Case Qty. | Part # |
|--------------|--------------|-----------|--------|
| #12 x 1" | 9.94 lbs. | 5,000 | 7117 |
| #12 x 1-1/4" | 11.84 lbs. | 3,000 | 7118 |
| #12 x 1-1/2" | 13.68 lbs. | 3,000 | 7119 |
| #12 x 1-3/4" | 15.52 lbs. | 2,000 | 7120 |

| Size | Weight per M | Pak Qty. | Part # |
|--------------|--------------|----------|--------|
| #12 x 1" | 9.94 lbs. | 1,000 | 9228 |
| #12 x 1-1/4" | 11.84 lbs. | 500 | 9229 |
| #12 x 1-1/2" | 13.68 lbs. | 500 | 9230 |
| #12 x 1-3/4" | 15.52 lbs. | 500 | 9231 |

| Size | Weight per M | Pak Qty. | Part # |
|--------------|--------------|----------|--------|
| #12 x 1" | 9.94 lbs. | 100 | 9234 |
| #12 x 1-1/4" | 11.84 lbs. | 50 | 9235 |
| #12 x 1-1/2" | 13.68 lbs. | 50 | 9236 |
| #12 x 1-3/4" | 15.52 lbs. | 50 | 9237 |



Phillips/Slotted Drive



KnobScrews are designed for attaching wooden knobs that do not include an insert.

Questions and Answers on 80's TV Trivia

1. Who was Mallory Keaton's fiance?
2. What was Roscoe's dog's name on the Dukes of Hazzard?
3. What star of the Breakfast Club was also part of the original cast of the Facts of Life?
4. Which famous talk show host made a guest appearance on Laverne & Shirley?
5. What method of transportation did Webster use to get from the upper level of the house to the lower level?
6. Mork & Mindy was a spin-off of what TV show?
7. What actress played Laura & Almanzo's niece on Little House on the Prairie?
8. In "Family Ties" who was Alex P. Keaton's idol?
9. Where was Hawkeye Pierce's hometown in the show M*A*S*H?
10. Who played the uncle on Family Ties?



Answers on page # 26

DRAWER FRONT ADJUSTING SCREWS™

Drawer Front Adjusting Screws

| Gauge and Length | #8 |
|------------------|-------------------------------------|
| 7/8" | <input checked="" type="checkbox"/> |
| 1" | <input checked="" type="checkbox"/> |
| 1-1/8" | <input checked="" type="checkbox"/> |
| 1-1/4" | <input checked="" type="checkbox"/> |
| 1-1/2" | <input checked="" type="checkbox"/> |

Head Styles *

| | |
|-------------------------------|-------------------------------------|
| Bugle Head | <input type="checkbox"/> |
| Flat Head | <input type="checkbox"/> |
| Flat Head with Nibs | <input type="checkbox"/> |
| .275 O.D. Flat Head | <input type="checkbox"/> |
| Modified Flat Head with Nibs | <input type="checkbox"/> |
| Hex Head | <input type="checkbox"/> |
| Oval Head | <input type="checkbox"/> |
| Pan Head | <input type="checkbox"/> |
| Modified Pan Head | <input type="checkbox"/> |
| Low Profile Pan Head | <input type="checkbox"/> |
| Round Washer Head | <input type="checkbox"/> |
| Low Profile Round Washer Head | <input type="checkbox"/> |
| Large Round Washer Head | <input checked="" type="checkbox"/> |
| Truss Head | <input type="checkbox"/> |
| Undercut Flat Head | <input type="checkbox"/> |

Thread Styles *

| | |
|--------------------------|-------------------------------------|
| Fine Thread | <input type="checkbox"/> |
| Hi-Lo Thread | <input type="checkbox"/> |
| Machine Thread | <input type="checkbox"/> |
| Breakaway Machine Thread | <input type="checkbox"/> |
| Quickscrews Thread | <input checked="" type="checkbox"/> |
| Extra Coarse Thread | <input type="checkbox"/> |
| Quickscrews Full Thread | <input type="checkbox"/> |
| Sheet Metal Thread | <input type="checkbox"/> |
| Twinfast Thread | <input type="checkbox"/> |
| Twinfast Half Thread | <input type="checkbox"/> |
| Type A Thread | <input type="checkbox"/> |
| Type AB Thread | <input type="checkbox"/> |
| Type B Thread | <input type="checkbox"/> |

Special Features *

| | |
|---------------------|-------------------------------------|
| Type 17 Auger Point | <input checked="" type="checkbox"/> |
| QuickCutter | <input type="checkbox"/> |
| QX2 Auger Point | <input type="checkbox"/> |
| Self Drilling Point | <input type="checkbox"/> |

Finishes *

| | |
|-------|-------------------------------------|
| Black | <input checked="" type="checkbox"/> |
| Zinc | <input checked="" type="checkbox"/> |

* All lengths and gauges may not be available with each head style, thread style, special feature or finish. Please see individual parts in catalog for specifics.



1/2" Outside Diameter, Large Round Washer Head provides for better adjustment control.



When building a typical 5 piece drawer box, it is desirable to have the ability to move And precisely adjust the drawer front in order to align all of the drawer faces.

ÉAn oversize hole (5/16" - 3/8") is drilled through the drawer box.

ÉThe drawer front is then attached using **two Drawer Front Adjusting Screws**.

ÉDuring installation, the Drawer Front Adjusting Screws can be loosened slightly to allow for drawer front adjustment and alignment. The screws are then re-tightened.

ÉA hardware screw or "set-screw" can be used to secure the drawer front into place.

DRAWER FRONT
ADJUSTING SCREWS™



Large Round Washer Head Screws

| Size | Weight per M | Case Qty. | PH-LRWH | PH-LRWH Type 17 Black | PH-LRWH Type 17 Zinc | Combo-LRWH | Combo-LRWH Type 17 Zinc |
|-------------|--------------|-----------|---------|-----------------------------|----------------------------|------------|-------------------------------|
| | | | Zinc | | Zinc | Zinc | Zinc |
| #8 x 7/8" | 4.90 lbs. | 8,000 | 8296 | - | 9022 | 7200 | 12624 |
| #8 x 1" | 5.50 lbs. | 7,000 | 1047 | 8674 | 9023 | 9989 | 12625 |
| #8 x 1-1/8" | 6.50 lbs. | 6,000 | 2757 | - | 9024 | 10252 | 12626 |
| #8 x 1-1/4" | 6.64 lbs. | 6,000 | 4103 | - | 9025 | 10253 | 12627 |
| #8 x 1-1/2" | 7.10 lbs. | 5,000 | - | - | 9532 | 10254 | 12628 |

| Size | Weight per M | Pak Qty. | PH-LRWH | PH-LRWH Type 17 Black | PH-LRWH Type 17 Zinc | Combo-LRWH | Combo-LRWH Type 17 Zinc |
|-------------|--------------|----------|---------|-----------------------------|----------------------------|------------|-------------------------------|
| | | | Zinc | | Zinc | Zinc | Zinc |
| #8 x 7/8" | 4.90 lbs. | 1,000 | 8811 | - | 9147 | 10458 | 12668 |
| #8 x 1" | 5.50 lbs. | 1,000 | 6003 | 12332 | 9148 | 10465 | 12669 |
| #8 x 1-1/8" | 6.50 lbs. | 1,000 | 6004 | - | 9149 | 10467 | 12670 |
| #8 x 1-1/4" | 6.64 lbs. | 1,000 | 6005 | - | 9150 | 10469 | 12671 |
| #8 x 1-1/2" | 7.10 lbs. | 1,000 | - | - | 9568 | 10471 | 12672 |



Phillips Drive



Combo Drive

Questions and Answers on 90's TV Trivia

1. How long were Jerry Seinfeld and his pals sentenced in the series finale?
2. What was the name of Mulder & Scully's supervisor on the X-Files?
3. What was the name of the magazine on Suddenly Susan?
4. On Beverly Hills 90210 what was the name of Brandon's first car?
5. On Friends, what was the name of Ross's monkey?
6. On Wings, what were the names of the 2 airlines at the airport?
7. On the show Friends what was the name of Phoebe's twin sister?
8. In Fresh Prince of Bel-Air what was the butler's name?
9. What make and model of car does Nash Bridges drive?
10. What is the name of Mr. Crane's dog on Frasier?

Answers on Page #32



POCKETHOLE screws

Pockethole Screws:

| Gauge and Length | #6 | #7 | #8 |
|------------------|----|----|----|
| 1" | x | x | x |
| 1-1/4" | x | x | x |
| 1-1/2" | x | x | x |
| 2-1/2" | | | x |

Head Styles *

| | |
|-------------------------------|---|
| Bugle Head | |
| Flat Head | |
| Flat Head with Nibs | |
| .275 O.D. Flat Head | |
| Modified Flat Head with Nibs | |
| Hex Head | |
| Oval Head | |
| Pan Head | x |
| Modified Pan Head | x |
| Low Profile Pan Head | |
| Round Washer Head | x |
| Low Profile Round Washer Head | |
| Large Round Washer Head | |
| Truss Head | |
| Undercut Flat Head | |

Special Features *

| | |
|---------------------|---|
| Type 17 Auger Point | x |
| QuickCutter | x |
| QX2 Auger Point | |
| Self Drilling Point | |

*

Thread Styles *


| | |
|--------------------------|---|
| Fine Thread | x |
| Hi-Lo Thread | x |
| Machine Thread | |
| Breakaway Machine Thread | |
| Quickscrews Thread | x |
| Extra Coarse Thread | x |
| Quickscrews Full Thread | |
| Sheet Metal Thread | |
| Twinfast Thread | |
| Twinfast Half Thread | |
| Type A Thread | |
| Type AB Thread | |
| Type B Thread | |

Finishes *



| | |
|-------------|---|
| Plain | x |
| Zinc | x |
| Zinc Yellow | x |

**All lengths and gauges may not be available with each head style, thread style, special feature or finish. Please see individual parts in catalog for specifics.*


Examples of Pockethole Screw Applications:




Face Frames



Corners



Aprons



Curves





Table Legs



Edge banding

QuickFact • Wooden screws were commonly used throughout the Mediterranean world in such devices as oil & wine presses.

POCKETHOLE screws



For hardwoods such as Oak and Maple.

- É Square Drive, Modified pan Head
- É Phillips Drive, Standard Pan Head
- É Square Drive, Round Washer Head
- É Fine Thread
- É Type 17 Auger Point
- É Plain
- É Zinc and Zinc Yellow



Faster driving and superior holding in soft woods, MDF, and Particleboard.

- É Square Drive
- É Modified Pan Head
- É Quickscrews Coarse Thread
- É Type 17 Auger Point
- É Plain
- É Zinc and Zinc Yellow



New Zinc and Zinc Yellow Pockethole Screws

- É Can be used to differentiate sizes when both 1-1/4" and 1-1/2" screws are being used.
- É Will not leave an oily residue on your finished product.
- É No metal slivers which can be painful to the user.



The "All-Purpose" Screw.

Hi-Lo Thread for greater holding and less strip-out in all woods.

- É Square Drive
- É Modified Pan Head
- É Hi-Lo Thread
- É Type 17 Auger Point
- É Plain
- É Zinc and Zinc Yellow



QuickCutter™ Fine Thread

for easy driving in extremely hardwoods such as Oak and Maple.

- É Square Drive
- É Modified Pan Head
- É QuickCutter™ Fine Thread
- É Type 17 Auger Point
- É Plain



Extra-Coarse Thread for Faster driving and superior holding in soft woods, MDF and Particleboard.

- É Square Drive
- É Round Washer Head
- É Type 17 Auger Point
- É Plain

The Round Washer Head prevents the screw from crushing into the bottom of the pocket hole, creating a tighter joint.



Face Frame and Pockethole Assembly Screws, Plain

| Size | Weight per M | Case Qty. | Fine Thread Type 17 Plain | Coarse Thread Type 17 Plain | Coarse Thread XL Type 17 Plain | Hi-Lo Thread Type 17 Plain | Fine Thread QuickCutter™ Type 17 Plain |
|--------------------|--------------|-----------|---------------------------|-----------------------------|--------------------------------|----------------------------|--|
| #6 x 1" SQ-PN | 3.99 lbs. | 10,000 | 13003 | - | - | - | - |
| #6 x 1-1/4" SQ-PN | 4.50 lbs. | 8,000 | 2722 | - | - | - | 4082 |
| #6 x 1-1/2" SQ-PN | 5.30 lbs. | 7,000 | 2724 | - | - | - | 5215 |
| #6 x 1-1/4" PH-PN | 4.50 lbs. | 8,000 | 5715 | - | - | - | - |
| #6 x 1-1/2" PH-PN | 5.30 lbs. | 7,000 | 5716 | - | - | - | - |
| #7 x 1" SQ-PN | 3.99 lbs. | 10,000 | - | 13004 | - | - | - |
| #7 x 1-1/4" SQ-PN | 4.75 lbs. | 8,000 | - | - | 4080XL* | 4084 | - |
| #7 x 1-1/2" SQ-PN | 5.30 lbs. | 7,000 | - | 4081 | 4081XL* | 4085 | - |
| #7 x 1-1/4" SQ-RWH | 5.64 lbs. | 8,000 | 5285 | - | - | - | - |
| #7 x 1-1/2" SQ-RWH | 5.89 lbs. | 6,000 | 5286 | - | - | - | - |
| #8 x 1" SQ-RWH | 4.77 lbs. | 8,000 | - | 6308 | - | - | - |
| #8 x 1-1/4" SQ-RWH | 5.18 lbs. | 8,000 | - | 4547 | - | - | - |
| #8 x 1-1/2" SQ-RWH | 6.29 lbs. | 7,000 | - | 10032 | - | - | - |
| #8 x 2-1/2" SQ RWH | 10.50 lbs. | 2,000 | - | - | - | - | - |

* XL = Extra Long Type 17 Point

| Size | Weight per M | Pak Qty. | Fine Thread Type 17 Plain | Coarse Thread Type 17 Plain | Coarse Thread XL Type 17 Plain | Hi-Lo Thread Type 17 Plain | Fine Thread QuickCutter™ Type 17 Plain |
|--------------------|--------------|----------|---------------------------|-----------------------------|--------------------------------|----------------------------|--|
| #6 x 1" SQ-PN | 3.99 lbs. | 1,000 | 11817 | - | - | - | - |
| #6 x 1-1/4" SQ-PN | 4.50 lbs. | 1,000 | 3655 | - | - | - | 5706 |
| #6 x 1-1/2" SQ-PN | 5.30 lbs. | 1,000 | 3656 | - | - | - | 5707 |
| #6 x 1-1/4" PH-PN | 4.50 lbs. | 1,000 | 5963 | - | - | - | - |
| #6 x 1-1/2" PH-PN | 5.30 lbs. | 1,000 | 5964 | - | - | - | - |
| #7 x 1" SQ-PN | 3.99 lbs. | 1,000 | - | 11819 | - | - | - |
| #7 x 1-1/4" SQ-PN | 4.75 lbs. | 1,000 | - | - | 5598XL* | 5600 | - |
| #7 x 1-1/2" SQ-PN | 5.30 lbs. | 1,000 | - | 5599 | 5599XL* | 5601 | - |
| #7 x 1-1/4" SQ-RWH | 5.64 lbs. | 1,000 | 9158 | - | - | - | - |
| #7 x 1-1/2" SQ-RWH | 5.89 lbs. | 1,000 | 9159 | - | - | - | - |
| #8 x 1" SQ-RWH | 4.77 lbs. | 1,000 | - | 9155 | - | - | - |
| #8 x 1-1/4" SQ-RWH | 5.18 lbs. | 1,000 | - | 7844 | - | - | - |
| #8 x 1-1/2" SQ-RWH | 6.29 lbs. | 1,000 | - | 9157 | - | - | - |

* XL = Extra Long Type 17 Point



Face Frame and Pockethole Assembly Screws

Zinc and Zinc Yellow

| Size | Weight per M | Case Qty. | Fine Thread Type 17 Zinc | Fine Thread Type 17 Zinc Yellow | Coarse Thread Type 17 Zinc | Coarse Thread Type 17 Zinc Yellow | Hi-Lo Thread Type 17 Zinc | Hi-Lo Thread Type 17 Zinc Yellow |
|--------------------|--------------|-----------|--------------------------|---------------------------------|----------------------------|-----------------------------------|---------------------------|----------------------------------|
| #6 x 1-1/4" SQ-PN | 4.50 lbs. | 8,000 | 11523FZP | - | - | - | - | - |
| #6 x 1-1/2" SQ-PN | 5.30 lbs. | 7,000 | - | 13574 | - | - | - | - |
| #7 x 1-1/4" SQ-PN | 4.75 lbs. | 8,000 | - | - | 4080ZP | - | 13575 | - |
| #7 x 1-1/2" SQ-PN | 5.30 lbs. | 7,000 | - | - | 13265 | 13573 | - | 13576 |
| #7 x 1-1/4" SQ-RWH | 5.20 lbs. | 8,000 | 14390 | - | - | - | - | - |
| #7 x 1-1/2" SQ-RWH | 6.24 lbs. | 6,000 | 14391 | - | - | - | - | - |

| Size | Weight per M | Pak Qty. | Fine Thread Type 17 Zinc | Fine Thread Type 17 Zinc Yellow | Coarse Thread Type 17 Zinc | Coarse Thread Type 17 Zinc Yellow | Hi-Lo Thread Type 17 Zinc | Hi-Lo Thread Type 17 Zinc Yellow |
|--------------------|--------------|----------|--------------------------|---------------------------------|----------------------------|-----------------------------------|---------------------------|----------------------------------|
| #6 x 1-1/4" SQ-PN | 4.50 lbs. | 1,000 | 13419 | - | - | - | - | - |
| #6 x 1-1/2" SQ-PN | 5.30 lbs. | 1,000 | - | 13618 | - | - | - | - |
| #7 x 1-1/4" SQ-PN | 4.75 lbs. | 1,000 | - | - | 5598ZP | - | 13619 | - |
| #7 x 1-1/2" SQ-PN | 5.30 lbs. | 1,000 | - | - | 13423 | 13617 | - | 13620 |
| #7 x 1-1/4" SQ-RWH | 4.75 lbs. | 1,000 | 14392 | - | - | - | - | - |
| #7 x 1-1/2" SQ-RWH | 5.30 lbs. | 1,000 | 14394 | - | - | - | - | - |



New Zinc and Zinc Yellow Pockethole Screws

ÉCan be used to differentiate sizes when both 1-1/4" and 1-1/2" screws are being used.

ÉWill not leave an oily residue on your finished product.

ÉNo metal slivers which can be painful to the user.



Assembly Screws

| Gauge and Length | #7 | #8 | #9 | #10 |
|------------------|----|----|----|-----|
| 5/8" | | x | | |
| 3/4" | | x | | |
| 1" | | x | x | |
| 1-1/4" | x | x | x | |
| 1-1/2" | | x | x | |
| 1-5/8" | x | x | | |
| 1-3/4" | | x | x | |
| 2" | x | x | x | x |
| 2-1/4" | | x | | |
| 2-1/2" | | x | x | |
| 2-3/4" | | x | | |
| 3" | | x | x | |
| 3-1/2" | | | | x |
| 4" | | | | x |
| 4-1/2" | | | | x |
| 5" | | | | x |
| 6" | | | | x |

Head Styles *

| | |
|-------------------------------|---|
| Bugle Head | x |
| Flat Head | x |
| Flat Head with Nibs | x |
| .275 O.D. Flat Head | |
| Hex Head | |
| Oval Head | |
| Pan Head | |
| Modified Pan Head | |
| Low Profile Pan Head | |
| Round Washer Head | x |
| Low Profile Round Washer Head | |
| Large Round Washer Head | x |
| Trim Head | x |
| Truss Head | |
| Undercut Flat Head | |

Thread Styles *

| | |
|--------------------------|---|
| Fine Thread | x |
| Hi-Lo Thread | |
| Machine Thread | |
| Breakaway Machine Thread | |
| Quickscrews Thread | x |
| Coarse Thread | x |
| Quickscrews Full Thread | |
| Sheet Metal Thread | |
| Twinfast Thread | |
| Twinfast Half Thread | |
| Type A Thread | |
| Type AB Thread | |
| Type B Thread | |

Special Features *

| | |
|---------------------|---|
| Type 17 Auger Point | x |
| QuickCutter | x |
| QX2 Auger Point | |
| Self Drilling Point | |

Finishes *

| | |
|-------------|---|
| Black | x |
| Plain | x |
| UltraGuard | x |
| Zinc | x |
| Zinc Yellow | x |

* All lengths and gauges may not be available with each head style, thread style, special feature or finish. Please see individual parts in catalog for specifics.



ACQUICKCUTTERSTM
WITH ULTRAGUARD





Square Drive, Trim Head Screws, Fine Thread, Sharp, Black

| Size | Weight per M | Case Qty. | Part # | Drive |
|-------------|--------------|-----------|--------|-------|
| #6 x 1-5/8" | 4.00 lbs. | 5,000 | 1229 | #1 SQ |
| #6 x 2-1/4" | 5.66 lbs. | 3,000 | 1231 | #1 SQ |
| #8 x 3" | 11.00 lbs. | 2,000 | 1849 | #2 SQ |
| Size | Weight per M | Pak Qty. | Part # | Drive |
| #6 x 1-5/8" | 4.00 lbs. | 1,000 | 11202 | #1 SQ |
| #6 x 2-1/4" | 5.66 lbs. | 1,000 | 11203 | #1 SQ |
| #8 x 3" | 11.00 lbs. | 500 | 13721 | #2 SQ |
| Size | Weight per M | Pak Qty. | Part # | Drive |
| #6 x 1-5/8" | 4.00 lbs. | 100 | 11285 | #1 SQ |
| #6 x 2-1/4" | 5.66 lbs. | 100 | 13859 | #1 SQ |
| #8 x 3" | 11.00 lbs. | 100 | 13860 | #2 SQ |



Square Drive

Phillips Bugle Head, Drywall Screws, Coarse Thread

| Size | Weight per M | Case Qty. | Black Part # | Zinc Yellow Part # |
|--------------|--------------|-----------|--------------|--------------------|
| #6 x 1" | 3.00 lbs. | 10,000 | 9682 | 9696 |
| #6 x 1-1/8" | 3.40 lbs. | 10,000 | 9683 | - |
| #6 x 1-1/4" | 3.80 lbs. | 8,000 | 9684 | 9698 |
| #6 x 1-1/2" | 4.16 lbs. | 6,000 | 9741 | 9743 |
| #6 x 1-5/8" | 4.60 lbs. | 5,000 | 9685 | 9699 |
| #6 x 2" | 5.71 lbs. | 3,500 | 9687 | 9700 |
| #7 x 2" | 7.10 lbs. | 3,000 | 14710 | 14712 |
| #7 x 2-1/4" | 7.83 lbs. | 3,000 | 14711 | - |
| #8 x 2-1/2" | 9.20 lbs. | 2,500 | 9689 | 9702 |
| #8 x 3" | 11.50 lbs. | 2,000 | 9690 | 9703 |
| #10 - 3-1/2" | 18.00 lbs. | 1,000 | 9691 | 9704 |
| #10 x 4" | 21.00 lbs. | 1,000 | 9693 | 9705 |
| Size | Weight per M | Pak Qty. | Black Part # | Zinc Yellow Part # |
| #6 x 1" | 3.00 lbs. | 1,000 | 9718 | 9731 |
| #6 x 1-1/8" | 3.40 lbs. | 1,000 | 9719 | - |
| #6 x 1-1/4" | 3.80 lbs. | 1,000 | 9720 | 9733 |
| #6 x 1-1/2" | 4.16 lbs. | 1,000 | 6614 | 6615 |
| #6 x 1-5/8" | 4.60 lbs. | 1,000 | 9721 | 9734 |
| #6 x 2" | 5.71 lbs. | 1,000 | 9722 | 9735 |
| #7 x 2" | 7.10 lbs. | 500 | 14713 | 14715 |
| #7 x 2-1/4" | 7.83 lbs. | 500 | 14717 | - |
| #8 x 2-1/2" | 9.20 lbs. | 500 | 9724 | 9737 |
| #8 x 3" | 11.50 lbs. | 500 | 9725 | 9738 |
| #10 - 3-1/2" | 18.00 lbs. | 250 | 9726 | 9739 |
| #10 x 4" | 21.00 lbs. | 250 | 9728 | 9740 |



Black

Zinc Yellow



Phillips Drive

Drywall Screws are designed to be driven through drywall into wood studs. Drywall Screws are also used in applications involving softer woods or where pre-drilling is required for location. The deep, coarse thread gives excellent holding power and the lower thread count increases the installation speed, for higher production rates.

*Zinc plated Coarse Thread Drywall Screws are stocked in the South Carolina Warehouse ONLY.



#8, Flat Head, Assembly QuickScrews®

| Size | Weight per M | Case Qty. | Phillips-Flat Plain | Phillips-Flat Black | Phillips-Flat Zinc | Combo-Flat Plain | Square-Flat Black | Square-Flat Zinc |
|-------------|--------------|-----------|------------------------|------------------------|-----------------------|---------------------|----------------------|---------------------|
| #8 x 1" | 3.60 lbs. | 10,000 | 3970 | 4732 | 129 | 9815 | 179 | 4954 |
| #8 x 1-1/4" | 4.40 lbs. | 9,000 | 3971 | 4733 | 130 | 9816 | 185 | 4955 |
| #8 x 1-1/2" | 5.10 lbs. | 7,000 | 3972 | 4735 | 131 | 9817 | 186 | 4956 |
| #8 x 1-5/8" | 5.80 lbs. | 5,000 | 4426 | 10564 | 7125 | - | - | 5876 |
| #8 x 1-3/4" | 6.00 lbs. | 5,000 | 3973 | 4735 | 132 | 9818 | 187 | 4957 |
| #8 x 2" | 6.80 lbs. | 4,000 | 3974 | 4736 | 133 | 9819 | 188 | 4958 |
| #8 x 2-1/4" | 7.70 lbs. | 3,000 | - | - | - | 9820 | - | 6906 |
| #8 x 2-1/2" | 9.60 lbs. | 2,500 | 3975 | 4746 | 134 | 9821 | 189 * | 4959 |
| #8 x 2-3/4" | 8.55 lbs. | 2,000 | 13097 | - | - | - | - | - |
| #8 x 3" | 11.50 lbs. | 2,000 | 3976 | 4747 | 135 | 9822 | 190 * | 4960 |

* Denotes #9 Body with #8 Head

| Size | Weight per M | Pak Qty. | Phillips-Flat Plain | Phillips-Flat Black | Phillips-Flat Zinc | Combo-Flat Plain | Square-Flat Black | Square-Flat Zinc |
|-------------|--------------|----------|------------------------|------------------------|-----------------------|---------------------|----------------------|---------------------|
| #8 x 1" | 3.60 lbs. | 1,000 | 5572 | 5798 | 5791 | 6093 | 5828 | 12522 |
| #8 x 1-1/4" | 4.40 lbs. | 1,000 | 5573 | 5799 | 5792 | 6094 | 5829 | 12523 |
| #8 x 1-1/2" | 5.10 lbs. | 1,000 | 5574 | 5800 | 5793 | 6095 | 5830 | 12524 |
| #8 x 1-5/8" | 5.80 lbs. | 1,000 | 5575 | 11198 | 7809 | - | - | 12525 |
| #8 x 1-3/4" | 6.00 lbs. | 1,000 | 5576 | 5801 | 5794 | 6096 | 5831 | 12526 |
| #8 x 2" | 6.80 lbs. | 1,000 | 5577 | 5802 | 5795 | 6097 | 5832 | 12527 |
| #8 x 2-1/4" | 7.70 lbs. | 1,000 | - | - | - | 6098 | - | 13415 |
| #8 x 2-1/2" | 9.60 lbs. | 500 | 5578 | 5803 | 5796 | 6099 | 5834 * | 12528 |
| #8 x 2-3/4" | 8.55 lbs. | 500 | 13411 | - | - | - | - | - |
| #8 x 3" | 11.50 lbs. | 500 | 5579 | 5804 | 5797 | 6101 | 5835 * | 12529 |

* Denotes #9 Body with #8 Head



Phillips Drive



Combo Drive



Square Drive

South Carolina Warehouse Only Combo Round Washer Head Plain

| Size | Weight per M | Case Qty. | Combo-RWH Plain Part # |
|-------------|--------------|-----------|------------------------------|
| #8 x 5/8" | 3.28 lbs. | 12,000 | 4316 |
| #8 x 3/4" | 3.99 lbs. | 10,000 | 4317 |
| #8 x 7/8" | 4.05 lbs. | 10,000 | 4318 |
| #8 x 1" | 4.40 lbs. | 10,000 | 4319 |
| #8 x 1-1/8" | 5.07 lbs. | 9,000 | 4320 |
| #8 x 1-1/4" | 5.31 lbs. | 9,000 | 4321 |
| #8 x 1-1/2" | 6.09 lbs. | 7,000 | 4323 |
| #8 x 1-3/4" | 6.97 lbs. | 5,000 | 4325 |
| #8 x 2" | 7.72 lbs. | 4,000 | 4326 |
| #8 x 2-1/4" | 8.49 lbs. | 3,000 | 4327 |
| #8 x 2-1/2" | 9.24 lbs. | 2,500 | 4328 |
| #8 x 2-3/4" | 9.70 lbs. | 2,000 | 4329 |
| #8 x 3" | 10.89 lbs. | 2,000 | 4330 |

| Size | Weight per M | Pak Qty. | |
|-------------|--------------|----------|-------|
| #8 x 5/8" | 3.28 lbs. | 1,000 | 7712 |
| #8 x 3/4" | 3.99 lbs. | 1,000 | 7774 |
| #8 x 7/8" | 4.05 lbs. | 1,000 | 15052 |
| #8 x 1" | 4.40 lbs. | 1,000 | 15054 |
| #8 x 1-1/8" | 5.07 lbs. | 1,000 | 15056 |
| #8 x 1-1/4" | 5.31 lbs. | 1,000 | 15058 |
| #8 x 1-1/2" | 6.09 lbs. | 1,000 | 15060 |
| #8 x 1-3/4" | 6.97 lbs. | 1,000 | 15062 |
| #8 x 2" | 7.72 lbs. | 1,000 | 15064 |
| #8 x 2-1/4" | 8.49 lbs. | 1,000 | 15066 |
| #8 x 2-1/2" | 9.24 lbs. | 500 | 15068 |
| #8 x 2-3/4" | 9.70 lbs. | 500 | 15070 |
| #8 x 3" | 10.89 lbs. | 500 | 15072 |

#9, Phillips Flat Head, Assembly QuickScrews®, Plain

| Size | Weight per M | Case Qty. | Part # |
|-------------|--------------|-----------|--------|
| #9 x 1-1/4" | 5.34 lbs. | 8,000 | - |
| #9 x 2" | 8.48 lbs. | 3,000 | - |
| #9 x 2-1/2" | 9.76 lbs. | 2,500 | 5874 |
| #9 x 3" | 11.56 lbs. | 2,000 | 6564 |

| Size | Weight per M | Pak Qty. | Part # |
|-------------|--------------|----------|--------|
| #9 x 1-1/4" | 5.34 lbs. | 1,000 | - |
| #9 x 2" | 8.48 lbs. | 1,000 | - |
| #9 x 2-1/2" | 9.76 lbs. | 500 | 6257 |
| #9 x 3" | 11.56 lbs. | 500 | 6597 |



Phillips Drive



Answers from page #19

- Nick Moore
- Flash
- Molly Ringwald
- Jay Leno
- The dumbwaiter in the kitchen
- Happy Days
- Shannon Dougherty
- Crab Apple Cove
- Tom Hanks



QuickFact • The estimated cost of raising a medium-size dog to the age of eleven: \$16,400.



**Flat Head with Nibs,
Type 17 Assembly QuickScrews®**

| Size | Weight per M | Case Qty. | Phillips-Flat w/Nibs T17 <i>Black</i> | Phillips-Flat w/Nibs T17 <i>Zinc</i> | Combo-Flat w/Nibs T17 <i>Black</i> | Combo-Flat w/Nibs T17 <i>Zinc</i> | Square-Flat w/Nibs T17 <i>Black</i> | Square-Flat w/Nibs T17 <i>Zinc</i> |
|--------------|--------------|-----------|---|--|--|---|---|--|
| #8 x 1" | 3.60 lbs. | 11,000 | 10900 | 9005 | 1246 | 1245 | 11946 | 12613 |
| #8 x 1-1/8" | 4.10 lbs. | 10,000 | 13363 | 13362 | - | - | 13361 | 13360 |
| #8 x 1-1/4" | 4.40 lbs. | 9,000 | 10901 | 9006 | 1249 | 1247 | 11947 | 12614 |
| #8 x 1-1/2" | 5.10 lbs. | 7,000 | 10902 | 9007 | 1251 | 1250 | 11948 | 12615 |
| #8 x 1-5/8" | 5.80 lbs. | 6,000 | 10903 | 9008 | 1253 | 1252 | 11949 | 12616 |
| #8 x 1-3/4" | 6.00 lbs. | 5,000 | 10904 | 9009 | 10115 | 12800 | 12802 | 12617 |
| #8 x 2" | 6.80 lbs. | 4,000 | 10905 | 9010 | 1255 | 1254 | 11950 | 12618 |
| #8 x 2-1/4" | 7.70 lbs. | 3,000 | 10906 | 9011 | 5447 | 5448 | 12804 | 12619 |
| #9 x 2-1/2" | 9.60 lbs. | 2,500 | 10907* | 9012* | 1257* | 1256* | 11951* | 12620* |
| #9 x 3" | 11.50 lbs. | 2,000 | 10908* | 9013* | 1259* | 1258* | 11952* | 12621* |
| #10 x 3-1/2" | 14.88 lbs. | 1,500 | - | - | - | - | - | 12622 |
| #10 x 4" | 17.20 lbs. | 1,000 | - | - | - | - | - | 12623 |

* Represents #9 Body with #8 Head

| Size | Weight per M | Pak Qty. | Phillips-Flat w/Nibs T17 <i>Black</i> | Phillips-Flat w/Nibs T17 <i>Zinc</i> | Combo-Flat w/Nibs T17 <i>Black</i> | Combo-Flat w/Nibs T17 <i>Zinc</i> | Square-Flat w/Nibs T17 <i>Black</i> | Square-Flat w/Nibs T17 <i>Zinc</i> |
|--------------|--------------|----------|---|--|--|---|---|--|
| #8 x 1" | 3.60 lbs. | 1,000 | 10909 | 9124 | 2783 | 2477 | 11954 | 12657 |
| #8 x 1-1/8" | 4.10 lbs. | 1,000 | 13405 | 13404 | - | - | 13403 | 13377 |
| #8 x 1-1/4" | 4.40 lbs. | 1,000 | 10910 | 9126 | 2784 | 2478 | 11955 | 12658 |
| #8 x 1-1/2" | 5.10 lbs. | 1,000 | 10911 | 9127 | 2785 | 2482 | 11956 | 12659 |
| #8 x 1-5/8" | 5.80 lbs. | 1,000 | 10912 | 9128 | 2786 | 2483 | 11957 | 12660 |
| #8 x 1-3/4" | 6.00 lbs. | 1,000 | 10913 | 9129 | 10132 | 12801 | 12803 | 12661 |
| #8 x 2" | 6.80 lbs. | 1,000 | 10914 | 9131 | 2787 | 2484 | 11958 | 12662 |
| #8 x 2-1/4" | 7.70 lbs. | 1,000 | 10915 | 9132 | 5700 | 5580 | 12805 | 12663 |
| #9 x 2-1/2" | 9.60 lbs. | 500 | 10916* | 9134* | 2788* | 2485* | 11959* | 12664* |
| #9 x 3" | 11.50 lbs. | 500 | 10917* | 9135* | 2789* | 2486* | 11960* | 12665* |
| #10 x 3-1/2" | 14.88 lbs. | 250 | - | - | - | - | - | 12666 |
| #10 x 4" | 17.20 lbs. | 250 | - | - | - | - | - | 12667 |

* Represents #9 Body with #8 Head



Phillips Drive



Combo Drive



Square Drive



Phillips Drive



**Flat Head with Nibs,
QuickScrews®, Zinc**

| Size | Weight per M | Case Qty. | Phillips-Flat w/Nibs <i>Zinc</i> |
|-------------|--------------|-----------|--|
| #8 x 1" | 3.60 lbs. | 11,000 | 136 |
| #8 x 1-1/4" | 4.40 lbs. | 9,000 | 137 |
| #8 x 1-1/2" | 5.10 lbs. | 7,000 | 138 |
| #8 x 1-5/8" | 5.80 lbs. | 6,000 | 139 |
| #8 x 2" | 6.80 lbs. | 4,000 | 140 |
| #8 x 2-1/4" | 7.70 lbs. | 3,000 | 141 |
| #9 x 2-1/2" | 9.60 lbs. | 2,500 | 142* |
| #9 x 3" | 11.50 lbs. | 2,000 | 143* |

* Represents #9 Body with #8 Head

| Size | Weight per M | Pak Qty. | Phillips-Flat w/Nibs <i>Zinc</i> |
|-------------|--------------|----------|--|
| #8 x 1" | 3.60 lbs. | 1,000 | 1177 |
| #8 x 1-1/4" | 4.40 lbs. | 1,000 | 1178 |
| #8 x 1-1/2" | 5.10 lbs. | 1,000 | 1179 |
| #8 x 1-5/8" | 5.80 lbs. | 1,000 | 1180 |
| #8 x 2" | 6.80 lbs. | 1,000 | 1181 |
| #8 x 2-1/4" | 7.70 lbs. | 1,000 | 1182 |
| #9 x 2-1/2" | 9.60 lbs. | 500 | 1183* |
| #9 x 3" | 11.50 lbs. | 500 | 1184* |

* Represents #9 Body with #8 Head

**Round Washer Head,
QuickScrews®, Zinc**

| Size | Weight per M | Case Qty. | SQ-RWH Type 17 Zinc Part # | Combo-RWH Zinc Part # |
|-------------|--------------|-----------|----------------------------------|-----------------------------|
| #8 x 1" | 4.40 lbs. | 10,000 | 13291 | 2759 |
| #8 x 1-1/8" | 5.07 lbs. | 9,000 | 13364 | 6468 |
| #8 x 1-1/4" | 5.31 lbs. | 9,000 | 13292 | 2288 |
| #8 x 1-1/2" | 6.09 lbs. | 7,000 | 13293 | 6469 |
| #8 x 1-3/4" | 6.97 lbs. | 5,000 | 13295 | 6407 |
| #8 x 2" | 7.72 lbs. | 4,000 | 13296 | 248 |
| #8 x 2-1/4" | 8.49 lbs. | 3,000 | 13297 | 7206 |
| #8 x 2-1/2" | 9.24 lbs. | 2,500 | 13298 | 6471 |
| #8 x 3" | 10.89 lbs. | 2,000 | 13299 | 6473 |


| Size | Weight per M | Pak Qty. | SQ-RWH Part # | Combo-RWH Part # |
|-------------|--------------|----------|------------------|---------------------|
| #8 x 1" | 4.40 lbs. | 1,000 | 13313 | 6585 |
| #8 x 1-1/8" | 5.07 lbs. | 1,000 | 13406 | 6586 |
| #8 x 1-1/4" | 5.31 lbs. | 1,000 | 13314 | 6587 |
| #8 x 1-1/2" | 6.09 lbs. | 1,000 | 13315 | 6588 |
| #8 x 1-3/4" | 6.97 lbs. | 1,000 | 13317 | 6589 |
| #8 x 2" | 7.72 lbs. | 1,000 | 13318 | 6590 |
| #8 x 2-1/4" | 8.49 lbs. | 1,000 | 13319 | 6591 |
| #8 x 2-1/2" | 9.24 lbs. | 500 | 13320 | 6592 |
| #8 x 3" | 10.89 lbs. | 500 | 13321 | 6593 |



Square Drive



Combo Drive



SPIRAL POINT FUNNEL HEAD SCREWS



Designed for All Assembly Applications
Spiral Point Funnel Head Screws

| Size | Weight per M | Case Qty. | Square-Funnel w/Serrations Zinc |
|--------------|--------------|-----------|---------------------------------------|
| #8 x 1" | 3.60 lbs. | 11,000 | 15440 |
| #8 x 1-1/8" | 4.29 lbs. | 10,000 | 15441 |
| #8 x 1-1/4" | 4.40 lbs. | 9,000 | 15445 |
| #8 x 1-3/8" | 5.04 lbs. | 8,000 | 15447 |
| #8 x 1-1/2" | 5.10 lbs. | 7,000 | 15448 |
| #8 x 1-5/8" | 5.80 lbs. | 6,000 | 15449 |
| #8 x 1-3/4" | 6.00 lbs. | 5,000 | 15450 |
| #8 x 2" | 6.80 lbs. | 4,000 | 15451 |
| #8 x 2-1/4" | 7.70 lbs. | 3,000 | 15697 |
| #8 x 2-1/2" | 9.60 lbs. | 2,500 | 15452 |
| #8 x 3" | 11.50 lbs. | 2,000 | 15453 |
| #10 x 3-1/2" | 15.93 lbs. | 1,000 | 15454 |
| #10 x 4" | 18.04 lbs. | 1,000 | 15455 |

| Size | Weight per M | Pak Qty. | Square-Funnel w/Serrations Zinc |
|--------------|--------------|----------|---------------------------------------|
| #8 x 1" | 3.60 lbs. | 1,000 | 15425 |
| #8 x 1-1/8" | 4.29 lbs. | 1,000 | 15426 |
| #8 x 1-1/4" | 4.40 lbs. | 1,000 | 15431 |
| #8 x 1-3/8" | 5.04 lbs. | 1,000 | 15456 |
| #8 x 1-1/2" | 5.10 lbs. | 1,000 | 15457 |
| #8 x 1-5/8" | 5.80 lbs. | 1,000 | 15458 |
| #8 x 1-3/4" | 6.00 lbs. | 1,000 | 15459 |
| #8 x 2" | 6.80 lbs. | 1,000 | 15460 |
| #8 x 2-1/4" | 7.70 lbs. | 1,000 | 15698 |
| #8 x 2-1/2" | 9.60 lbs. | 500 | 15461 |
| #8 x 3" | 11.50 lbs. | 500 | 15462 |
| #10 x 3-1/2" | 15.93 lbs. | 250 | 15463 |
| #10 x 4" | 18.04 lbs. | 250 | 15464 |



Phillips Drive



Square Drive



Spiral Point Funnel Head Screws

The **Spiral Point** allows the screw to be driven into almost any material without a pilot Hole.

The **Funnel Head** countersinks into the material, and stops right below the surface, leaving a clean hole void of chips and cracks.

Less torque is required to drive the screws. The result is a reduction in user fatigue, which can greatly decrease the potential hazard of repetitive stress syndrome, or carpal tunnel, caused by the continuous driving of screws.

Single Drive Draw Down in all types of wood. The QuickCutter® Thread is designed to force the wood dust up and out of the hole, therefore, eliminating the need to back the screw out and re-drive it in order to achieve tight draw down.

QuickFact • A Boeing 747 airliner holds 57,285 gallons of fuel!



Designed for Hardwood Assembly Applications
QuickCutter™ Flat Head & Round Washer Head

| Size | Weight per M | Case Qty. | Phillips-Flat w/Nibs Plain | Phillips-Flat w/Nibs Zinc | Combo-Flat w/Nibs Plain | Combo-Flat w/Nibs Zinc | Combo-RWH Plain |
|--------------|--------------|-----------|----------------------------------|---------------------------------|-------------------------------|------------------------------|--------------------|
| #8 x 1" | 3.60 lbs. | 11,000 | 7328 | 7316 | 9020 | 9021 | 7304 |
| #8 x 1-1/4" | 4.40 lbs. | 9,000 | 7329 | 7317 | 5440 | 3122 | 7306 |
| #8 x 1-1/2" | 5.10 lbs. | 7,000 | 7330 | 7318 | 5441 | 3123 | 7307 |
| #8 x 1-5/8" | 5.80 lbs. | 6,000 | 7331 | 7319 | - | 3124 | 7308 |
| #8 x 1-3/4" | 6.00 lbs. | 5,000 | 7332 | 7320 | 5442 | 5453 | 7309 |
| #8 x 2" | 6.80 lbs. | 4,000 | 7333 | 7322 | 5443 | 3125 | 7310 |
| #8 x 2-1/4" | 7.70 lbs. | 3,000 | 7334 | 7323 | 5444 | 5454 | 7311 |
| #8 x 2-1/2" | 9.60 lbs. | 2,500 | 7335 | 7324 | 5445 | 5896 | 7312 |
| #8 x 3" | 11.50 lbs. | 2,000 | 7336 | 7325 | 5446 | 5897 | 7313 |
| #9 x 3-1/2" | 14.68 lbs. | 1,000 | - | - | - | - | 7314 |
| #9 x 4" | 16.45 lbs. | 1,000 | - | - | - | - | - |
| #10 x 3-1/2" | 15.93 lbs. | 1,000 | 7337 | 7326 | 9484 | - | - |
| #10 x 4" | 18.04 lbs. | 1,000 | 7338 | 7327 | 9485 | - | - |

| Size | Weight per M | Pak Qty. | Phillips-Flat w/Nibs Plain | Phillips-Flat w/Nibs Zinc | Combo-Flat w/Nibs Plain | Combo-Flat w/Nibs Zinc | Combo-RWH Plain |
|--------------|--------------|----------|----------------------------------|---------------------------------|-------------------------------|------------------------------|--------------------|
| #8 x 1" | 3.60 lbs. | 1,000 | 7738 | 7717 | 9164 | 9120 | 7776 |
| #8 x 1-1/4" | 4.40 lbs. | 1,000 | 7739 | 7718 | 6024 | 5562 | 7777 |
| #8 x 1-1/2" | 5.10 lbs. | 1,000 | 7740 | 7719 | 6025 | 5563 | 7778 |
| #8 x 1-5/8" | 5.80 lbs. | 1,000 | 7741 | 7720 | - | 5564 | 7779 |
| #8 x 1-3/4" | 6.00 lbs. | 1,000 | 7742 | 7721 | 6026 | 5565 | 7780 |
| #8 x 2" | 6.80 lbs. | 1,000 | 7743 | 7722 | 6027 | 5566 | 7781 |
| #8 x 2-1/4" | 7.70 lbs. | 1,000 | 7744 | 7723 | 6028 | 5567 | 7782 |
| #8 x 2-1/2" | 9.60 lbs. | 500 | 7745 | 7733 | 6029 | 6044 | 7783 |
| #8 x 3" | 11.50 lbs. | 500 | 7746 | 7734 | 6030 | 6045 | 7784 |
| #9 x 3-1/2" | 14.68 lbs. | 250 | - | - | - | - | 7785 |
| #9 x 4" | 16.45 lbs. | 250 | - | - | - | - | - |
| #10 x 3-1/2" | 15.93 lbs. | 250 | 7747 | 7736 | 9608 | - | - |
| #10 x 4" | 18.04 lbs. | 250 | 7748 | 7737 | 9610 | - | - |



QuickCutter™ Extra Coarse Thread

The QuickCutter™ Thread and 21° - 23° sharp point allows the screws to be driven into even the hardest woods without pre-drilling a pilot hole. The QuickCutter™ Extra Coarse Thread provides greater holding power.

Less torque is required to drive the screws. The result is a reduction in user fatigue, which can greatly decrease the potential hazard of repetitive stress syndrome, or carpal tunnel, caused by the continuous driving of screws.

Single Drive Draw Down in all types of wood. The QuickCutter® Thread is designed to force the wood dust up and out of the hole, therefore, eliminating the need to back the screw out and re-drive it in order to achieve tight draw down.





QuickFacts • On which day are there more collect calls than any other day of the year? Father's Day.

CONNECTING
SCREWS™



Confirmat Style Screws (Coarse Thread)

|  | | | Pozi-Flat with Hole Zinc | Pozi-Flat with Hole and Nibs Zinc | Pozi-Flat with Hole, Nibs and Sharp Point Zinc |
|---|--------------|-----------|--------------------------------|--|--|
| Size | Weight per M | Case Qty. | | | |
| 5.0mm x 40mm | 8.60 lbs. | 5,000 | 11700 | - | 13713 |
| 5.0mm x 50mm | 10.58 lbs. | 4,000 | - | - | 13720 |
| 7.0mm x 50mm | 20.05 lbs. | 2,000 | 225C | 5361C | 5502C |
| 7.0mm x 50mm | Fine Thread | 2,000 | 225F | 5361F | 5502F |
|  | | | | | |
| Size | Weight per M | Pak Qty. | Pozi-Flat with Hole Zinc | Pozi-Flat with Hole and Nibs Zinc | Pozi-Flat with Hole, Nibs and Sharp Point Zinc |
| 5.0mm x 40mm | 8.60 lbs. | 1,000 | 11731 | - | - |
| 5.0mm x 40mm | 8.60 lbs. | 100 | 11732 | - | - |
| 5.0mm x 50mm | 10.58 lbs. | 1,000 | - | - | 14161 |
| 7.0mm x 50mm | 20.05 lbs. | 100 | 5960C | 6265C | 6266C |
| 7.0mm x 50mm | Fine Thread | 100 | 5960F | 6265F | 6266F |





Pozi Drive

ConnectingScrews™ are industrial-strength furniture fasteners designed to ensure a tight-fitting joint between panels as well as providing greater "pull-out" resistance and superior holding power.

ConnectingScrews™ are not hardened, and require a pre-drilled pilot hole in most applications.

Confirmat Style Screws (Fine Thread)

|  | | | Pozi-Flat with Hole Zinc | Pozi-Flat with Hole and Nibs Zinc | Pozi-Flat with Hole, Nibs and Sharp Point Zinc |
|---|--------------|-----------|--------------------------------|--|--|
| Size | Weight per M | Case Qty. | | | |
| 7.0mm x 50mm | Fine Thread | 2,000 | 225F | 5361F | 5502F |
|  | | | | | |
| 7.0mm x 50mm | Fine Thread | 100 | 5960F | 6265F | 6266F |

Screw Idioms:

- *Have a screw loose*
- *Have your head screwed on tight*
- *Put the screws to*
- *Screw around*
- *Screw Off*
- *Screw over*
- *Screw ball*
- *Screwed*

ACQUICKCUTTERS™ WITH ULTRAGUARD

*For outdoor use; decks, fences, outdoor furniture, etc.
An Ultraguard-coated steel screw designed for use in ACQ lumber*

ACQuickCutters™ Square Drive, Flat Head with Nibs, Ultraguard

| Size | Weight per M | Case Qty. | Part # |
|--------------|--------------|-----------|--------|
| #7 x 1-1/4" | 4.40 lbs. | 8,000 | 13335 |
| #7 x 1-5/8" | 5.80 lbs. | 5,000 | 13336 |
| #7 x 2" | 6.80 lbs. | 4,000 | 13337 |
| #8 x 2-1/2" | 9.60 lbs. | 2,500 | 13339 |
| #8 x 3" | 11.50 lbs. | 2,000 | 13340 |
| #10 x 3-1/2" | 15.93 lbs. | 1,000 | 13341 |
| #10 x 4" | 18.04 lbs. | 1,000 | 13342 |
| #10 x 4-1/2" | 25.00 lbs. | 800 | 13343 |
| #10 x 5" | 40.00 lbs. | 500 | 13344 |
| #10 x 6" | 50.00 lbs. | 500 | 13345 |

| Size | Weight per M | Pak Qty. | Part # |
|--------------|--------------|----------|--------|
| #7 x 1-1/4" | 4.40 lbs. | 1,000 | 13384 |
| #7 x 1-5/8" | 5.80 lbs. | 1,000 | 13385 |
| #7 x 2" | 6.80 lbs. | 1,000 | 13386 |
| #8 x 2-1/2" | 9.60 lbs. | 500 | 13388 |
| #8 x 3" | 11.50 lbs. | 500 | 13389 |
| #10 x 3-1/2" | 15.93 lbs. | 250 | 13390 |
| #10 x 4" | 18.04 lbs. | 250 | 13391 |
| #10 x 4-1/2" | 25.00 lbs. | 250 | 13392 |
| #10 x 5" | 40.00 lbs. | 100 | 13393 |
| #10 x 6" | 50.00 lbs. | 100 | 13394 |



Square Drive

ACQuickCutters™, coated with Ultraguard, outperform all other types of steel screws in Sea Salt Spray, Humidity, and Temperature corrosion testing.



Little known QuickFacts:



- Coca-Cola was originally green
- ~ The State with the highest percentage of people who walk to work - - Alaska
- The King of Hearts is the only one without a moustache
- ~ Half of all Americans live within 50 miles of their birthplace
- ~ It is impossible to lick your elbow
- ~ 75% of the people who read this will try to lick their elbow
- ~ The San Francisco cable cars are the only mobile National Monument









SHEET METAL SCREWS

Sheet Metal Screws, Phillips Drive, Flat or Pan Head, Type AB, Zinc

| Size | Weight per M |  Case Qty. | Phillips-Flat Zinc | Weight per M |  Case Qty. | Phillips-Pan Zinc |
|-------------|--------------|---|--------------------|--------------|---|-------------------|
| #6 x 1/2" | 1.72 lbs. | 22,000 | 14240 | 2.36 lbs. | 16,000 | 14533 |
| #6 x 5/8" | 2.05 lbs. | 18,000 | 14241 | 2.56 lbs. | 15,000 | 14534 |
| #6 x 3/4" | 2.25 lbs. | 16,000 | 14242 | 2.98 lbs. | 13,000 | 14535 |
| #6 x 1" | 3.13 lbs. | 13,000 | 14243 | 3.57 lbs. | 11,000 | 14536 |
| #8 x 1/2" | 2.73 lbs. | 15,000 | 14256 | - | - | - |
| #8 x 5/8" | 3.06 lbs. | 13,000 | 14257 | - | - | - |
| #8 x 3/4" | 3.40 lbs. | 12,000 | 14258 | - | - | - |
| #8 x 1" | 4.52 lbs. | 8,000 | 14260 | - | - | - |
| #8 x 1-1/4" | 5.58 lbs. | 7,000 | 14261 | - | - | - |
| #8 x 1-1/2" | 6.53 lbs. | 6,000 | 14262 | - | - | - |
| #8 x 1-3/4" | 7.32 lbs. | 5,000 | 14263 | - | - | - |
| #8 x 2" | 8.53 lbs. | 4,000 | 14264 | - | - | - |
| #8 x 2-1/2" | 10.80 lbs. | 2,500 | 14266 | - | - | - |
| #8 x 3" | 13.07 lbs. | 2,000 | 14267 | - | - | - |

| Size | Weight per M |  Pak Qty. | Phillips-Flat Zinc | Weight per M |  Pak Qty. | Phillips-Pan Zinc |
|-------------|--------------|--|--------------------|--------------|--|-------------------|
| #6 x 1/2" | 1.72 lbs. | 1,000 | 14528 | 2.36 lbs. | 1,000 | 14599 |
| #6 x 5/8" | 2.05 lbs. | 1,000 | 14529 | 2.56 lbs. | 1,000 | 14600 |
| #6 x 3/4" | 2.25 lbs. | 1,000 | 14530 | 2.98 lbs. | 1,000 | 14601 |
| #6 x 1" | 3.13 lbs. | 1,000 | 14531 | 3.57 lbs. | 1,000 | 14602 |
| #8 x 1/2" | 2.73 lbs. | 1,000 | 14268 | - | - | - |
| #8 x 5/8" | 3.06 lbs. | 1,000 | 14269 | - | - | - |
| #8 x 3/4" | 3.40 lbs. | 1,000 | 14270 | - | - | - |
| #8 x 1" | 4.52 lbs. | 1,000 | 14272 | - | - | - |
| #8 x 1-1/4" | 5.58 lbs. | 1,000 | 14273 | - | - | - |
| #8 x 1-1/2" | 6.53 lbs. | 1,000 | 14274 | - | - | - |
| #8 x 1-3/4" | 7.32 lbs. | 1,000 | 14275 | - | - | - |
| #8 x 2" | 8.53 lbs. | 1,000 | 14276 | - | - | - |
| #8 x 2-1/2" | 10.80 lbs. | 500 | 14278 | - | - | - |
| #8 x 3" | 13.07 lbs. | 500 | 14279 | - | - | - |

| Size | Weight per M |  Pak Qty. | Phillips-Flat Zinc | Weight per M |  Pak Qty. | Phillips-Pan Zinc |
|-------------|--------------|--|--------------------|--------------|--|-------------------|
| #6 x 1/2" | 1.72 lbs. | 100 | 14570 | 1.72 lbs. | 100 | 14566 |
| #6 x 5/8" | 2.05 lbs. | 100 | 14571 | 2.05 lbs. | 100 | 14567 |
| #6 x 3/4" | 2.25 lbs. | 100 | 14572 | 2.25 lbs. | 100 | 14568 |
| #6 x 1" | 3.13 lbs. | 100 | 14573 | 3.13 lbs. | 100 | 14569 |
| #8 x 1/2" | 2.73 lbs. | 100 | 14574 | - | - | - |
| #8 x 5/8" | 3.06 lbs. | 100 | 14575 | - | - | - |
| #8 x 3/4" | 3.40 lbs. | 100 | 14576 | - | - | - |
| #8 x 1" | 4.52 lbs. | 100 | 14577 | - | - | - |
| #8 x 1-1/4" | 5.58 lbs. | 100 | 14578 | - | - | - |
| #8 x 1-1/2" | 6.53 lbs. | 100 | 14579 | - | - | - |
| #8 x 1-3/4" | 7.32 lbs. | 100 | 14580 | - | - | - |
| #8 x 2" | 8.53 lbs. | 100 | 14581 | - | - | - |
| #8 x 2-1/2" | 10.80 lbs. | 50 | 14582 | - | - | - |
| #8 x 3" | 13.07 lbs. | 50 | 14583 | - | - | - |



Flat Head



Pan Head



Phillips Drive

The Sheet Metal Screw (SMS) design works in **different types of materials; wood, particle board, plywood, plastics, light gauge metal and aluminum.**

The screw is designed with a full thread and an AB point. The AB point has an "A" locating tip with a "B" type metal thread. Most fastening with the SMS screw requires pre-drilling.



QuickFact • The hummingbird is the only bird that can fly backwards.



Anchors

#8 QZ Anchors, Zinc or White Nylon

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|---------------------------|------------|----------------|----------|---------------|--------|
| #8 QZ Anchor, Zinc | n/a | 1.40 lbs. | 100 | 12 | 1436 |
| #8 QZ Anchor, White Nylon | n/a | .40 lbs. | 100 | 12 | 1934 |



QZ Anchor, Zinc



QZ Anchor, White Nylon

Super Plastic Anchors, White

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|----------------------------|------------|----------------|----------|---------------|--------|
| 3/16" x 7/8" (#06) | 3/16" | .07 lbs. | 100 | 50 | 14552 |
| 1/4" x 1-1/4" (#08 - #10) | 1/4" | .15 lbs. | 100 | 25 | 14553 |
| 5/16" x 1-1/2" (#12 - #14) | 5/16" | .20 lbs. | 100 | 16 | 14554 |



Super Plastic Anchor

Conical Anchor, Grey

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|----------------|------------|----------------|----------|---------------|--------|
| 06 - 08 x 3/4" | 3/16" | .05 lbs. | 100 | 50 | 14549 |
| 08 - 10 x 7/8" | 3/16" | .06 lbs. | 100 | 50 | 14550 |
| 10 - 12 x 1" | 1/4" | .11 lbs. | 100 | 25 | 14551 |



Conical Anchor

Hammer Drive Anchor

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|---------------|------------|----------------|----------|---------------|--------|
| 1/4" x 1" | 1/4" | 1.91 lbs. | 100 | 16 | 14545 |
| 1/4" x 1-1/4" | 1/4" | 2.20 lbs. | 100 | 12 | 14546 |
| 1/4" x 1-1/2" | 1/4" | 2.50 lbs. | 100 | 12 | 14547 |
| 1/4" x 2" | 1/4" | 3.10 lbs. | 100 | 8 | 14548 |



Hammer Drive Anchor

Lag Shields, Short

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|----------------|------------|----------------|----------|---------------|--------|
| 1/4" x 1" | 1/2" | 2.13 lbs. | 100 | 12 | 14539 |
| 5/16" x 1-1/4" | 1/2" | 2.20 lbs. | 100 | 12 | 14540 |
| 3/8" x 1-3/4" | 5/8" | 2.20 lbs. | 50 | 8 | 14541 |



Lag Shield


Lag Shields, Long

| Size | Drill Size | Weight per Pak | Pak Qty. | Paks per case | Part # |
|----------------|------------|----------------|----------|---------------|--------|
| 1/4" x 1-1/2" | 1/2" | 2.95 lbs. | 100 | 8 | 14542 |
| 5/16" x 1-3/4" | 1/2" | 2.85 lbs. | 100 | 8 | 14543 |
| 3/8" x 2-1/2" | 5/8" | 3.23 lbs. | 50 | 8 | 14544 |

Answers from page #21

1. One year
2. Walter Skinner
3. The Gate
4. Mondale, after Walter Mondale
5. Marcel
6. Sandpiper Air and AeroMass
7. Ursula
8. Geoffrey
9. A 1971 Plymouth Barracuda convertible
10. Eddie

INSTALLATION



QuickCutter™ Extra Coarse Thread

QuickCutter[®] Thread and Type 17 Auger Point provide quicker starting and faster stress-free driving.


The Type 17 Auger Point minimizes the need to pre-drill a pilot hole even in the hardest woods.



Type 17 Auger Point



The Multipurpose Cabinet Installation Screws designed to work in both wood and metal studs.



Self Piercing Sharp Point

for instant starting, quicker penetration and faster stress-free driving.



QuickCutter™ Hi-Lo Thread



ÉThe Hi Thread provides greater holding power in wood studs.

ÉThe Lo Thread reduces binding in metal studs, while allowing for greater holding power.

ÉThe QuickCutter[®] Thread allows for faster penetration and stress-free driving in dissimilar materials.



QX2™ are approved by the Woodwork Institute of California



QuickCutter™ and QX2™ Cabinet Installations Screws

| Size | Weight per M | Case Qty. | Combo-RWH QuickCutter™ Zinc | Combo-RWH QuickCutter™ Zinc/Sand Hd. | Combo-RWH QuickCutter™ Zinc/White Hd. | Phillips-RWH QX2™ Zinc | Phillips-RWH QX2™ Zinc/White Hd. | Phillips-RWH QX2™ Black Phos |
|--------------|--------------|-----------|-----------------------------------|--|---|------------------------------|--|------------------------------------|
| #10 x 2-1/2" | 11.37 lbs. | 1,500 | 7927 | 13793 | 8010 | - | - | - |
| #10 x 3" | 13.38 lbs. | 1,500 | 7935 | 13794 | 8011 | - | - | - |
| #10 x 3-1/2" | 16.29 lbs. | 1,000 | 7936 | 13795 | 8012 | - | - | - |
| #10 x 4" | 18.41 lbs. | 1,000 | 7937 | 13796 | 8013 | - | - | - |
| #14 x 2-1/2" | 27.60 lbs. | 1,500 | - | - | - | 8214 | 11979 | 11981 |
| #14 x 3" | 31.16 lbs. | 1,200 | - | - | - | 8215 | 11980 | 11982 |
| #14 x 3-1/2" | 35.60 lbs. | 1,000 | - | - | - | 8216 | - | - |
| #14 x 4" | 40.20 lbs. | 700 | - | - | - | 8217 | - | - |

| Size | Weight per M | Pak Qty. | Combo-RWH QuickCutter™ Zinc | Combo-RWH QuickCutter™ Zinc/Sand Hd. | Combo-RWH QuickCutter™ Zinc/White Hd. | Phillips-RWH QX2™ Zinc | Phillips-RWH QX2™ Zinc/White Hd. | Phillips-RWH QX2™ Black Phos |
|--------------|--------------|----------|-----------------------------------|--|---|------------------------------|--|------------------------------------|
| #10 x 2-1/2" | 11.37 lbs. | 500 | 8335 | 13797 | 8343 | - | - | - |
| #10 x 3" | 13.38 lbs. | 500 | 8337 | 13798 | 8345 | - | - | - |
| #10 x 3-1/2" | 16.29 lbs. | 250 | 8339 | 13799 | 8347 | - | - | - |
| #10 x 4" | 18.41 lbs. | 250 | 8341 | 13800 | 8351 | - | - | - |
| #14 x 2-1/2" | 27.60 lbs. | 100 | - | - | - | 9449 | 11985 | 11987 |
| #14 x 3" | 31.16 lbs. | 100 | - | - | - | 9450 | 11986 | 11988 |
| #14 x 3-1/2" | 35.60 lbs. | 50 | - | - | - | 9451 | - | - |
| #14 x 4" | 40.20 lbs. | 50 | - | - | - | 9452 | - | - |



Combo Drive



Phillips Drive



Combination Drive, Quickscrews, Type 17 Auger Point
For Cabinet Installation

| Size | Weight per M | Case Qty. | Combo Flat w/ Nibs Zinc Yellow |
|-----------------------|--------------|-----------|---|
| #9 x 2-1/2" (#8 Head) | 9.60 lbs. | 2,500 | 5250 |

| Size | Weight per M | Pak Qty. | Combo Flat w/ Nibs Zinc Yellow |
|-----------------------|--------------|----------|---|
| #9 x 2-1/2" (#8 Head) | 9.60 lbs. | 500 | 11412 |



Combo Drive




QuickFact • The opposite sides of Las Vegas-standard dice always add up to seven

INSTALLATION TWINFAST SCREWS

Phillips Bugle Head, Half Threaded, Type 17, Twinfast Screws, Black
Designed for Frame to Frame Cabinet Attachment


| Size | Weight per M | Case Qty. | Part # |
|-------------|--------------|-----------|--------|
| #8 x 2-1/2" | 11.55 lbs. | 2,500 | 10130 |
| Size | Weight per M | Pak Qty. | Part # |
| #8 x 2-1/2" | 11.55 lbs. | 500 | 10484 |
| Size | Weight per M | Pak Qty. | Part # |
| #8 x 2-1/2" | 11.55 lbs. | 50 | 10485 |



Phillips Drive

Phillips Drive, Truss Head, Twinfast Thread
Designed for Light Gauge Metal Studs and Wood Studs


| Size | Weight per M | Case Qty. | Phillips-Truss Twinfast Zinc | Phillips-Truss Twinfast Zinc/Sand Hd. | Phillips-Truss Twinfast Zinc/White Hd. |
|-------------|--------------|-----------|------------------------------------|---|--|
| #8 x 2-1/2" | 12.01 lbs. | 2,000 | 13103 | 13104 | 13105 |
| Size | Weight per M | Pak Qty. | Phillips-Truss Twinfast Zinc | Phillips-Truss Twinfast Zinc/Sand Hd. | Phillips-Truss Twinfast Zinc/White Hd. |
| #8 x 2-1/2" | 12.01 lbs. | 500 | 13106 | 13107 | 13108 |



Phillips Drive

Combo Drive, Round Washer Head, Twinfast Thread
Designed for Light Gauge Metal Studs and Wood Studs

| Size | Weight per M | Case Qty. | Combo-RWH Twinfast Black | Combo-RWH Twinfast Zinc |
|-------------|--------------|-----------|--------------------------------|-------------------------------|
| #8 x 2-1/2" | 11.16 lbs. | 2,000 | 13099 | 13101 |
| #8 x 3" | 12.00 lbs. | 1,500 | 13100 | 13102 |
| Size | Weight per M | Pak Qty. | Combo-RWH Twinfast Black | Combo-RWH Twinfast Zinc |
| #8 x 2-1/2" | 11.16 lbs. | 500 | 13407 | 13409 |
| #8 x 3" | 12.00 lbs. | 500 | 13408 | 13410 |



Combo Drive

FINISH WASHERS

Finish Washers Nickel, Zinc and Black

| Size | Weight per M | Case Qty. | Nickel | Zinc | Black |
|------|--------------|-----------|--------|------|-------|
| #8 | .87 lbs. | 25,000 | - | 506 | - |
| #10 | 1.11 lbs. | 20,000 | 670 | - | 10247 |



| Size | Weight per M | Pak Qty. | Nickel | Zinc | Black |
|------|--------------|----------|--------|------|-------|
| #6 | .70 lbs. | 1,000 | 9305 | - | 10495 |
| #8 | .87 lbs. | 1,000 | - | 8893 | 10497 |
| #10 | 1.11 lbs. | 1,000 | 10391 | - | 10499 |
| #6 | .70 lbs. | 100 | 10494 | - | 10496 |
| #8 | .87 lbs. | 100 | - | 1998 | 10498 |
| #10 | 1.11 lbs. | 100 | 4474 | - | 10500 |



Installation Screws


Phillips Drive, Round Washer Head, Sheet Metal Thread, Self Drilling Point
Self Drilling Installation Screws for Light or Medium Gauge Metal Studs

| Size | Weight per M | Case Qty. | Phillips-RWH Self Drilling Pt. Zinc | Phillips-RWH Self Drilling Pt. Zinc/White Hd. |
|-------------|--------------|-----------|---|---|
| #8 x 2-1/2" | 12.30 lbs. | 2,500 | 13349 | 13350 |
| Size | Weight per M | Pak Qty. | Phillips-RWH Self Drilling Pt. Zinc | Phillips-RWH Self Drilling Pt. Zinc/White Hd. |
| #8 x 2-1/2" | 12.30 lbs. | 500 | 13380 | 13381 |




Square Drive, Round Washer Head, Sheet Metal Thread, Self Drilling Point
Self Drilling Installation Screws for Light or Medium Gauge Metal Studs

| Size | Weight per M | Case Qty. | Square-RWH Self Drilling Pt. Zinc | Square-RWH Self Drilling Pt. Zinc/White Hd. |
|--------------|--------------|-----------|---|---|
| #8 x 2-1/2" | 12.30 lbs. | 2,500 | 13351 | 13352 |
| #10 x 2-1/2" | 16.75 lbs. | 2,000 | 13353 | 13354 |
| Size | Weight per M | Pak Qty. | Square-RWH Self Drilling Pt. Zinc | Square-RWH Self Drilling Pt. Zinc/White Hd. |
| #8 x 2-1/2" | 12.30 lbs. | 500 | 13382 | 13383 |
| #10 x 2-1/2" | 16.75 lbs. | 500 | 13395 | 13396 |




#3 Phillips Round Washer Head, Sheet Metal Thread, #3 Self Drilling Point, Zinc
Self Drilling Installation Screws for Light, Medium or Heavy Gauge Metal Studs

| Size | Weight per M | Case Qty. | Part # |
|----------|--------------|-----------|--------|
| #14 x 3" | 47.40 lbs. | 1,000 | 11976 |
| Size | Weight per M | Pak Qty. | Part # |
| #14 x 3" | 47.40 lbs. | 100 | 12330 |



Phillips Drive, Truss Head, Sheet Metal Thread, Self Drilling Point
Self Drilling Installation Screws for Light or Medium Gauge Metal Studs

| Size | Weight per M | Case Qty. | Phillips-Truss Self Drilling Pt. Zinc | Phillips-Truss Self Drilling Pt. Zinc/Sand Hd. | Phillips-Truss Self Drilling Pt. Zinc/White Hd. |
|--------------|--------------|-----------|---|--|---|
| #10 x 2-1/2" | 15.98 lbs. | 2,000 | 13162 | 13164 | 13163 |
| Size | Weight per M | Pak Qty. | Phillips-Truss Self Drilling Pt. Zinc | Phillips-Truss Self Drilling Pt. Zinc/Sand Hd. | Phillips-Truss Self Drilling Pt. Zinc/White Hd. |
| #10 x 2-1/2" | 15.98 lbs. | 500 | 13165 | 13167 | 13166 |




Installation Screws

Type 17 Installation Screws for Wood Studs

#3 Phillips Truss Head, Sheet Metal Thread, Type 17 Auger Point, Zinc


| Size | Weight per M | Case Qty. | Part # |
|----------|--------------|-----------|--------|
| #14 x 3" | 33.70 lbs. | 1,000 | 2052 |
| | | | |
| Size | Weight per M | Pak Qty. | Part # |
| #14 x 3" | 33.70 lbs. | 100 | 11282 |



Draw Bolts

Designed for Countertop and Panel Joinery, Zinc

| Size | Weight per M | Case Qty. | Part # |
|-----------------|--------------|-----------|--------|
| 1/4-20 x 3-1/2" | 88.50 lbs. | 500 | 322 |
| 1/4-20 x 4" | 112.00 lbs. | 350 | 5368 |




Corian Hardware

Designed for installing Blanco Stainless Steel sinks under solid surface and stone counters.


Undermount Sink Counter Clips

| Size | Weight per M | Case Qty. | Part # |
|----------------|--------------|-----------|--------|
| Standard Clips | 70.00 lbs. | 100 | 703 |



Phillips/Slotted Combo Drive, Truss Head, Machine Screw, Zinc Plated

| Size | Weight per M | Pak Qty. | Paks/Case | Part # |
|--------------|--------------|----------|-----------|--------|
| 10F x 1-1/4" | 10.00 lbs. | 100 | 24 | 3-0610 |



Phillips/Slotted Combo Drive, Truss Head, Machine Screw, Zinc Plated

| Size | Weight per M | Pak Qty. | Paks/Case | Part # |
|------------|--------------|----------|-----------|--------|
| 10F x 3/8" | 6.00 lbs. | 500 | 16 | 3-0612 |



Stamped Wing Nut, Zinc Plated

| Size | Weight per M | Pak Qty. | Paks/Case | Part # |
|-------|--------------|----------|-----------|--------|
| 10-32 | 6.00 lbs. | 100 | 24 | 3-1010 |



Knurled Brass Insert

| Size | Weight per M | Pak Qty. | Paks/Case | Part # |
|--------------|--------------|----------|-----------|--------|
| 10-32 x 1/4" | 2.00 lbs. | 500 | 24 | 3-0704 |



DRIVE BITS BIT HOLDERS & ACCESSORIES

Reduced Shank Insert Bits

1" Length

| Drive | Pak Qty. | Part # |
|-------------|----------|--------|
| Phillips #2 | 10 | 11759 |
| Phillips #2 | 100 | 11759B |
| Pozi #2 | 10 | 11910 |



Phillips Full Hex Shank Insert Bits

1" Length


| Drive | Pak Qty. | Part # |
|-------------|----------|--------|
| Phillips #2 | 10 | 13238 |



Insert Bits

1" Length

| Drive | Pak Qty. | Part # |
|-------------|----------|--------|
| Phillips #1 | 10 | 11758 |
| Phillips #2 | 10 | 11760 |
| Phillips #2 | 100 | 11760B |
| Phillips #3 | 10 | 11765 |
| Phillips #3 | 100 | 11765B |
| Pozi #1 | 10 | 11768 |
| Pozi #2 | 10 | 11769 |
| Pozi #3 | 10 | 11772 |
| Square #1 | 10 | 11774 |
| Square #1 | 100 | 11774B |
| Square #2 | 10 | 11778 |
| Square #2 | 100 | 11778B |
| Square #3 | 10 | 11918 |



Two-Piece Square Insert Bits

| Drive | Pak Qty. | Part # |
|-----------|----------|--------|
| Square #1 | 10 | 13147 |
| Square #2 | 10 | 13152 |
| Square #3 | 10 | 13157 |



Combination Drive Insert Bits

| Drive x Length | Pak Qty. | Part # |
|----------------|----------|--------|
| #2 x 1" | 10 | 13112 |



DRIVE BITS BIT HOLDERS & ACCESSORIES

ACR® Phillips Insert Bits

| Drive | Pak Qty. | Part # |
|---------------------|----------|--------|
| Phillips #1 | 10 | 12114 |
| Phillips #2 | 10 | 12117 |
| Reduced Phillips #2 | 10 | 12118 |
| Phillips #3 | 10 | 12121 |



Slotted Insert Bits

t = Blade Thickness *A* = Blade Width Fits #6 & #8 Screws

| <i>t</i> " x <i>A</i> " | Pak Qty. | Length 1" |
|-------------------------|----------|--------------|
| .040 x .218 | 5 | 11921 |



TORX® Insert Bits

| Point Size x Length | Pak Qty. | Part # |
|---------------------|----------|--------|
| T5 x 1" | 10 | 12184 |
| T6 x 1" | 10 | 12185 |
| T7 x 1" | 10 | 12186 |
| T8 x 1" | 10 | 12187 |
| T9 x 1" | 10 | 12188 |
| T10 x 1" | 10 | 12189 |
| T15 x 1" | 10 | 12190 |
| T20 x 1" | 10 | 12191 |
| T25 x 1" | 10 | 12192 |
| T27 x 1" | 10 | 12193 |
| T30 x 1" | 10 | 12194 |
| T40 x 1" | 10 | 12195 |
| T10 x 1" | 100 | 12189B |
| T15 x 1" | 100 | 12190B |
| T20 x 1" | 100 | 12191B |
| T25 x 1" | 100 | 12192B |
| T30 x 1" | 100 | 12194B |



TORX® Tamper Proof Insert Bits

1" Length

| Point Size | Pak Qty. | Part # |
|------------|----------|--------|
| T6 | 10 | 12255 |
| T7 | 10 | 12256 |
| T8 | 10 | 12257 |
| T9 | 10 | 12258 |
| T10 | 10 | 12259 |
| T15 | 10 | 12260 |
| T20 | 10 | 12261 |
| T25 | 10 | 12262 |
| T27 | 10 | 12263 |
| T30 | 10 | 12264 |
| T40 | 10 | 12265 |



Hexagon Insert Bits

1" Length

| Size | Pak Qty. | Part # |
|-------|----------|--------|
| 3/32" | 10 | 12165 |
| 7/64" | 10 | 12166 |
| 1/8" | 10 | 12167 |
| 9/64" | 10 | 12168 |
| 5/32" | 10 | 12169 |
| 3/16" | 10 | 12170 |
| 7/32" | 10 | 12171 |
| 1/4" | 10 | 12172 |
| 5/16" | 10 | 12173 |



Hexagon Tamper Proof Insert Bits

1" Length


| Size | Pak Qty. | Part # |
|-------|----------|--------|
| 3/32" | 10 | 12246 |
| 7/64" | 10 | 12247 |
| 1/8" | 10 | 12248 |
| 9/64" | 10 | 12249 |
| 3/16" | 10 | 12251 |
| 7/32" | 10 | 12252 |
| 1/4" | 10 | 12253 |
| 5/16" | 10 | 12254 |



Spanner Insert Bits

1" Length

| Size | Pak Qty. | Part # |
|------|----------|--------|
| #4 | 10 | 12537 |
| #6 | 10 | 12538 |
| #8 | 10 | 12539 |
| #10 | 10 | 12540 |
| #12 | 10 | 12541 |
| #14 | 10 | 12542 |



10 Piece Insert Bit Kit


| Description | Pak Qty. | Part # |
|---|----------|--------|
| Kit contains one each: ÉPH #1, #2, #3 Insert Bits ÉP2R Insert Bit ÉPoz #1, #2, #3 Insert Bits ÉSQ #1, #2, #3 Insert Bits ÉSuper Mag Bit Holder | 1 | 11795 |



DRIVE BITS BIT HOLDERS & ACCESSORIES

Phillips Reduced Power Bits

| Drive | Pak Qty. | Length 1-15/16" |
|-------|----------|--------------------|
| P2R | 10 | 13006 |




Power Bits

| Drive | Pak Qty. | Length | | | | | |
|-------------|----------|--------|----------|--------|--------|--------|-------|
| | | 1-1/2" | 1-15/16" | 2-3/4" | 3-1/2" | 4-1/2" | 6" |
| Phillips #1 | 10 | - | 11901 | 11902 | 11972 | - | 11903 |
| Phillips #2 | 10 | 11904 | 11905 | 11761 | 11762 | 11763 | 11764 |
| Phillips #3 | 10 | - | 11906 | 11766 | 11908 | - | 11767 |
| Pozi #2 | 10 | - | 11911 | 11770 | 11771 | - | - |
| Pozi #3 | 10 | - | 11912 | 11773 | - | - | - |
| Square #1 | 10 | - | 11775 | 11913 | 11914 | - | - |
| Square #2 | 10 | - | 11779 | 11915 | 11916 | 11917 | 11782 |
| Square #3 | 10 | - | 11919 | - | 11920 | - | - |
| Phillips #2 | 100 | - | 11905B | 11761B | 11762B | - | - |
| Square #2 | 100 | - | 11779B | 11915B | - | - | - |

Magnetic Power Bits

| Drive | Pak Qty. | Length | | | | |
|-------------|----------|----------|--------|--------|--------|-------|
| | | 1-15/16" | 2-3/4" | 3-1/2" | 4-1/2" | 6" |
| Phillips #2 | 10 | 12690 | 12691 | 12692 | 12693 | 12694 |
| Square #1 | 10 | - | 13269 | - | - | 13272 |
| Square #2 | 10 | 12695 | 12696 | 12697 | - | 12698 |



Two-Piece Square Power Bits

| Drive | Pak Qty. | Length | | | |
|-----------|----------|--------|-------|-------|-------|
| | | 2" | 3" | 4" | 6" |
| Square #1 | 10 | 13148 | 13149 | 13150 | 13151 |
| Square #2 | 10 | 13153 | 13154 | 13155 | 13156 |
| Square #3 | 10 | 13158 | 13159 | 13160 | 13161 |



Combination Drive Power Bits

| Drive x Length | Pak Qty. | Part # |
|----------------|----------|--------|
| #2 x 1-15/16" | 10 | 13113 |
| #2 x 2-3/4" | 10 | 13114 |



ACR® Phillips Power Bits

| Drive | Pak Qty. | Length 1-15/16" | Part # |
|---------------------|----------|--------------------|--------|
| Phillips #1 | 10 | 12115 | |
| Phillips #2 | 10 | 12119 | |
| Reduced Phillips #2 | 10 | 13236 | |
| Phillips #3 | 10 | 12122 | |



DRIVE BITS BIT HOLDERS & ACCESSORIES

Slotted Power Bits

5 Bits/Pak

t = Blade Thickness A = Blade Width

| $t'' \times A''$ | Pak Qty. | fits screw size | Length 2" |
|------------------|----------|--------------------|--------------|
| .032 x .154 | 5 | #3 - #4 | 11783 |
| .036 x .215 | 5 | #5 - #6 | 11785 |
| .038 x .250 | 5 | #6 - #7 | 11786 |
| .042 x .275 | 5 | #8 - #10 | 11787 |
| .046 x .312 | 5 | #10 - #12 | 11788 |



TORX® Power Bits

| Point Size | Pak Qty. | Length | | | |
|------------|----------|----------|--------|--------|-------|
| | | 1-15/16" | 2-3/4" | 3-1/2" | 6" |
| T6 | 10 | 12199 | 12210 | 12221 | 12232 |
| T7 | 10 | 12200 | 12211 | 12222 | 12233 |
| T8 | 10 | 12201 | 12212 | 12223 | 12234 |
| T9 | 10 | 12202 | 12213 | 12224 | 12235 |
| T10 | 10 | 12203 | 12214 | 12225 | 12236 |
| T15 | 10 | 12204 | 12215 | 12226 | 12237 |
| T20 | 10 | 12205 | 12216 | 12227 | 12238 |
| T25 | 10 | 12206 | 12217 | 12228 | 12239 |
| T27 | 10 | 12207 | 12218 | 12229 | 12240 |
| T30 | 10 | 12208 | 12219 | 12230 | 12241 |
| T40 | 10 | 12209 | 12220 | 12231 | 12242 |
| | | | | | |
| T10 | 100 | 12203B | - | - | - |
| T15 | 100 | 12204B | - | - | - |
| T20 | 100 | 12205B | - | - | - |
| T25 | 100 | 12206B | - | - | - |
| T30 | 100 | 12208B | - | - | - |



Hexagon Power Bits

1-15/16" Length

| Size | Pak Qty. | Part # |
|-------|----------|--------|
| 3/32" | 10 | 12177 |
| 7/64" | 10 | 12178 |
| 1/8" | 10 | 12179 |
| 9/64" | 10 | 12180 |
| 5/32" | 10 | 12181 |
| 3/16" | 10 | 12182 |
| 7/32" | 10 | 12183 |



*QuickFact • Many years ago in Scotland, a new game was invented. It was ruled
Gentlemen Only . . Ladies Forbidden . . .
Thus the word GOLF entered into the English language.*

DRIVE BITS BIT HOLDERS & ACCESSORIES


Double Ended Bits 3" Length

| Drives | Pak Qty. | Part # |
|-----------------------|----------|--------|
| PH #2 - Pozz #2 | 5 | 11790 |
| PH #2 - Reduced PH #2 | 5 | 11791 |
| PH #2 - SQ #2 | 5 | 11792 |



Double Ended Bits - Bulk 2" Length

| Drives | Pak Qty. | Part # |
|---------------------|----------|--------|
| PH #2 - PH #2 | 100 | 13245 |
| PH #2 - SL #6-8 | 100 | 13246 |
| Torx T20 - Torx T25 | 100 | 13247 |



Phillips Flush Drive Bit 1/4" Hex Shank

| Size | Pak Qty. | Part # |
|---------------|----------|--------|
| #2 x 1" | 25 | 13241 |
| #2 x 1-15/16" | 25 | 13242 |



Magnetic Nut Setters 1/4" Hex Shank

| Length | Pak Qty. | Point Size | | | | |
|---------|----------|------------|--------|--------|--------|-------|
| | | 1/4" | 5/16" | 3/8" | 7/16" | 1/2" |
| 1-3/4" | 5 | 12306 | 12307 | 12308 | 12309 | 13239 |
| 2-9/16" | 5 | 12310 | 12311 | 12312 | 12313 | - |
| 4" | 5 | 11925 | 12314 | 12315 | 12316 | - |
| 6" | 5 | 11926 | 12317 | 12318 | - | - |
| 1-3/4" | 25 | 12306B | 12307B | 12308B | 12309B | - |
| 2-9/16" | 25 | 12310B | 12311B | 12312B | 12313B | - |

Acoustical Eye Lag Driver 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 1" | 5 | 12473 |



Hanger Bolt Driver 1/4" Hex Shank

| Length | Pak Qty. | Point Size | | |
|---------|----------|------------|------------|-----------|
| | | 1/4" - 20 | 5/16" - 18 | 3/8" - 16 |
| 1-3/4" | 5 | 12362 | 12363 | 12364 |
| 2-9/16" | 5 | 12365 | 12366 | 12367 |



Extension Bar

| Size | Pak Qty. | Part # |
|-----------------------|----------|--------|
| 1/4" x 1/4" x 2-9/16" | 5 | 13277 |
| 1/4" x 3/8" x 2-9/16" | 5 | 13278 |
| 1/4" x 1/2" x 2-9/16" | 5 | 13677 |
| 1/4" x 1/4" x 2-9/16" | 25 | 13277B |
| 1/4" x 3/8" x 2-9/16" | 25 | 13278B |



DRIVE BITS BIT HOLDERS & ACCESSORIES

Super Magnetic Bit Holders 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 2-3/8" | 5 | 11928 |



Quick Release Magnetic Bit Holders 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 2-3/8" | 5 | 11793 |
| 3" | 5 | 11922 |
| 2-3/8" | 25 | 11793B |
| 3" | 25 | 11922B |



Quick Release Blue Magnetic Bit Holder 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 3" | 5 | 14200 |



C-Ring *two-piece* Bit Holder 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 2-7/8" | 5 | 11794 |
| 4" | 5 | 11923 |
| 6" | 5 | 11924 |
| 2-7/8" | 25 | 11794B |



Stainless Steel *one-piece* Magnetic Bit Holder 1/4" Hex Shank *with C-Ring*

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 2-7/8" | 5 | 12702 |
| 6" | 5 | 14935 |
| 8" | 5 | 14936 |
| 10" | 5 | 14937 |
| 12" | 5 | 14938 |
| 2-7/8" | 25 | 12702B |



Magnetic Bit Holder with Cap 1/4" Hex Shank

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 2-7/8" | 5 | 13282 |
| 2-7/8" | 25 | 13282B |



Confirmat "Step" Drill Bit 5mm > 7mm > 10mm

| Length | Pak Qty. | Part # |
|--------|----------|--------|
| 5-3/4" | 1 | 12793 |



Part Number Index

| Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 109 | 10 | 229 | 7 | 1229 | 25A | 4319 | 26 | 5578 | 26 | 5878 | 16 | 6145 | 8 | 6469 | 27 |
| 110 | 10 | 231 | 10 | 1231 | 25A | 4320 | 26 | 5579 | 26 | 5879 | 16 | 6146 | 8 | 6471 | 27 |
| 114 | 10 | 232 | 10 | 1233 | 10 | 4321 | 26 | 5580 | 27 | 5882 | 16 | 6148 | 10 | 6473 | 27 |
| 115 | 10 | 233 | 10 | 1234 | 10 | 4323 | 26 | 5584 | 15 | 5887 | 16 | 6149 | 10 | 6478 | 11 |
| 116 | 10 | 235 | 10 | 1236 | 10 | 4325 | 26 | 5586 | 15 | 5888 | 16 | 6150 | 10 | 6542 | 10 |
| 117 | 10 | 236 | 10 | 1245 | 27 | 4326 | 26 | 5589 | 15 | 5889 | 16 | 6152 | 8 | 6564 | 26 |
| 119 | 10 | 238 | 10 | 1246 | 27 | 4327 | 26 | 5590 | 15 | 5896 | 28 | 6153 | 8 | 6566 | 10 |
| 120 | 10 | 239 | 10 | 1247 | 27 | 4328 | 26 | 5591 | 15 | 5897 | 28 | 6155 | 10 | 6585 | 27 |
| 121 | 10 | 248 | 27 | 1249 | 27 | 4329 | 26 | 5592 | 15 | 5901 | 10 | 6156 | 10 | 6586 | 27 |
| 122 | 10 | 259 | 10 | 1250 | 27 | 4330 | 26 | 5593 | 15 | 5960 | 29 | 6157 | 10 | 6587 | 27 |
| 123 | 10 | 293 | 10 | 1251 | 27 | 4399 | 26 | 5594 | 15 | 5961 | 7 | 6158 | 10 | 6588 | 27 |
| 124 | 10 | 307 | 17 | 1252 | 27 | 4426 | 26 | 5595 | 15 | 5963 | 24 | 6159 | 10 | 6589 | 27 |
| 125 | 10 | 308 | 17 | 1253 | 27 | 4460 | 7 | 5596 | 15 | 5964 | 24 | 6160 | 10 | 6590 | 27 |
| 126 | 10 | 309 | 17 | 1254 | 27 | 4474 | 35 | 5597 | 15 | 5972 | 15 | 6163 | 10 | 6591 | 27 |
| 127 | 10 | 310 | 17 | 1255 | 27 | 4547 | 24 | 5598 | 24 | 5973 | 15 | 6164 | 8 | 6592 | 27 |
| 128 | 10 | 311 | 17 | 1256 | 27 | 4617 | 11 | 5598XL | 24 | 6003 | 21 | 6165 | 8 | 6593 | 27 |
| 129 | 26 | 312 | 17 | 1257 | 27 | 4635 | 7 | 5599 | 24 | 6004 | 21 | 6176 | 16 | 6597 | 26 |
| 130 | 26 | 313 | 17 | 1258 | 27 | 4688 | 7 | 5599XL | 24 | 6005 | 21 | 6177 | 16 | 6614 | 25A |
| 131 | 26 | 314 | 17 | 1259 | 27 | 4722 | 10 | 5600 | 24 | 6019 | 9 | 6178 | 16 | 6615 | 25A |
| 132 | 26 | 315 | 17 | 1293 | 10 | 4732 | 26 | 5601 | 24 | 6020 | 9 | 6181 | 9 | 6765 | 15 |
| 133 | 26 | 316 | 17 | 1436 | 32 | 4733 | 26 | 5700 | 27 | 6021 | 9 | 6186 | 16 | 6797 | 15 |
| 134 | 26 | 317 | 17 | 1623 | 10 | 4735 | 26 | 5706 | 24 | 6022 | 9 | 6187 | 16 | 6802 | 13 |
| 135 | 26 | 318 | 17 | 1849 | 25A | 4736 | 26 | 5707 | 24 | 6024 | 28 | 6188 | 16 | 6882 | 15 |
| 136 | 27 | 319 | 17 | 1934 | 32 | 4746 | 26 | 5715 | 24 | 6025 | 28 | 6192 | 16 | 6906 | 26 |
| 137 | 27 | 320 | 17 | 1998 | 35 | 4747 | 26 | 5716 | 24 | 6026 | 28 | 6193 | 16 | 7117 | 19 |
| 138 | 27 | 322 | 37 | 2052 | 37 | 4875 | 11 | 5778 | 26 | 6027 | 28 | 6196 | 16 | 7118 | 19 |
| 139 | 27 | 506 | 35 | 2288 | 27 | 4952 | 11 | 5781 | 10 | 6028 | 28 | 6197 | 16 | 7119 | 19 |
| 140 | 27 | 640 | 10 | 2477 | 27 | 4953 | 11 | 5782 | 10 | 6029 | 28 | 6198 | 16 | 7120 | 19 |
| 141 | 27 | 670 | 35 | 2478 | 27 | 4954 | 26 | 5783 | 11 | 6030 | 28 | 6199 | 16 | 7125 | 26 |
| 142 | 27 | 703 | 37 | 2482 | 27 | 4955 | 26 | 5784 | 11 | 6044 | 29 | 6201 | 16 | 7200 | 21 |
| 143 | 27 | 805 | 15 | 2483 | 27 | 4956 | 26 | 5786 | 10 | 6045 | 29 | 6202 | 16 | 7206 | 27 |
| 144 | 15 | 822 | 16 | 2484 | 27 | 4957 | 26 | 5787 | 10 | 6055 | 8 | 6207 | 16 | 7229 | 8 |
| 145 | 15 | 1047 | 21 | 2485 | 27 | 4958 | 26 | 5788 | 10 | 6056 | 8 | 6208 | 16 | 7230 | 8 |
| 146 | 15 | 1097 | 9 | 2486 | 27 | 4959 | 26 | 5789 | 10 | 6057 | 8 | 6211 | 16 | 7231 | 8 |
| 147 | 15 | 1177 | 27 | 2722 | 24 | 4960 | 26 | 5790 | 10 | 6058 | 8 | 6212 | 16 | 7304 | 28 |
| 148 | 15 | 1178 | 27 | 2724 | 24 | 5173 | 15 | 5791 | 26 | 6059 | 8 | 6213 | 16 | 7306 | 28 |
| 150 | 15 | 1179 | 27 | 2757 | 21 | 5798 | 26 | 5792 | 26 | 6060 | 8 | 6214 | 16 | 7307 | 28 |
| 151 | 15 | 1180 | 27 | 2759 | 27 | 5799 | 26 | 5793 | 26 | 6061 | 8 | 6217 | 16 | 7308 | 28 |
| 152 | 15 | 1181 | 27 | 2783 | 27 | 5800 | 26 | 5794 | 26 | 6062 | 8 | 6218 | 16 | 7309 | 28 |
| 154 | 15 | 1182 | 27 | 2784 | 27 | 5801 | 26 | 5795 | 26 | 6063 | 8 | 6221 | 16 | 7310 | 28 |
| 155 | 15 | 1183 | 27 | 2785 | 27 | 5213 | 7 | 5796 | 26 | 6065 | 10 | 6222 | 16 | 7311 | 28 |
| 157 | 15 | 1184 | 27 | 2786 | 27 | 5215 | 24 | 5797 | 26 | 6068 | 10 | 6223 | 16 | 7312 | 28 |
| 158 | 15 | 1187 | 10 | 2787 | 27 | 5250 | 34 | 5802 | 26 | 6088 | 10 | 6224 | 16 | 7313 | 28 |
| 159 | 15 | 1189 | 10 | 2788 | 27 | 5251 | 34 | 5803 | 26 | 6089 | 10 | 6225 | 16 | 7314 | 28 |
| 163 | 15 | 1191 | 17 | 2789 | 27 | 5268 | 9 | 5804 | 26 | 6090 | 10 | 6226 | 16 | 7316 | 28 |
| 164 | 15 | 1192 | 17 | 3122 | 28 | 5285 | 24 | 5827 | 11 | 6091 | 10 | 6228 | 16 | 7317 | 28 |
| 165 | 15 | 1193 | 17 | 3123 | 28 | 5286 | 24 | 5828 | 26 | 6093 | 26 | 6229 | 16 | 7318 | 28 |
| 166 | 15 | 1194 | 17 | 3124 | 28 | 5361 | 29 | 5829 | 26 | 6094 | 26 | 6230 | 16 | 7319 | 28 |
| 167 | 15 | 1195 | 17 | 3125 | 28 | 5368 | 37 | 5830 | 26 | 6095 | 26 | 6231 | 16 | 7320 | 28 |
| 168 | 15 | 1196 | 17 | 3500 | 9 | 5374 | 16 | 5831 | 26 | 6096 | 26 | 6233 | 16 | 7322 | 28 |
| 170 | 15 | 1197 | 17 | 3655 | 24 | 5440 | 28 | 5832 | 26 | 6097 | 26 | 6234 | 16 | 7323 | 28 |
| 171 | 15 | 1198 | 17 | 3656 | 24 | 5441 | 28 | 5834 | 26 | 6098 | 26 | 6237 | 10 | 7324 | 28 |
| 174 | 15 | 1199 | 17 | 3968 | 10 | 5442 | 28 | 5835 | 26 | 6099 | 26 | 6240 | 10 | 7325 | 28 |
| 176 | 11 | 1200 | 17 | 3969 | 10 | 5443 | 28 | 5836 | 15 | 6101 | 26 | 6241 | 10 | 7326 | 28 |
| 178 | 11 | 1201 | 17 | 3970 | 26 | 5444 | 28 | 5837 | 15 | 6109 | 15 | 6242 | 10 | 7327 | 28 |
| 179 | 26 | 1202 | 17 | 3971 | 26 | 5445 | 28 | 5838 | 15 | 6112 | 16 | 6246 | 10 | 7328 | 28 |
| 185 | 26 | 1203 | 17 | 3972 | 26 | 5446 | 28 | 5839 | 15 | 6113 | 7 | 6247 | 10 | 7329 | 28 |
| 186 | 26 | 1204 | 17 | 3973 | 26 | 5447 | 27 | 5841 | 15 | 6126 | 10 | 6248 | 10 | 7330 | 28 |
| 187 | 26 | 1205 | 17 | 3974 | 26 | 5448 | 27 | 5843 | 15 | 6127 | 10 | 6250 | 10 | 7331 | 28 |
| 188 | 26 | 1206 | 17 | 3975 | 26 | 5453 | 28 | 5844 | 15 | 6128 | 8 | 6251 | 10 | 7332 | 28 |
| 189 | 26 | 1207 | 17 | 3976 | 26 | 5454 | 28 | 5845 | 15 | 6129 | 8 | 6252 | 10 | 7333 | 28 |
| 190 | 26 | 1208 | 17 | 3987 | 10 | 5502 | 29 | 5849 | 15 | 6130 | 8 | 6254 | 26 | 7334 | 28 |
| 193 | 16 | 1209 | 17 | 4080 | 24 | 5562 | 28 | 5850 | 15 | 6131 | 8 | 6256 | 26 | 7335 | 28 |
| 197 | 16 | 1210 | 17 | 4080XL | 24 | 5563 | 28 | 5851 | 15 | 6132 | 8 | 6257 | 26 | 7336 | 28 |
| 200 | 16 | 1211 | 17 | 4081 | 24 | 5564 | 28 | 5864 | 10 | 6133 | 8 | 6259 | 15 | 7337 | 28 |
| 201 | 16 | 1212 | 17 | 4081XL | 24 | 5565 | 28 | 5865 | 10 | 6134 | 8 | 6263 | 15 | 7338 | 28 |
| 206 | 16 | 1213 | 17 | 4082 | 24 | 5566 | 28 | 5866 | 10 | 6135 | 8 | 6265 | 29 | 7350 | 8 |
| 207 | 16 | 1214 | 17 | 4084 | 24 | 5567 | 28 | 5867 | 10 | 6136 | 10 | 6266 | 29 | 7351 | 8 |
| 216 | 16 | 1215 | 17 | 4085 | 24 | 5572 | 26 | 5868 | 10 | 6138 | 10 | 6271 | 7 | 7352 | 8 |
| 217 | 16 | 1216 | 17 | 4103 | 21 | 5573 | 26 | 5869 | 10 | 6140 | 10 | 6276 | 7 | 7353 | 8 |
| 219 | 16 | 1217 | 17 | 4289 | 16 | 5574 | 26 | 5870 | 10 | 6141 | 8 | 6308 | 24 | 7354 | 8 |
| 225 | 29 | 1218 | 17 | 4316 | 26 | 5575 | 26 | 5873 | 7 | 6142 | 8 | 6319 | 8 | 7355 | 8 |
| 226 | 9 | 1219 | 9 | 4317 | 26 | 5576 | 26 | 5874 | 26 | 6143 | 8 | 6407 | 27 | 7365 | 8 |
| 227 | 9 | 1220 | 9 | 4318 | 26 | 5577 | 26 | 5876 | 26 | 6144 | 8 | 6468 | 27 | 7366 | 8 |

Part Number Index

| Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 8080 | 13 | 9124 | 27 | 9613 | 10 | 10256 | 7 | 10941 | 18 | 11774 | 38 | 11985 | 34 |
| 8081 | 15 | 9126 | 27 | 9615 | 15 | 10284 | 7 | 10942 | 18 | 11774B | 38 | 11986 | 34 |
| 8082 | 15 | 9127 | 27 | 9617 | 15 | 10391 | 35 | 10945 | 18 | 11775 | 40 | 11987 | 34 |
| 8083 | 15 | 9128 | 27 | 9682 | 25A | 10442 | 11 | 10946 | 18 | 11778 | 38 | 11988 | 34 |
| 8084 | 15 | 9129 | 27 | 9683 | 25A | 10443 | 11 | 10947 | 18 | 11778B | 38 | 12088 | 24 |
| 8085 | 15 | 9131 | 27 | 9684 | 25A | 10445 | 11 | 10949 | 18 | 11779 | 40 | 12114 | 39 |
| 8086 | 15 | 9132 | 27 | 9685 | 25A | 10446 | 11 | 10950 | 18 | 11779B | 40 | 12115 | 40 |
| 8091 | 15 | 9134 | 27 | 9687 | 25A | 10448 | 11 | 10951 | 18 | 11782 | 40 | 12117 | 39 |
| 8092 | 15 | 9135 | 27 | 9689 | 25A | 10449 | 11 | 10952 | 18 | 11783 | 41 | 12118 | 39 |
| 8093 | 15 | 9147 | 21 | 9690 | 25A | 10452 | 7 | 10953 | 18 | 11785 | 41 | 12119 | 40 |
| 8094 | 15 | 9148 | 21 | 9691 | 25A | 10453 | 7 | 10954 | 18 | 11786 | 41 | 12121 | 39 |
| 8095 | 15 | 9149 | 21 | 9693 | 25A | 10455 | 7 | 10955 | 18 | 11787 | 41 | 12122 | 40 |
| 8096 | 15 | 9150 | 21 | 9696 | 25A | 10456 | 7 | 10956 | 18 | 11788 | 41 | 12165 | 39 |
| 8097 | 13 | 9155 | 24 | 9698 | 25A | 10458 | 21 | 10975 | 9 | 11790 | 42 | 12166 | 39 |
| 8098 | 13 | 9157 | 24 | 9699 | 25A | 10465 | 21 | 10976 | 9 | 11791 | 42 | 12167 | 39 |
| 8099 | 15 | 9158 | 24 | 9700 | 25A | 10467 | 21 | 10991 | 15 | 11792 | 42 | 12168 | 39 |
| 8100 | 13 | 9159 | 24 | 9702 | 25A | 10469 | 21 | 10992 | 15 | 11793 | 43 | 12169 | 39 |
| 8157 | 13 | 9164 | 28 | 9703 | 25A | 10471 | 21 | 10993 | 15 | 11793B | 43 | 12170 | 39 |
| 8160 | 15 | 9167 | 10 | 9704 | 25A | 10473 | 7 | 11016 | 15 | 11794 | 43 | 12171 | 39 |
| 8214 | 34 | 9172 | 11 | 9705 | 25A | 10475 | 15 | 11020 | 15 | 11794B | 43 | 12172 | 39 |
| 8215 | 34 | 9173 | 11 | 9718 | 25A | 10477 | 15 | 11022 | 15 | 11795 | 39 | 12173 | 39 |
| 8216 | 34 | 9174 | 11 | 9719 | 25A | 10484 | 35 | 11024 | 15 | 11799 | 6 | 12177 | 41 |
| 8217 | 34 | 9175 | 11 | 9720 | 25A | 10485 | 35 | 11026 | 15 | 11800 | 6 | 12178 | 41 |
| 8258 | 10 | 9176 | 11 | 9721 | 25A | 10494 | 35 | 11192 | 9 | 11801 | 6 | 12179 | 41 |
| 8296 | 21 | 9177 | 11 | 9722 | 25A | 10495 | 35 | 11193 | 9 | 11817 | 24 | 12180 | 41 |
| 8335 | 34 | 9178 | 11 | 9724 | 25A | 10496 | 35 | 11198 | 26 | 11819 | 24 | 12181 | 41 |
| 8337 | 34 | 9179 | 11 | 9725 | 25A | 10497 | 35 | 11202 | 25A | 11901 | 40 | 12182 | 41 |
| 8339 | 34 | 9190 | 10 | 9726 | 25A | 10498 | 35 | 11203 | 25A | 11902 | 40 | 12183 | 41 |
| 8341 | 34 | 9191 | 10 | 9728 | 25A | 10499 | 35 | 11229 | 17 | 11903 | 40 | 12184 | 39 |
| 8343 | 34 | 9217 | 10 | 9731 | 25A | 10500 | 35 | 11231 | 9 | 11904 | 40 | 12185 | 39 |
| 8345 | 34 | 9218 | 10 | 9733 | 25A | 10505 | 11 | 11282 | 37 | 11905 | 40 | 12186 | 39 |
| 8347 | 34 | 9219 | 10 | 9734 | 25A | 10506 | 11 | 11285 | 25A | 11905B | 40 | 12187 | 39 |
| 8351 | 34 | 9220 | 10 | 9735 | 25A | 10507 | 11 | 11322 | 10 | 11906 | 40 | 12188 | 39 |
| 8674 | 21 | 9221 | 10 | 9737 | 25A | 10564 | 26 | 11323 | 10 | 11908 | 40 | 12189 | 39 |
| 8681 | 8 | 9223 | 10 | 9738 | 25A | 10589 | 9 | 11324 | 10 | 11910 | 38 | 12189B | 39 |
| 8810 | 7 | 9224 | 10 | 9739 | 25A | 10590 | 9 | 11412 | 34 | 11911 | 40 | 12190 | 39 |
| 8811 | 21 | 9228 | 19 | 9740 | 25A | 10736 | 11 | 11414 | 34 | 11912 | 40 | 12190B | 39 |
| 8883 | 13 | 9229 | 19 | 9741 | 25A | 10737 | 11 | 11523 | 24 | 11913 | 40 | 12191 | 39 |
| 8892 | 18 | 9230 | 19 | 9743 | 25A | 10738 | 11 | 11545 | 7 | 11914 | 40 | 12191B | 39 |
| 8893 | 35 | 9231 | 19 | 9770 | 11 | 10739 | 11 | 11547 | 7 | 11915 | 40 | 12192 | 39 |
| 8903 | 18 | 9234 | 19 | 9771 | 11 | 10740 | 11 | 11549 | 7 | 11915B | 40 | 12192B | 39 |
| 8905 | 10 | 9235 | 19 | 9773 | 11 | 10741 | 11 | 11550 | 7 | 11916 | 40 | 12193 | 39 |
| 8906 | 10 | 9236 | 19 | 9774 | 11 | 10772 | 18 | 11551 | 7 | 11917 | 40 | 12194 | 39 |
| 8995 | 10 | 9237 | 19 | 9799 | 15 | 10783 | 18 | 11553 | 7 | 11918 | 38 | 12194B | 39 |
| 9005 | 27 | 9305 | 35 | 9800 | 15 | 10890 | 18 | 11554 | 7 | 11919 | 40 | 12195 | 39 |
| 9006 | 27 | 9341 | 15 | 9801 | 15 | 10891 | 18 | 11555 | 7 | 11920 | 40 | 12199 | 41 |
| 9007 | 27 | 9437 | 9 | 9802 | 15 | 10892 | 18 | 11700 | 29 | 11921 | 39 | 12200 | 41 |
| 9008 | 27 | 9449 | 34 | 9803 | 15 | 10893 | 18 | 11731 | 29 | 11922 | 43 | 12201 | 41 |
| 9009 | 27 | 9450 | 34 | 9805 | 15 | 10894 | 18 | 11732 | 29 | 11922B | 43 | 12202 | 41 |
| 9010 | 27 | 9451 | 34 | 9812 | 11 | 10895 | 18 | 11733 | 9 | 11923 | 43 | 12203 | 41 |
| 9011 | 27 | 9452 | 34 | 9813 | 11 | 10896 | 18 | 11735 | 9 | 11924 | 43 | 12203B | 41 |
| 9012 | 27 | 9484 | 28 | 9815 | 26 | 10897 | 18 | 11737 | 9 | 11925 | 42 | 12204 | 41 |
| 9013 | 27 | 9485 | 28 | 9816 | 26 | 10899 | 18 | 11741 | 9 | 11926 | 42 | 12204B | 41 |
| 9014 | 11 | 9501 | 11 | 9817 | 26 | 10900 | 27 | 11758 | 38 | 11928 | 43 | 12205 | 41 |
| 9015 | 11 | 9525 | 11 | 9818 | 26 | 10901 | 27 | 11759 | 38 | 11946 | 27 | 12205B | 41 |
| 9016 | 11 | 9526 | 11 | 9819 | 26 | 10902 | 27 | 11759B | 38 | 11947 | 27 | 12206 | 41 |
| 9017 | 11 | 9527 | 11 | 9820 | 26 | 10903 | 27 | 11760 | 38 | 11948 | 27 | 12206B | 41 |
| 9018 | 11 | 9528 | 11 | 9821 | 26 | 10904 | 27 | 11760B | 38 | 11949 | 27 | 12207 | 41 |
| 9020 | 28 | 9532 | 21 | 9822 | 26 | 10905 | 27 | 11761 | 40 | 11950 | 27 | 12208 | 41 |
| 9021 | 28 | 9568 | 21 | 9830 | 15 | 10906 | 27 | 11761B | 40 | 11951 | 27 | 12208B | 41 |
| 9022 | 21 | 9586 | 8 | 9989 | 21 | 10907 | 27 | 11762 | 40 | 11952 | 27 | 12209 | 41 |
| 9023 | 21 | 9587 | 8 | 10032 | 24 | 10908 | 27 | 11762B | 40 | 11954 | 27 | 12210 | 41 |
| 9024 | 21 | 9590 | 11 | 10115 | 27 | 10909 | 27 | 11763 | 40 | 11955 | 27 | 12211 | 41 |
| 9025 | 21 | 9592 | 11 | 10123 | 7 | 10910 | 27 | 11764 | 40 | 11956 | 27 | 12212 | 41 |
| 9063 | 10 | 9594 | 11 | 10130 | 35 | 10911 | 27 | 11765 | 38 | 11957 | 27 | 12213 | 41 |
| 9093 | 10 | 9595 | 11 | 10132 | 27 | 10912 | 27 | 11765B | 38 | 11958 | 27 | 12214 | 41 |
| 9094 | 10 | 9596 | 11 | 10166 | 10 | 10913 | 27 | 11766 | 40 | 11959 | 27 | 12215 | 41 |
| 9098 | 10 | 9598 | 10 | 10189 | 15 | 10914 | 27 | 11767 | 40 | 11960 | 27 | 12216 | 41 |
| 9099 | 10 | 9599 | 10 | 10246 | 35 | 10915 | 27 | 11768 | 38 | 11972 | 40 | 12217 | 41 |
| 9100 | 18 | 9605 | 16 | 10247 | 35 | 10916 | 27 | 11769 | 38 | 11976 | 36 | 12218 | 41 |
| 9103 | 18 | 9606 | 16 | 10252 | 21 | 10917 | 27 | 11770 | 40 | 11979 | 34 | 12219 | 41 |
| 9118 | 13 | 9608 | 28 | 10253 | 21 | 10918 | 15 | 11771 | 40 | 11980 | 34 | 12220 | 41 |
| 9120 | 28 | 9610 | 28 | 10254 | 21 | 10939 | 18 | 11772 | 38 | 11981 | 34 | 12221 | 41 |
| 9122 | 7 | 9612 | 10 | 10255 | 7 | 10940 | 18 | 11773 | 40 | 11982 | 34 | 12222 | 41 |

Part Number Index

| Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page | Part # | Page |
|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| 12364 | 42 | 12702B | 43 | 13278 | 42 | 13388 | 30 | 13620 | 24 | 14263 | 31 | 14543 | 32 | 15440 | 27A |
| 12365 | 42 | 12793 | 43 | 13278B | 42 | 13389 | 30 | 13621 | 14 | 14264 | 31 | 14544 | 32 | 15441 | 27A |
| 12366 | 42 | 12798 | 6 | 13282 | 43 | 13390 | 30 | 13622 | 14 | 14266 | 31 | 14545 | 32 | 15445 | 27A |
| 12367 | 42 | 12799 | 6 | 13282B | 43 | 13391 | 30 | 13623 | 14 | 14267 | 31 | 14546 | 32 | 15447 | 27A |
| 12473 | 42 | 12800 | 27 | 13285 | 12 | 13392 | 30 | 13624 | 14 | 14268 | 31 | 14547 | 32 | 15448 | 27A |
| 12520 | 11 | 12801 | 27 | 13286 | 12 | 13393 | 30 | 13625 | 14 | 14269 | 31 | 14548 | 32 | 15449 | 27A |
| 12521 | 11 | 12804 | 27 | 13287 | 12 | 13394 | 30 | 13626 | 14 | 14270 | 31 | 14549 | 32 | 15450 | 27A |
| 12522 | 26 | 12805 | 27 | 13291 | 28 | 13395 | 36 | 13628 | 14 | 14272 | 31 | 14550 | 32 | 15451 | 27A |
| 12523 | 26 | 12846 | 8 | 13292 | 28 | 13396 | 36 | 13629 | 11 | 14273 | 31 | 14551 | 32 | 15697 | 27A |
| 12524 | 26 | 13003 | 24 | 13293 | 28 | 13397 | 6 | 13630 | 11 | 14274 | 31 | 14552 | 32 | 15452 | 27A |
| 12525 | 26 | 13004 | 24 | 13295 | 28 | 13398 | 6 | 13631 | 11 | 14275 | 31 | 14553 | 32 | 15453 | 27A |
| 12526 | 26 | 13006 | 40 | 13296 | 28 | 13399 | 6 | 13632 | 11 | 14276 | 31 | 14554 | 32 | 15454 | 27A |
| 12527 | 26 | 13021 | 11 | 13297 | 28 | 13400 | 9 | 13634 | 11 | 14278 | 31 | 14566 | 31 | 15455 | 27A |
| 12528 | 26 | 13093 | 19 | 13298 | 28 | 13401 | 9 | 13635 | 12 | 14279 | 31 | 14567 | 31 | 15425 | 27A |
| 12529 | 26 | 13094 | 19 | 13299 | 28 | 13402 | 9 | 13636 | 12 | 14314 | 11 | 14568 | 31 | 15426 | 27A |
| 12537 | 39 | 13095 | 19 | 13301 | 9 | 13403 | 27 | 13637 | 12 | 14315 | 11 | 14569 | 31 | 15431 | 27A |
| 12538 | 39 | 13096 | 19 | 13302 | 9 | 13404 | 27 | 13638 | 12 | 14390 | 24 | 14570 | 31 | 15456 | 27A |
| 12539 | 39 | 13097 | 26 | 13304 | 12 | 13405 | 27 | 13639 | 12 | 14391 | 24 | 14571 | 31 | 15457 | 27A |
| 12540 | 39 | 13099 | 35 | 13305 | 12 | 13406 | 28 | 13640 | 12 | 14392 | 24 | 14572 | 31 | 15458 | 27A |
| 12541 | 39 | 13100 | 35 | 13306 | 12 | 13407 | 35 | 13641 | 11 | 14394 | 24 | 14573 | 31 | 15459 | 27A |
| 12542 | 39 | 13101 | 35 | 13311 | 9 | 13408 | 35 | 13642 | 11 | 14412 | 11 | 14574 | 31 | 15460 | 27A |
| 12610 | 15 | 13102 | 35 | 13312 | 9 | 13409 | 35 | 13643 | 11 | 14413 | 11 | 14575 | 31 | 15698 | 27A |
| 12613 | 27 | 13103 | 35 | 13313 | 28 | 13410 | 35 | 13644 | 11 | 14416 | 11 | 14576 | 31 | 15461 | 27A |
| 12614 | 27 | 13104 | 35 | 13314 | 28 | 13411 | 26 | 13646 | 11 | 14417 | 11 | 14577 | 31 | 15462 | 27A |
| 12615 | 27 | 13105 | 35 | 13315 | 28 | 13415 | 26 | 13647 | 12 | 14418 | 11 | 14578 | 31 | 15463 | 27A |
| 12616 | 27 | 13106 | 35 | 13317 | 28 | 13416 | 24 | 13648 | 12 | 14419 | 11 | 14579 | 31 | 15464 | 27A |
| 12617 | 27 | 13107 | 35 | 13318 | 28 | 13419 | 24 | 13649 | 12 | 14422 | 11 | 14580 | 31 | 15699 | 27A |
| 12618 | 27 | 13108 | 35 | 13319 | 28 | 13423 | 24 | 13677 | 42 | 14423 | 11 | 14581 | 31 | 15700 | 27A |
| 12619 | 27 | 13112 | 38 | 13320 | 28 | 13463 | 9 | 13691 | 10 | 14426 | 11 | 14582 | 31 | 15701 | 27A |
| 12620 | 27 | 13113 | 40 | 13321 | 28 | 13465 | 12 | 13699 | 13 | 14427 | 11 | 14583 | 31 | 15702 | 27A |
| 12621 | 27 | 13114 | 40 | 13323 | 8 | 13466 | 12 | 13701 | 13 | 14428 | 11 | 14599 | 31 | 15703 | 27A |
| 12622 | 27 | 13147 | 38 | 13335 | 30 | 13467 | 12 | 13713 | 29 | 14429 | 11 | 14600 | 31 | 15704 | 27A |
| 12623 | 27 | 13148 | 40 | 13336 | 30 | 13468 | 12 | 13720 | 29 | 14437 | 11 | 14601 | 31 | 15705 | 27A |
| 12624 | 21 | 13149 | 40 | 13337 | 30 | 13469 | 12 | 13721 | 25A | 14438 | 11 | 14602 | 31 | 15706 | 27A |
| 12625 | 21 | 13150 | 40 | 13339 | 30 | 13470 | 12 | 13793 | 34 | 14446 | 15 | 14710 | 25A | 15707 | 27A |
| 12626 | 21 | 13151 | 40 | 13340 | 30 | 13478 | 9 | 13794 | 34 | 14447 | 15 | 14711 | 25A | 15708 | 27A |
| 12627 | 21 | 13152 | 38 | 13341 | 30 | 13559 | 12 | 13795 | 34 | 14449 | 25A | 14712 | 25A | 15709 | 27A |
| 12628 | 21 | 13153 | 40 | 13342 | 30 | 13560 | 12 | 13796 | 34 | 14450 | 25A | 14713 | 25A | 15710 | 27A |
| 12629 | 15 | 13154 | 40 | 13343 | 30 | 13561 | 12 | 13798 | 34 | 14451 | 25A | 14715 | 25A | 15711 | 27A |
| 12657 | 27 | 13155 | 40 | 13344 | 30 | 13562 | 12 | 13799 | 34 | 14452 | 25A | 14717 | 25A | 15712 | 27A |
| 12658 | 27 | 13156 | 40 | 13345 | 30 | 13563 | 12 | 13800 | 34 | 14453 | 25A | 14820 | 13 | 15713 | 27A |
| 12659 | 27 | 13157 | 38 | 13349 | 36 | 13564 | 12 | 13801 | 13 | 14454 | 25A | 14821 | 13 | 15714 | 27A |
| 12660 | 27 | 13158 | 40 | 13350 | 36 | 13573 | 24 | 13802 | 13 | 14455 | 25A | 14935 | 43 | 15715 | 27A |
| 12661 | 27 | 13159 | 40 | 13351 | 36 | 13574 | 24 | 13803 | 8 | 14456 | 25A | 14936 | 43 | 15716 | 27A |
| 12662 | 27 | 13160 | 40 | 13352 | 36 | 13575 | 24 | 13859 | 25A | 14458 | 25A | 14937 | 43 | 15717 | 27A |
| 12663 | 27 | 13161 | 40 | 13353 | 36 | 13576 | 24 | 13860 | 25A | 14459 | 25A | 14938 | 43 | 15718 | 27A |
| 12664 | 27 | 13162 | 36 | 13354 | 36 | 13579 | 14 | 13979 | 34 | 14460 | 25A | 15040 | 11 | 15719 | 27A |
| 12665 | 27 | 13163 | 36 | 13355 | 6 | 13580 | 14 | 14161 | 29 | 14461 | 25A | 15042 | 11 | 15720 | 27A |
| 12666 | 27 | 13164 | 36 | 13356 | 6 | 13581 | 14 | 14177 | 11 | 14462 | 25A | 15052 | 26 | 15721 | 27A |
| 12667 | 27 | 13165 | 36 | 13357 | 9 | 13582 | 14 | 14178 | 11 | 14463 | 25A | 15054 | 26 | 15722 | 27A |
| 12668 | 21 | 13166 | 36 | 13358 | 9 | 13583 | 14 | 14179 | 11 | 14464 | 25A | 15056 | 26 | 15723 | 27A |
| 12669 | 21 | 13167 | 36 | 13359 | 9 | 13584 | 14 | 14180 | 11 | 14465 | 25A | 15058 | 26 | 15724 | 27A |
| 12670 | 21 | 13236 | 40 | 13360 | 27 | 13586 | 14 | 14181 | 11 | 14468 | 18 | 15060 | 26 | | |
| 12671 | 21 | 13238 | 38 | 13361 | 27 | 13587 | 11 | 14200 | 43 | 14528 | 31 | 15062 | 26 | | |
| 12672 | 21 | 13239 | 42 | 13362 | 27 | 13588 | 11 | 14240 | 31 | 14529 | 31 | 15064 | 26 | | |
| 12690 | 40 | 13241 | 42 | 13363 | 27 | 13589 | 11 | 14241 | 31 | 14530 | 31 | 15066 | 26 | | |
| 12691 | 40 | 13242 | 42 | 13364 | 28 | 13590 | 11 | 14242 | 31 | 14531 | 31 | 15068 | 26 | | |
| 12692 | 40 | 13245 | 42 | 13377 | 27 | 13591 | 11 | 14243 | 31 | 14533 | 31 | 15070 | 26 | | |
| 12693 | 40 | 13246 | 42 | 13380 | 36 | 13592 | 11 | 14253 | 18 | 14534 | 31 | 15072 | 26 | | |
| 12694 | 40 | 13247 | 42 | 13381 | 36 | 13593 | 12 | 14256 | 31 | 14535 | 31 | 15081 | 11 | | |
| 12695 | 40 | 13265 | 24 | 13382 | 36 | 13594 | 12 | 14257 | 31 | 14536 | 31 | 3-0610 | 37 | | |
| 12696 | 40 | 13269 | 40 | 13383 | 36 | 13595 | 12 | 14258 | 31 | 14539 | 32 | 3-0612 | 37 | | |
| 12697 | 40 | 13272 | 40 | 13384 | 30 | 13617 | 24 | 14260 | 31 | 14540 | 32 | 3-0704 | 37 | | |
| 12698 | 40 | 13277 | 42 | 13385 | 30 | 13618 | 24 | 14261 | 31 | 14541 | 32 | 3-1010 | 37 | | |
| 12702 | 43 | 13277B | 42 | 13386 | 30 | 13619 | 24 | 14262 | 31 | 14542 | 32 | | | | |