



Section 6

Metal Shelving/ Systems/Misc


GONDOLA SYSTEMS



METAL SHELVING



ACCESSORIES



Merchandising Frame

No. 7340 Merchandising Frame

Application:



Designed for use with both hangrod and shelving from our Universal Series line.

Features:

1" square tube, single slotting on two opposing surfaces, versatile modular construction (starters and add-ons). Dimensions assembled: 48" H x 60" L x 24" W.

Stock Finish:

Chrome.



Part Number	Description	Packed	Wt./Ctn.
7340-CTR-C	Center Frame (Chrome)	2	15 Lbs.
7340-END-C	End Frame (Chrome)	2	11 Lbs.
7340-CON	Connector	1	1/2 Lb.

*See Section I for Assembly Instructions.

This item can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Classic Leg Unit

Application:

Use as wall or end unit.



Features:

Bolt-together construction with starter and add-on units.

1 1/4" x 2" upright adaptable to all panel and shelving systems.

Stock Finish:

Brillatone (Satin Zinc).



Classic Half Units

Part Number	Height Adjustment	Length	Starter Wt./Unit	Add-on Wt./Unit
6530	48", 54", 60"	30"	21 Lbs.	14 Lbs.
6536	48", 54", 60"	36"	22 Lbs.	15 Lbs.
6548	48", 54", 60"	48"	24 Lbs.	17 Lbs.

*See Section I for Assembly Instructions.

Component Parts for Classic Half Units

Top Cap		Half Leg	
3001 For 30" Length	Wt. 1 1/2 Lb. Ea.	6300 For 18" Length	Wt. 2 Lb. Ea.
3601 For 36" Length	Wt. 2 Lb. Ea.	(Leveler included.)	
4801 For 48" Length	Wt. 2 1/2 Lb. Ea.		
Upright		Center	
80-Double Slotted Upright for desired height.		6631 For 30" Length	Wt. 7 Lbs. Ea.
		6637 For 36" Length	Wt. 8 1/2 Lbs. Ea.
		6649 For 48" Length	Wt. 11 Lbs. Ea.
Bolts and Nuts		Plastic Caps	
GB & N—Two required for each leg.		#13 Cap for top of upright and end of legs.	

Application:



Use as free-standing aisle unit.

Features:

Bolt-together construction with starter and add-on units. 1 1/4" x 2" upright adaptable to all panel and shelving systems.

Stock Finish:

Brillatone (Satin Zinc).



Classic Leg Units

Part Number	Leg Width	Height	Length	Starter Wt./Unit	Add-on Wt./Unit
6630	24"	49"	30"	21 Lbs.	14 Lbs.
6636	24"	49"	36"	22 Lbs.	15 Lbs.
6648	24"	49"	48"	24 Lbs.	17 Lbs.


*See Section I for Assembly Instructions.

Component Parts for Classic Half Units

Top Cap		Leg	
3001 For 30" Length	Wt. 1 1/2 Lb. Ea.	6400 For 24" Length	Wt. 4 Lbs. Ea.
3601 For 36" Length	Wt. 2 Lb. Ea.	(Leveler included.)	
4801 For 48" Length	Wt. 2 1/2 Lb. Ea.		
Upright		Center	
80-Double Slotted Upright for desired height.		6631 For 30" Length	Wt. 7 Lbs. Ea.
		6637 For 36" Length	Wt. 8 1/2 Lbs. Ea.
		6649 For 48" Length	Wt. 11 Lbs. Ea.
Bolts and Nuts		Plastic Caps	
GB & N—Two required for each leg.		#13 Cap for top of upright and end of legs.	


All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Metal Base Wall Unit



Components For Metal Base Wall Unit

Top Cap	Plastic Cap
3001 for 30" length, Wt.: 1 1/2 Lbs. Ea.	#13 Cap for top of upright and end of legs.
3601 for 36" length, Wt.: 2 Lbs. Ea.	80 Standard
4801 for 48" length, Wt.: 2 1/2 Lbs. Ea.	Double slotted upright for desired Ht.
End Cap (Two Required Each Unit)	Center
1425 for 14" depth, Wt.: 7 Oz. Ea.	3000-C for 30" length, Wt.: 6 Lbs. Ea.
1825 for 18" depth, Wt.: 8 Oz. Ea.	3600-C for 36" length, Wt.: 7 Lbs. Ea.
1826 for 20" depth, Wt.: 8 Oz. Ea.	4800-C for 48" length, Wt.: 9 Lbs. Ea.
2425 for 24" depth, Wt.: 9 Oz. Ea.	
Mopboard (Two Required Each Unit)	Ends
3000-M for 30" length, Wt.: 2 1/2 Lbs. Ea.	1400 for 14" depth, Wt.: 2 1/2 Lbs. Ea.
3600-M for 36" length, Wt.: 3 1/2 Lbs. Ea.	1800 for 18" depth, Wt.: 3 1/2 Lbs. Ea.
4800-M for 48" length, Wt.: 6 Lbs. Ea.	2400 for 24" depth, Wt.: 5 Lbs. Ea.
	Bolts and Nuts
	GB&N – Two required for each 80 Standard.




Metal Base Wall Unit (With Base Shelf & Perforated Back Panels)

Part Number	Height	Depth	Length	Starter Wt./Unit	Add-on Wt./Unit
1431	7"	14"	30"	68 Lbs.	53 Lbs.
1437	7"	14"	36"	76 Lbs.	62 Lbs.
1449	7"	14"	48"	90 Lbs.	77 Lbs.
1831	7"	18"	30"	70 Lbs.	55 Lbs.
1837	7"	18"	36"	79 Lbs.	64 Lbs.
1849	7"	18"	48"	93 Lbs.	78 Lbs.
2431	7"	24"	30"	72 Lbs.	57 Lbs.
2437	7"	24"	36"	81 Lbs.	66 Lbs.
2449	7"	24"	48"	95 Lbs.	80 Lbs.

*See Section I for Assembly Instructions.

This item can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Metal Base Wall Units (With Metal Shelves and Perforated Back Panels)




- Our Reeve Wall Units are priced with 5400 Series perforated metal shelves and perforated 1/4" hardboard panels.
- Shelves are a full 20 gauge metal with ample undersupports for reinforcement. The shelves are a full 1" on edge.
 - The 61 Series brackets are supplied with these units.
 - Shipped knocked down, ready-to-assemble.
 - **Shelf and panel finishes are White. Bases are Black.**
 - **Slotted standards, shelf brackets, and top cap are zinc.**

Metal Base Wall Unit (With Metal Shelves & Perforated Back Panels)

Part Number	Ht.	Depth	Module Length	Shelf Size	Starter Wt./Unit	Add-on Wt./Unit
1480	7'	14"	30"	8"-10"-12"/12" base	80 Lbs.	70 Lbs.
1486	7'	14"	36"	8"-10"-12"/12" base	89 Lbs.	79 Lbs.
1488	7'	14"	48"	8"-10"-12"/12" base	103 Lbs.	93 Lbs.
1880	7'	18"	30"	10"-12"-14"/16" base	82 Lbs.	72 Lbs.
1886	7'	18"	36"	10"-12"-14"/16" base	91 Lbs.	81 Lbs.
1888	7'	18"	48"	10"-12"-14"/16" base	105 Lbs.	92 Lbs.
2480	7'	24"	30"	12"-14"-16"/22" base	85 Lbs.	75 Lbs.
2486	7'	24"	36"	12"-14"-16"/22" base	94 Lbs.	84 Lbs.
2488	7'	24"	48"	12"-14"-16"/22" base	109 Lbs.	96 Lbs.

*See Section I for Assembly Instructions.

Metal Base Gondola



Components For Metal Base Gondola



Top Cap	Plastic Cap
3001 for 30" length, Wt.: 1 1/2 Lbs. Ea.	#13 Cap for top of upright and end of legs.
3601 for 36" length, Wt.: 2 Lbs. Ea.	
4801 for 48" length, Wt.: 2 1/2 Lbs. Ea.	
	80 Standard
	Double slotted upright for desired Ht.
End Cap (Four Required Each Unit)	Center
1425 for 26" width, Wt.: 7 Oz. Ea.	3000-C for 30" length, Wt.: 6 Lbs. Ea.
1825 for 36" width, Wt.: 8 Oz. Ea.	3600-C for 36" length, Wt.: 7 Lbs. Ea.
2425 for 48" width, Wt.: 9 Oz. Ea.	4800-C for 48" length, Wt.: 9 Lbs. Ea.
Mopboard (Two Required Each Unit)	Ends
3000-M for 30" length, Wt.: 2 1/2 Lbs. Ea.	2600 for 26" width, Wt.: 3 1/2 Lbs. Ea.
3600-M for 36" length, Wt.: 3 1/2 Lbs. Ea.	3500 for 36" width, Wt.: 5 Lbs. Ea.
4800-M for 48" length, Wt.: 6 Lbs. Ea.	4700 for 48" width, Wt.: 7 Lbs. Ea.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Metal Base Gondolas

Metal Base Gondola

Metal Base Gondola (With Base Shelf & Perforated Back Panels)



Part Number	Ht.	Width	Length	Starter Wt./Unit	Add-on Wt./Unit
2632	4'	26"	30"	50 Lbs.	40 Lbs.
2633	4½'	26"	30"	55 Lbs.	45 Lbs.
2634	5'	26"	30"	60 Lbs.	50 Lbs.
2637	4'	26"	36"	60 Lbs.	50 Lbs.
2638	4½'	26"	36"	65 Lbs.	55 Lbs.
2639	5'	26"	36"	70 Lbs.	60 Lbs.
2645	4'	26"	48"	80 Lbs.	69 Lbs.
2646	4½'	26"	48"	85 Lbs.	74 Lbs.
2647	5'	26"	48"	90 Lbs.	79 Lbs.
3532	4'	36"	30"	74 Lbs.	60 Lbs.
3533	4½'	36"	30"	79 Lbs.	65 Lbs.
3534	5'	36"	30"	84 Lbs.	70 Lbs.
3537	4'	36"	36"	82 Lbs.	67 Lbs.
3538	4½'	36"	36"	87 Lbs.	72 Lbs.
3539	5'	36"	36"	92 Lbs.	77 Lbs.
3545	4'	36"	48"	103 Lbs.	90 Lbs.
3546	4½'	36"	48"	108 Lbs.	95 Lbs.
3547	5'	36"	48"	113 Lbs.	100 Lbs.
4732	4'	48"	30"	99 Lbs.	80 Lbs.
4733	4½'	48"	30"	104 Lbs.	85 Lbs.
4734	5'	48"	30"	109 Lbs.	90 Lbs.
4737	4'	48"	36"	99 Lbs.	84 Lbs.
4738	4½'	48"	36"	104 Lbs.	89 Lbs.
4739	5'	48"	36"	109 Lbs.	94 Lbs.
4745	4'	48"	48"	125 Lbs.	111 Lbs.
4746	4½'	48"	48"	131 Lbs.	116 Lbs.
4747	5'	48"	48"	136 Lbs.	121 Lbs.

*See Section I for Assembly Instructions.

Metal Base Gondola (With Metal Shelves & Perforated Back Panels)

Part Number	Ht.	Width	Length	Shelf Size	Starter Wt./Unit	Add-on Wt./Unit
2680	4½'	26"	30"	8"-10"-12"/12" base	82 Lbs.	75 Lbs.
2682	4½'	26"	36"	8"-10"-12"/12" base	90 Lbs.	80 Lbs.
2688	4½'	26"	48"	8"-10"-12"/12" base	105 Lbs.	95 Lbs.
3580	4½'	36"	30"	10"-12"-14"/16" base	90 Lbs.	81 Lbs.
3582	4½'	36"	36"	10"-12"-14"/16" base	97 Lbs.	88 Lbs.
3588	4½'	36"	48"	10"-12"-14"/16" base	129 Lbs.	120 Lbs.
4780	4½'	48"	30"	12"-14"-16"/22" base	105 Lbs.	96 Lbs.
4782	4½'	48"	36"	12"-14"-16"/22" base	116 Lbs.	107 Lbs.
4788	4½'	48"	48"	12"-14"-16"/22" base	149 Lbs.	140 Lbs.


These Gondola units are priced with 5400 Series perforated metal shelves and perforated ¼" hardboard panels.

- Shelves are a full 20-gauge metal with ample undersupports for reinforcement. The shelves are a full 1" on edge.
- The 61 Series brackets are supplied with these units.
- Shipped knocked down, ready-to-assemble.
- **Shelf and panel finishes are White. Bases are Black.**
- **Slotted standards, shelf brackets, and top cap are zinc.**

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Metal Base End Units

Metal Base End Unit (With Base Shelf & Perforated Back Panels)




*See Section I for Assembly Instructions.

No. 1700 Metal Base End Unit

(Includes 16" base shelf and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
1701	18"	30"	4'	59 Lbs.
1702	18"	30"	4 1/2'	66 Lbs.
1703	18"	30"	5'	80 Lbs.
1704	18"	36"	4'	64 Lbs.
1705	18"	36"	4 1/2'	73 Lbs.
1706	18"	36"	5'	82 Lbs.
1707	18"	48"	4'	67 Lbs.
1708	18"	48"	4 1/2'	74 Lbs.
1709	18"	48"	5'	85 Lbs.

Metal Base End Unit (With Metal Shelves & Perforated Back Panels)



*See Section I for Assembly Instructions.

No. 1700 Metal Base End Unit

(Includes 16" base shelf, 10" and 12" metal shelves and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
1711	18"	30"	4'	68 Lbs.
1712	18"	30"	4 1/2'	75 Lbs.
1713	18"	30"	5'	89 Lbs.
1714	18"	36"	4'	76 Lbs.
1715	18"	36"	4 1/2'	87 Lbs.
1716	18"	36"	5'	94 Lbs.
1717	18"	48"	4'	84 Lbs.
1718	18"	48"	4 1/2'	94 Lbs.
1719	18"	48"	5'	102 Lbs.

No. 1400 Metal Base End Unit

(Includes 12" base shelf and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
1401	14"	30"	4'	54 Lbs.
1402	14"	30"	4 1/2'	61 Lbs.
1403	14"	30"	5'	73 Lbs.
1404	14"	36"	4'	59 Lbs.
1405	14"	36"	4 1/2'	65 Lbs.
1406	14"	36"	5'	70 Lbs.
1407	14"	48"	4'	59 Lbs.
1408	14"	48"	4 1/2'	66 Lbs.
1409	14"	48"	5'	75 Lbs.

No. 2300 Metal Base End Unit

(Includes 22" base shelf and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
2301	24"	30"	4'	64 Lbs.
2302	24"	30"	4 1/2'	71 Lbs.
2303	24"	30"	5'	85 Lbs.
2304	24"	36"	4'	69 Lbs.
2305	24"	36"	4 1/2'	78 Lbs.
2306	24"	36"	5'	87 Lbs.
2307	24"	48"	4'	71 Lbs.
2308	24"	48"	4 1/2'	79 Lbs.
2309	24"	48"	5'	89 Lbs.

No. 1400 Metal Base End Unit

(Includes 12" base shelf, 10" and 12" metal shelves and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
1411	14"	30"	4'	64 Lbs.
1412	14"	30"	4 1/2'	71 Lbs.
1413	14"	30"	5'	85 Lbs.
1414	14"	36"	4'	72 Lbs.
1415	14"	36"	4 1/2'	83 Lbs.
1416	14"	36"	5'	90 Lbs.
1417	14"	48"	4'	80 Lbs.
1418	14"	48"	4 1/2'	90 Lbs.
1419	14"	48"	5'	98 Lbs.


No. 2300 Metal Base End Unit

(Includes 22" base shelf, 12" & 14" metal shelves and double back panels.)

Part Number	Depth	Length	Ht.	Wt./Unit
2311	24"	30"	4'	79 Lbs.
2312	24"	30"	4 1/2'	85 Lbs.
2313	24"	30"	5'	95 Lbs.
2314	24"	36"	4'	84 Lbs.
2315	24"	36"	4 1/2'	89 Lbs.
2316	24"	36"	5'	99 Lbs.
2317	24"	48"	4'	90 Lbs.
2318	24"	48"	4 1/2'	100 Lbs.
2319	24"	48"	5'	110 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

No. 5400 Perforated Metal Shelving




Stock Finish:
J.F. White.

Part Number	Size	Packed/Ctn.	Wt./Unit
5436-8	8" x 36"	4	4 1/4 Lbs.
5436-10	10" x 36"	4	5 Lbs.
5436-12	12" x 36"	4	7 Lbs.
5436-14	14" x 36"	4	7 1/2 Lbs.
5436-16	16" x 36"	4	8 1/2 Lbs.
5436-18	18" x 36"	4	10 Lbs.
5436-22	22" x 36"	4	13 Lbs.

Part Number	Size	Packed/Ctn.	Wt./Unit
5430-8	8" x 30"	4	3 1/4 Lbs.
5430-10	10" x 30"	4	3 3/4 Lbs.
5430-12	12" x 30"	4	4 3/4 Lbs.
5430-14	14" x 30"	4	6 Lbs.
5430-16	16" x 30"	4	6 1/2 Lbs.
5430-18	18" x 30"	4	7 Lbs.
5430-22	22" x 30"	4	10 Lbs.

Part Number	Size	Packed/Ctn.	Wt./Unit
5448-8	8" x 48"	4	7 Lbs.
5448-10	10" x 48"	4	8 Lbs.
5448-12	12" x 48"	4	9 Lbs.
5448-14	14" x 48"	4	11 1/2 Lbs.
5448-16	16" x 48"	4	12 1/2 Lbs.
5448-18	18" x 48"	4	13 1/2 Lbs.
5448-22	22" x 48"	4	16 1/2 Lbs.

No. 5400 Price Strip




Application:
Apply to the edge of
5400 Series Shelf or similar surface.

Features:
Rigid PVC plastic, 2-sided tape attached.
Fits 1/8" tag size.

Stock Finish:
White.

Part Number	Size	Packed/Ctn.	Wt./Ctn.
5400-30	30"	100	28 Lbs.
5400-36	36"	100	37 1/2 Lbs.
5400-48	48"	100	50 Lbs.

No. 5507 Rx Shelving



Application:
Use with Pharmacy Shelving Unit.

Features:
20 gauge steel.
Stock Finish:
White.

Part Number	Width	Length	Packed	Pk./Wt.
5507-36	7"	34 7/16"	16	50 Lbs.
5507-48	7"	47 7/16"	16	66 Lbs.

No. 78 Connecting Channel/No. 80 Extension



— **No. 80 Extension**
Used in conjunction
with No. 78.

Connecting Channel.

Stock Finish:

Brillatone
(Satin Zinc).

— **No. 78 Connecting Channel**

Used in conjunction with 1 1/4" x 2"
Reeve #80 Standard to add additional
height to an existing gondola, wall unit,
or end unit.

Part Number	Length	Wt./Ea.
80-1-EXT	1'	1 Lb.
80-1 1/2-EXT	1 1/2'	1 1/2 Lbs.
80-2-EXT	2'	2 Lbs.
78	12"	

No. 80 Socket


Perfect for making your own fixtures.
Attach to wood surface as per illustration.
Holds the #80 Standard firmly in place.

Stock Finish:

Brillatone (Satin Zinc).


Dimensions:

11" W x 5" H.



All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Perforated Hardboard Back Panels




Application:
Fits all gondola, wall units, end units, and Classic Leg units.

Features:
¼" thickness.

Stock Finish:
White.

Part Number	Module Spacing	Panel Size	Height of each
3006	30"	28 ½" x 40 ¾"	4'
3007	30"	28 ½" x 46 ¾"	4 ½'
3008	30"	28 ½" x 52 ¾"	5'
3009	30"	28 ½" x 76 ¾"	7'
3606	36"	34 ½" x 40 ¾"	4'
3607	36"	34 ½" x 46 ¾"	4 ½'
3608	36"	34 ½" x 52 ¾"	5'
3609	36"	34 ½" x 76 ¾"	7'
4806	48"	46 ½" x 40 ¾"	4'
4807	48"	46 ½" x 46 ¾"	4 ½'
4808	48"	46 ½" x 52 ¾"	5'
4809	48"	46 ½" x 76 ¾"	7'

No. 140 Panel Guide Support



Application:
Attaches panel flush to No. 80 upright standard.

Features:
Screws provided for panel attachment.

Stock Finish:
Brillatone (Satin Zinc).

Part Number	Packed	Wt./Ea.
140-L or R	96	2 ¾ Lbs.

No. 960 Panel Retainer



Application:
Designed for use with No. 80 Standard.

Features:
Comes with two-sided tape on back for ease of installation.
Weight is approximately 6 oz. per foot.

Stock Color:
White.


Part Number	Standard	Size	Packed/Ctn.	Wt./Ctn.
960-4	80	4'	24	9 ¼ Lbs.
960-4 ½	80	4 ½'	24	10 ¾ Lbs.
960-5	80	5'	24	12 Lbs.
960-7	80	7'	20	14 Lbs.

No. 961 Panel Retainer

Application:
6' long for use where panel is fitted to base center.

Features:
Rigid plastic.

Stock Color:
White.




Part Number	Packed/Ctn.	Wt./Ea.
961	24	1 ½ Lbs.

No. 60 Slatwall Panel Retainer

Application:
Designed for use with No. 80 Standard.
8' long for slatwall use.

Features:
Rigid plastic.

Stock Color:
White.




Part Number	Length	Packed/Ctn.	Weight
60	8'	20	14 Lbs.

No. 940-12 Panel Splicer

Application:
12' long center splicer for panels.

Features:
Rigid plastic.

Stock Color:
White.



Part Number	Packed	Wt./Ea.
940-12	1	1 Lb.

Some items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Shelf & Binning Accessories

No. 340 Wire Fence

Application:


Designed for use with #5400 Perforated Metal Shelving.

Features:

Smooth, rounded top wire to eliminate snags.

Stock Finish:

Britetone.



Part Number	Height	Shelf Length	Packed/Ctn.	Wt./Ctn.
340-30	3"	30"	8	12 Lbs.
340-36	3"	36"	8	15 Lbs.
340-48	3"	48"	8	18 Lbs.

No. 328 Wire Divider

Application:


Designed for use with #5400 Perforated Metal Shelving.

Features:

Strong, attractive shelf divider.

Stock Finish: Britetone.

Special Order: Special order to fit 1/4" shelves.



Part Number	Width	Height	Packed/Ctn.	Wt./Ctn.
328	12"	4"	12	3 Lbs.
329	14"	4"	12	3 1/4 Lbs.
330	12"	8"	12	6 Lbs.
331	14"	8"	12	6 1/2 Lbs.
332	16"	8"	12	7 Lbs.

No. 342 Wire Dividers


Application:

Designed for use with #5400 Perforated Metal Shelving.

Features:

Smooth, rounded top wire to eliminate snags.

Stock Finish: Britetone.



Part Number	Height	Shelf Length	Packed/Ctn.	Wt./Ctn.
342-8	3"	8"	12	3 Lbs.
342-10	3"	10"	12	3 3/4 Lbs.
342-12	3"	12"	12	5 1/2 Lbs.
342-14	3"	14"	12	6 Lbs.
342-16	3"	16"	12	6 1/2 Lbs.
342-18	3"	18"	12	6 3/4 Lbs.
342-22	3"	22"	12	7 Lbs.
342-24	3"	24"	12	7 1/2 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Shelf & Wire Accessories

No. 6266 Support Bar



Application:

Designed for use with double slotted standard and shelf brackets to support the entire length of a glass shelf.

Features:

Available in 12' lengths.

Stock Finish:

Brillatone (Satin Zinc).

Part Number	Overall Length	Length
6266-30	30"	29 1/2" center to center
6266-36	36"	35 1/2" center to center
6266-48	48"	47 1/2" center to center
6266-12	144"	144"

No. 8566 Support Bar



Application:

Designed for use with single slotted standard and shelf brackets to support the entire length of a glass shelf.

Features:

Available in 12' lengths.

Stock Finish:

Brillatone (Satin Zinc).

Part Number	Overall Length	Length
8566-30	30 1/2"	30" center to center
8566-36	36 1/2"	36" center to center
8566-48	48 1/2"	48" center to center
8566-144	144"	144"

No. 244/248 Wire Baskets

Application:


Fasten to No. 81 Bracket and mount on standards. Use with No. 254 Dividers.

Features:

1/2" mesh spacing on 8" depth, 7/8" on all others.

Stock Finish:

Brillatone (Zinc).



Basket Clip Nut & Bolt.

Part Number	Height	Depth	Length	Wt. /Ea.
244-8	7"	8"	36"	6 Lbs.
244-10	7"	10"	36"	5 1/2 Lbs.
244-12	7"	12"	36"	6 1/2 Lbs.
244-16	7"	16"	36"	7 Lbs.
244-22	7"	22"	36"	8 1/2 Lbs.

Part Number	Height	Depth	Length	Wt. /Ea.
248-8	7"	8"	48"	8 Lbs.
248-10	7"	10"	48"	8 Lbs.
248-12	7"	12"	48"	8 Lbs.
248-16	7"	16"	48"	8 Lbs.
248-22	7"	22"	48"	8 Lbs.

No. 254 Wire Divider

Application:


Use with No. 244 and No. 248 wire baskets.

Features:

Use to close ends or as divider in basket.

Stock Finish:

Brillatone (Zinc).



Part Number	Height	Depth	Wt./Ea.
254-8	6 1/2"	8"	1/2 Lbs.
254-10	6 1/2"	10"	1/2 Lbs.
254-12	6 1/2"	12"	3/4 Lbs.
254-16	6 1/2"	16"	1 Lbs.
254-22	6 1/2"	22"	1 1/2 Lbs.

No. 214/215 Jumble Basket

Application:


Designed for display of bulk merchandise.

Features:

Adjustable to four levels.

Stock Finish:


Brillatone (Zinc).



Part Number	Size	Width	Depth	Wt./Ea.
214	31"	22"	15"	5.93 Lbs.
215	30"	33"	24"	9.95 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes.

No. 21 Divider



Application:
For use with 3/16" or 1/4" thick partitions. Can be used either as top or bottom.
Stock Finish:
Brillatone (Zinc).

Part No.	Packed/Ctn.	Wt./Ctn.
21	100	1 1/2 Lbs.


No. 24 Divider



Application:
For use with 3/16" or 1/4" thick partitions. Can be used either as top or bottom.
Stock Finish:
Brillatone (Zinc).

Part No.	Packed/Ctn.	Wt./Ctn.
24	100	2 Lbs.

No. 25 Divider



Application:
For use with 3/16" or 1/4" thick partitions. Can be used either as top or bottom.
Stock Finish:
Brillatone (Zinc).

Part No.	Packed/Ctn.	Wt./Ctn.
25	100	2 Lbs.


No. 29 Divider



Application:
Designed to support divider on Perforated Metal Shelving.
Stock Finish:
Brillatone (Zinc).

Part No.	Packed/Ctn.	Wt./Ctn.
29	100	1 1/2 Lbs.


No. 30 Divider



Application:
Designed for use on 3/16" or 1/4" thick partitions.
Features: Base size 1" x 3". Prongs 1/2" wide by 1 3/8" high.
Stock Finish:
Brillatone (Zinc).

Part No.	Packed/Ctn.	Wt./Ctn.
30	100	1 1/2 Lbs.

No. 110 Corner



Application:
Use at corner of wood shelf to join two pieces of glass binning.
Features: Stainless steel channel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
110-2	2"	24	1 1/2 Lbs.
110-3	3"	24	1 1/2 Lbs.
110-4	4"	24	1 3/4 Lbs.
110-6	6"	24	2 Lbs.


No. 112 Splicer



Application:
Used to join two pieces of glass binning in line on wood shelf.
Features: Stainless steel channel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
112-2	2"	24	1 1/2 Lbs.
112-3	3"	24	1 1/2 Lbs.
112-4	4"	24	1 3/4 Lbs.
112-6	6"	24	2 Lbs.


No. 114 End Holder



Application:
Use at end of glass binning on wood shelves.
Features: Stainless steel channel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
114-2	2"	24	1 1/4 Lbs.
114-3	3"	24	1 1/4 Lbs.
114-4	4"	24	1 1/4 Lbs.
114-6	6"	24	1 1/4 Lbs.

No. 115 Banding Support



Application:
Attaches to wood shelf and bottom edge of glass binning.
Features: Stainless steel channel.

Part No.	Packed/Ctn.	Wt./Ctn.
115	24	1-1/2 Lbs.


No. 116-3 Support



Application:
Design for use with No. 116-T.
Features: Stainless steel channel.

Part No.	Packed/Ctn.	Wt./Ctn.
116-3	24	1 Lb.

No. 116-T Slotted Binning Strip



Application:
Designed for use with No. 116-3. Attach to front edge of wood shelf.
Features: 3/16" thick x 5/8" high. Ivory Polyethylene.

Part No.	Length	Packed/Ctn.	Wt./Ctn.
116-T	30"	10	1 1/2 Lbs.

No. 145 Corner



Application:
Designed for use on corners of perforated metal shelving.
Features: Bright Stainless steel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
145-2	2"	24	1 1/2 Lbs.
145-3	3"	24	1 1/2 Lbs.
145-4	4"	24	1 1/2 Lbs.

No. 146 Splicer



Application:
Designed to join pieces in line on perforated metal shelving.
Features: Stainless steel channel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
146-2	2"	24	1 1/2 Lbs.
146-3	3"	24	1 1/2 Lbs.
146-4	4"	24	1 1/2 Lbs.

No. 147 End Holder



Application:
Designed for use at back edge of perforated metal shelving.
Features: Stainless steel channel.

Part No.	Height	Packed/Ctn.	Wt./Ctn.
147-2	2"	24	1 1/2 Lbs.
147-3	3"	24	1 1/2 Lbs.
147-4	4"	24	1 1/2 Lbs.

No. 148 Banding Support



Application:
Designed for placement at center of longer binning glass to add stability on perforated metal shelving.
Features: Stainless steel channel.


Part No.	Packed/Ctn.	Wt./Ctn.
148	24	1 1/2 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Pegboard Hooks

No. 269 Peghook

Application:
Fits pegboard.
Features:
 $\frac{5}{32}$ " diameter wire.
Stock Finish:
Brillatone (Zinc).



Actual Size

 $\frac{5}{32}$ " Diameter Wire.

Part Number	Length	Packed/Ctn.	Wt./Ctn.
269-4	4"	100	4 Lbs.
269-6	6"	100	5 Lbs.
269-8	8"	100	6 Lbs.
269-10	10"	100	7 Lbs.

No. 271 Peghook

Application:
Fits pegboard.
Features:
 $\frac{1}{4}$ " diameter wire.
Stock Finish:
Brillatone (Zinc).



Actual Size


 $\frac{1}{4}$ " Diameter Wire.

* Also available with 90° tip.

Part Number	Length	Packed/Ctn.	Wt./Ctn.
271-4	4"	100	6 Lbs.
271-6	6"	100	7 Lbs.
271-8	8"	100	9 Lbs.
271-10	10"	100	10 Lbs.
271-12	12"	100	11 Lbs.

No. 279 Peghook

Application:
Fits pegboard.
Features:
 $\frac{3}{16}$ " diameter wire.
Stock Finish:
Brillatone (Zinc).



Actual Size


 $\frac{3}{16}$ " Diameter Wire.

* Also available with a 90° tip.

Part Number	Length	Packed/Ctn.	Wt./Ctn.
279-2	2"	100	4 Lbs.
279-4	4"	100	6 Lbs.
279-6	6"	100	7 Lbs.
279-8	8"	100	9 Lbs.
279-10	10"	100	11 Lbs.

No. 265 Peghook

Application:
Fits $\frac{1}{8}$ " or $\frac{1}{4}$ " pegboard.
Stock Finish:
Brillatone (Zinc).



Part Number	Size	Packed/Ctn.	Wt./Ctn.
265-1	$\frac{1}{2}$ "	100	1 Lb.
265-2 (shown)	1"	100	1 $\frac{1}{2}$ Lbs.
265-3	2"	100	
265-4	2 $\frac{1}{16}$ "	100	

All items can be made-to-order in a wide variety of plated or powder coated finishes.


Pegboard Accessories

No. 273 Scanner Hook

Application:
Design for use with pegboard and scanner ticket holders.

Features:
7 gauge (.177") diameter wire.
Fits 1/8" and 1/4" perforated board.

Stock Finish:
Brillatone (Zinc).




Part Number	Length	Packed/Ctn.	Wt./Ctn.
273-4	4"	100	11 Lbs.
273-6	6"	100	14 Lbs.
273-8	8"	100	16 Lbs.

No. 283 Scanner Hook

Application:
Designed for use with pegboard and scanner ticket holders.

Features:
4 gauge (.225") diameter wire.
Fits 1/4" perforated board.

Stock Finish:
Brillatone (Zinc).




Part Number	Length	Packed/Ctn.	Wt./Ctn.
283-6	6"	100	23 Lbs.
283-8	8"	100	24 Lbs.
283-10	10"	100	26 Lbs.
283-12	12"	100	28 Lbs.

No. 273/283 Ticket Holder For Scanner Hook

Application:
Designed for use with #273 and 283 Scanner Hook.

Features:
Can be used with 7-gauge or 4-gauge wire.




Part Number	Size	Stock Finish
273/283-LHC	1 1/16" x 3"	Clear
273/283-LHW	1 1/16" x 3"	White
273/2.5-LHC	1 1/16" x 2 1/2"	Clear


No. 277 Ticket and Card Holders

Application:
Designed for pegboard mount.

Stock Finish:
Chrome.



No. 277-3




No. 277-1
For paper tickets

Part Number	Length	Packed/Ctn.	Wt./Ctn.
277-1	7/8" x 3"	100	5 Lbs.
277-2-H	3 1/2" x 5 1/2"	12	41 Lbs.
277-3-H	5 1/2" x 7"	12	6 Lbs.
277-4-H	7" x 11"	12	10 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.



No. 274 Extra Heavy Double Hooks




Application:
Designed for hanging brooms, tennis rackets, long handled tools, and similar items.
Stock Finish:
Brillatone (Zinc) and P56 White.

Part Number	Length	Packed/Ctn.	Wt./Ea.
274-7	12"	12	9 Lbs.
274-7-V	12"	12	9 Lbs.
274-10	16"	6	9 Lbs.

No. 276-2 Adjustable Literature Easel


Application:
For most literature display.
Features:
Flexibility in adjustment allows use with many products.
Stock Finish:
Brillatone (Zinc).



Part Number	Packed/Ctn.	Wt./Ctn.
276-2	12	5 Lbs.

No. 278-1 Shovel Displayers


Application:
Designed for shovel, spading forks, and cultivators.
Features:
Slotted for six items.
Heavy duty back plate fits 1/4" pegboard.
Stock Finish:
Brillatone (Zinc).



Part Number	Packed/Ctn.	Wt./Ctn.
278-1	3	5 Lbs.


No. 275 Series Hangers (For 1/4" Pegboard)

Application:
For pegboard display of tools and similar merchandise.
Stock Finish:
Brillatone (Zinc).



Part Number	Packed/Ctn.	Wt./Ctn.
275-4	100	
275-6	100	3 Lbs.
275-7	100	

No. 278-3 Rake Displayers




Application:
Designed for garden rake and similar items.
Features:
Slotted for six items. Heavy duty back plate fits 1/4" pegboard.
Stock Finish: Brillatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
278-3	3	4 Lbs.


No. 272 Shelf Bracket

Application:
Holds glass or wood shelves on pegboard.
Stock Finish:
Brillatone (Satin Zinc).



No. 276-8 Hat or Ball Displayer

Application:
Designed for hats, balls, or similar merchandise.
Stock Finish:
Brillatone (Zinc).




Part Number	Packed/Ctn.	Wt./Ctn.
276-8	12	4 Lbs.

Part Number	Length	Packed/Ctn.	Wt./Ctn.
272-4	4"	12	1 3/4 Lbs.
272-6	6"	12	2 1/2 Lbs.
272-8	8"	12	3 1/4 Lbs.
272-10	10"	12	3 3/4 Lbs.
272-12	12"	12	4 1/2 Lbs.
272-14	14"	12	6 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Furniture Legs & Accessories

1 1/16" Diameter Round – Furniture Leg




Application:
Table and furniture leg.

Features:
1 1/4" diameter tube open at bottom for cutting to desired size.
3" x 4" plate with 4 3/16" diameter holes.

Stock Finish:
Satin Nickel.

Part Number	Length	Packed
Leg-6-NKL-R	6"	24
Leg-28-NKL-R	28"	24

1" Square – Furniture Leg




Application:
Table and furniture leg.

Features:
18-gauge 1" square tube open at bottom for insertion of leveler (#15) or plastic insert (#9).
3" x 4" plate with 4 3/16" diameter holes.


Stock Finish:
Satin Nickel and P51 Black Powder Coat.

Part Number	Length	Packed
Leg-6	6"	24
Leg-18	18"	24
Leg-28	28"	24
Leg-36	36"	24

No. 15/16 Levelers



#15



#16


Application:
Metal Leveler for tube standards and legs.

Features:
Approximately 1" adjustment.


Stock Finish:
Brillatone (Zinc) with White Nylon.

Part Number	Fits	Packed
15	1" sq. tube (No. 85 + Legs)	24
16	1 1/4" sq. tube (No. 84)	24

Plastic Inserts/Caps



#9



#11



#13


Application:
Plastic cap for tube standards and legs.

Stock Finish:
Black.

Part Number	Fits
9	1" sq. tube (No. 85 + Legs)
11	1 1/4" sq. tube (No. 84)
13	1 1/4" x 2" sq. tube (No. 80)

Some items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

No. 1212 Base Mount Standard




Application:
Designed for counter top or base mounting.

Features:
1 1/4" sq. tube standard (#84) welded to 4" x 4" base plate.

Stock Finish:
Brillatone (Satin Zinc).

Part Number	Length	Wt./Ea.
1212-24	24"	2 1/2 Lbs.
1212-30	30"	3 Lbs.
1212-36	36"	3 1/2 Lbs.
1212-42	42"	4 Lbs.
1212-48	48"	4 1/2 Lbs.

No. 1213 Base Mount Standard



Application:
Counter top or base mounting.

Features:
1 1/4" sq. tube standard (#84) welded to 4" x 4" base plate.

Stock Finish:
Brillatone (Satin Zinc) and Brass.


Part Number	Length	Wt./Ea.
1213-24	24"	2 1/2 Lbs.
1213-30	30"	3 Lbs.
1213-36	36"	3 1/2 Lbs.
1213-42	42"	4 Lbs.
1213-48	48"	4 1/2 Lbs.

Piece Goods Stands

Application:
Holds bolts of fabric.

Features:
34 3/4" long. Holds 13 full bolts.


Stock Finish:
Brillatone (Zinc).



No. 207



No. 202
Fits 36" to 42" table




No. 201

Part Number	Length	Packed	Wt./Ctn.
201	8" x 9" H	24	12 Lbs.
202	42" Diam.	3	17 Lbs.
206	28 3/4"	6	23 Lbs.
207	34 3/4"	6	27 Lbs.
210	46 3/4"	6	35 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

Signholder Components

No. 194 Signholder



Listed and shown in horizontal configuration. Also available in vertical configuration.

Part Number	Card Size	Packed/Ctn.	Wt./Ctn.
194-F-2	3½" x 5"	12	4 Lbs.
194-F-3	5½" x 7"	12	6 Lbs.
194-F-4	7" x 11"	12	10 Lbs.
194-F-5	11" x 14"	12	16 Lbs.
194-F-8	5½" x 22"	12	16 Lbs.

Application:


All base and stem mount.

Features:

Top slotted for easy sign installation.

Available in a wide variety of horizontal and vertical sizes.

No. 194-W Signholder (Wall Mount)



Part Number	Card Size	Packed/Ctn.	Wt./Ctn.
194-W-3	5½" x 7"	12	6 Lbs.


Application:

Perimeters and columns.

Features:

Tabs with holes for easy installation.

Signholder Stems



Application for No. 1312/18/24 Adjustable Stem:

Designed for signholders used on tables or counters.

Features:

Knurled thumbnut for easy adjustment.

Fits all Reeve Bases (page 6.18)

Part Number	Adj. Height	Packed/Ctn.	Wt./Ctn.
1312	12-23"	12	3 Lbs.
1318	18-35"	12	6 Lbs.
1324	24-46"	12	9 Lbs.

Application of Signholder Stem:

Fits #194-F Signholder frames and bases.

Features:

¾" diameter. 24 threads per inch.

Stock Finish: Britetone.

Fits all Reeve Bases (page 6.18)

Part Number	Height	Packed/Ctn.	Wt./Ea.
2-Stem	2"	24	.02 Lbs.
6-Stem	6"	24	.08 Lbs.
9-Stem	9"	24	.11 Lbs.
12-Stem	12"	24	.13 Lbs.
14-Stem	14"	24	.18 Lbs.
18-Stem	18"	24	.22 Lbs.
24-Stem	24"	24	.30 Lbs.

Signholder Stem


Adjustable Signholder Stem (shown at far left) No. 1312/18/24

No. 193 Signholder

Application:

Designed for stack use on tables or counters.

Stock Finish: Britetone.




Part Number	Card Size	Approx. Wt./Ctn.
193-2	3½" x 5½"	5 Lbs.
193-3	5½" x 7"	6 Lbs.
193-4	7" x 11"	7 Lbs.
193-5	11" x 14"	8 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

No. 456 Signholder Base

Part Number	Packed/Ctn.	Wt./Ctn.
456	12	15 Lbs.

Fits all Reeve Stems (page 6.17).



Application:
Free standing or screw mounted.


Features:
1/8" thick x 4" x 5" base.

Stock Finish:
Brillatone (Zinc).

No. 1338 Signholder Base (Thumbscrew)

Part Number	Fits Tube	Packed/Ctn.	Wt./Ctn.
1338	1"	24	5 Lbs.

Fits all Reeve Stems (page 6.17).




Application:
Designed to clamp onto any 1" square horizontal tubing.

Stock Finish:
Brillatone (Zinc).

No. 199 Signholder Base (Clamp Style)

Part Number	Fits Tube	Packed/Ctn.	Wt./Ctn.
199	1 1/8" Diam.	24	2 Lbs.

Fits all Reeve Stems (page 6.17).



Application:
Use on 1 1/8" diameter tubing.


Features:
Clamp style sign base.

Stock Finish:
Chrome.

No. 457 Narrow Base Signholder (Screw Mount)

Part Number	Size	Packed/Ctn.	Wt./Ctn.
457	1" x 4"	12	3 Lbs.

Fits all Reeve Stems (page 6.17).



Application:
Designed for gondola top or other screw mount surface.

Features:
Screw mount.
Stock Finish:
Brillatone (Zinc).

No. 449 Round Signholder Base

Part Number	Diam.	Packed/Ctn.	Wt./Ctn.
449	4"	12	10 Lbs.

Fits all Reeve Stems (page 6.17).



Application:
Use with 3/8" round stems.


Features:
24 threads per inch.

Stock Finish:
Polished Chrome.

No. 450 Round Signholder Base

Part Number	Diam.	Packed/Ctn.	Wt./Ctn.
450	6"	12	15 Lbs.

Fits all Reeve Stems (page 6.17).



Application:
Use with 3/8" round stems.

Features:
24 threads per inch.

Stock Finish:
Polished Chrome.

All items can be made-to-order in a wide variety of plated or powder coated finishes.

Signholders & Ticket Holders


No. 494 Economy Card Holder

Application:
Economical free-standing or screw mount card holder.

Features:
Bright chrome frame and stem.
Detachable Zinc base.


Stock Finish:
Britetone.

Specify "V" for vertical or
"H" for horizontal.




Part Number	Card Size	Stem	Packed/Ctn.	Wt./Pk.
494-3	5½" x 7"	8"	12	16 Lbs.
494-4	7" x 11"	10"	12	28 Lbs.
494-5	11" x 14"	10"	12	32 Lbs.

No. 600 Ticket Holder (Glass Bin)



(Right) Side view demonstrates how the Ticket Holder is angled for easy reading from above.




Application:
Designed for paper tickets only.

Features:
Ticket size: 7/8" x 2 7/8".

Stock Finish: Brillatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
600	100	5 Lbs.

No. 601 Ticket Holder (Wood Shelf)




Application:
Use with paper ticket.
Fits snugly over edge of 3/4" shelf.

Features:
Ticket size: 7/8" x 2 7/8".

Stock Finish: Brillatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
601	100	5 Lbs.

No. 497 Utility Card Holder




Application:
Card or ticket holder.

Features:
Base dimensions: Length=2 1/2", Width=1 1/4", Height=1 3/8".

Stock Finish:
Britatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
497	100	1 Lb.

No. 602 Ticket Holder (Wood Shelf)




Application:
Use with paper tickets.

Features:
Two tack holes for fastening to wood shelf. Ticket size: 7/8" x 2 7/8".

Stock Finish:
Britatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
602	100	3 1/2 Lbs.

No. 277-1 Ticket Holder (Peg Board)




Application:
Use with paper tickets only.

Features:
Ticket size: 7/8" x 2 7/8".

Stock Finish:
Britetone.

Part Number	Packed/Ctn.	Wt./Ctn.
277-1	100	5 Lbs.

No. 607 Ticket Holder (Wire Basket)



Application:
Use with paper tickets only.


Features:
Ticket size: 7/8" x 2 7/8".

Stock Finish:
Britatone (Zinc).

Part Number	Packed/Ctn.	Wt./Ctn.
607	100	3 1/2 Lbs.

All items can be made-to-order in a wide variety of plated or powder coated finishes.


No. 142 Top Shelf Support



Number	Length
142-8	8"
142-10	10"
142-12	12"
142-14	14"

For Use on No. 84, No. 1212, & 1213 Standards.


No. 143 Top Shelf Support



Number	Length
143-8	8"
143-10	10"
143-12	12"
143-14	14"

For Use on No. 80 Standard.

No. 7351 Glass Shelf Support



Application:


Adapts to the top cross tube of No. 7340 and No. 7362 Frame. Two sizes available. Two required per frame. No. 4 Rubber Buttons included.

Packed/Ctn.	Wt./Ctn.
12	11 Lbs.

No. 7351 – 12" for 12" x 60" Glass Shelf

No. 7351 – 14" for 14" x 60" Glass Shelf

No. 74 Adjustable Base




Packed/Ctn.	Wt./Ctn.
6	4 Lbs.

Application:

Adjustable elevation base to secure a standard to the floor with the use of screw.

No. 77 Mounting Plate




Packed/Ctn.	Wt./Ctn.
6	5 Lbs.

Application:

Inserts into the top of a tube standard to be secured to a ceiling.

All items can be made-to-order in a wide variety of plated or powder coated finishes.


No. 71-P Bracket



Application:
Pull-out garment display rod.


Packed/Ctn.	Wt./Ctn.
2	¾ Lbs.

No. 71-C Bracket




Application:
Pull-out garment display rod.
Features:
Attaches to 1" sq. tubing.

No. 8547 Bracket



Application:
Pull-out garment display rod to be used in Universal line standards.


No. 371/379 Series Pegs



Number	Number
371-4	379-4
371-6	379-6
371-8	379-8
371-12	379-12

Application:
The pegs are adaptable to all types of perforated metal panels whether the panels are of 22 or 20 gauge thickness, round, square or diamond shaped hole. This proven design allows the hook portion to enter the hole area and drops down into location.


No. 280 Series Pegs



● ¼" Diameter Wire Hook.

Number	Length
280	8"
280	10"
280	12"

No. 282 Series Pegs



● ⅜" Diameter Wire Hook.

Number	Length
282	4"
282	6"
282	8"
282	10"

Some items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.

No. 275-4 Round Hook



Application:
For 1/4" pegboard.
For pegboard displays of tools
and similar merchandise.

No. 1 & 2 White Plastic Tips



No. 1


No. 1:
Covers end of any 3/16" diameter peg



No. 2

No. 2:
Covers end of any 1/4" diameter peg

No. 288 Safety Hook



Application:
For 1/4" pegboard.
To hold tools and carded items.

No. 276-4 Easel Displayer




Packed/Ctn.	Wt./Ctn.
12	2 Lbs.

Application:
Holds boxes, books, etc.

No. 278-1 Shovel Displayer


Packed/Ctn.	Wt./Ctn.
3	5 Lbs.



Application:
Holds 6 shovels, spading forks, cultivators, etc.
This sturdy rack saves space and sells tools.

No. 278-2 Hoe Displayer

Packed/Ctn.	Wt./Ctn.
3	4 Lbs.



Application:
Six slots for displaying hoes or similar tools.
Extra sturdy construction.

No. 278-8 Handle Guide


Packed/Ctn.	Wt./Ctn.
3	4 Lbs.




Application:
To keep long handles in alignment.

Some items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.


Double Hooks




No. 274-1



No. 274-6



No. 274-8



No. 274-9

Number	Length
274-1	3"
274-6	6"
274-8	6"
274-9	3"


Application:
Fits 1/4" pegboard.
Holds various items such as tools, socks, craft items, etc.

No. 75-E Top Cap Sign Base




Packed/Ctn.	Wt./Ctn.
12	2 1/2 Lbs.

Application:
This cap is for the Reeve No. 80 Standard. The top fitting is a 3/8" - 24 thread to accommodate various lengths of card holder stems or the adjustable stems. Any comparable card holder with a 3/8" fitting can be adapted.




No. 1151 Top Glass Shelf Support



Application:
Fits over 1" sq. tubing to support a glass top.

No. 247 Small Item Jumbo Basket



Application:
3" x 6" x 17" to hang on perforated panels or set on any flat counter.

Packed/Ctn.	Wt./Ctn.
2	2 1/2 Lbs.

Some items can be made-to-order in a wide variety of plated or powder coated finishes and/or custom lengths.