



# Kitchen space organizers

## ***SALICE***





**Pull-out base filler** page 6



**Pull-out organizer** page 8



**Wire pull out drawers** page 9



**Smart corner** page 11



**Fly moon** page 12



**Swivel carousels** page 14



**Rotating pantry unit** page 16



**Straight pantry unit** page 17



**Maxi pantry unit** page 18



**Waste / Recycle** page 21



**Waste recycle pullouts** page 22



**Under the sink pullouts** page 24



**Waste recycle accessories** page 28

## General specifications



The picture shows right hand version.



### PRODUCT DETAILS

**CODE** = Product code


**W** = Width

**D** = Depth

**H** = Height

**Dx** = right

**Sx** = left



WIRE PARTS

BOTTOM MATERIAL

Pull-out pivoting shelves with non slip bottom. Non reversible

| Part#        | Depth   | Width | Height |
|--------------|---------|-------|--------|
| QFLY40DXM20M | 13-5/8" | 29"   | 3-3/8" |

The catalog part numbers do not specify the finish of the material. Add the desired finish code to the end of the part number when ordering.

Example - QFLY40DXM20M**VCH**

**C** - Chrome finish/  
White melamine

**VCH** - Champagne finish/  
American maple melamine

**VG** - Gray finish

Available colors:


Melamine bottom - American Maple, White or Gray

Steel wire parts - Chrome or Champagne (elliptical shape)



**VCH**

Champagne finish/American maple melamine



**C**

Chrome finish/White melamine

#### **CLEANING AND MAINTENANCE INSTRUCTIONS:**

Use a clean damp cloth, preferably microfiber (non-abrasive). Dry using a dry microfiber cloth.

# Pull-out base filler



## Technical Information


Minimum opening 6", 2-tier base organizer, full extension soft close, non slip melamine surface, for frame and frameless cabinets, load capacity 75 lbs (35 kg), 3-way door adjustment, comes fully assembled ready to be installed.

**Kit contents:** 2-tier side pull-out unit, full extension soft close slide, (2) adjustable door-mounting brackets, assembly instructions and drilling template.

### Door-mount bracket




Features:

Patented system; 3 way adjustability for alignment of the cabinet door: height (+/- 2 mm), side (+/- 3 mm) and depth (+ 4 mm) adjustments, easy installation with only two screws; suitable for standard style doors and five piece doors as well - Use a #2 pozi driver to adjust.



## Technical information

The drawing shows right hand version



Two-tier base organizer

| Part#       | Version | Depth   | Width  | Height |
|-------------|---------|---------|--------|--------|
| QELQAM6DXOM | Right   | 21-3/8" | 5-3/4" | 21"    |
| QELQAM6SXOM | Left    | 21-3/8" | 5-3/4" | 21"    |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom

# Pull-out base filler



## Technical Information


Minimum opening 4-1/2", 3-tier base organizer, full extension soft close, non slip melamine surface, for frame and frameless cabinets, load capacity 75 lbs (35 kg), 3-way door adjustment, comes fully assembled ready to be installed.

**Kit contents:** 3-tier side pull-out unit, full extension soft close slide, 2 adjustable door-mounting brackets, assembly instructions and drilling template.

### Door-mount bracket




Features:

Patented system; 3 way adjustability for alignment of the cabinet door: height (+/- 2 mm), side (+/- 3 mm) and depth (+ 4 mm) adjustments, easy installation with only two screws; suitable for standard style doors and five piece doors as well - Use a #2 pozi driver to adjust.



## Technical information

The drawing shows left hand version



Three-tier base organizer

| Part#       | Version | Depth   | Width  | Height  |
|-------------|---------|---------|--------|---------|
| QELQAM4DXOM | Right   | 21-3/8" | 4-1/4" | 22-5/8" |
| QELQAM4SXOM | Left    | 21-3/8" | 4-1/4" | 22-5/8" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom

# Pull-out organizer



## Technical Information


2-tier base organizer, offering easy access, full extension soft close, non slip melamine surface, for frame and frameless cabinets, load capacity 75 lbs (35 kg), 3-way door adjustment, comes fully assembled ready to be installed.

**Kit contents:** 2-tier base organizer, full extension soft close slide, (2) adjustable door-mounting brackets, snap-on pull-out dividers, assembly instructions and drilling template.




### Door-mount bracket

Features:

Patented system; 3 way adjustability for alignment of the door: height (+/- 2 mm), side (+/- 3 mm) and depth (+ 4 mm) adjustments, easy installation with only two screws; suitable for standard style doors and five piece doors as well - Use a #2 pozi driver to adjust.



## Technical information



| Part#        | Depth   | Width | Height |
|--------------|---------|-------|--------|
| QEGTAM12B20M | 21-3/8" | 12"   | 20"    |
| QEGTAM15B20M | 21-3/8" | 15"   | 20"    |
| QEGTAM18B20M | 21-3/8" | 18"   | 20"    |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom

# Wire pull out drawers





## Technical Information

Easy drawer insertion and removal; full extension soft close, non slip melamine surface, for frame and frameless cabinets, load capacity 75 lbs (35 kg). Side and bottom mount.

**Kit contents:** 1 drawer pull-out unit, Futura full extension soft close slide (533 mm), assembly instructions.

## Technical information



| Part#      | Depth   | Width | Height |
|------------|---------|-------|--------|
| QCCTAM120M | 21-3/8" | 12"   | 5-3/8" |
| QCCTAM150M | 21-3/8" | 15"   | 5-3/8" |
| QCCTAM180M | 21-3/8" | 18"   | 5-3/8" |
| QCCTAM210M | 21-3/8" | 21"   | 5-3/8" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom



Bottom mounted spacers and adjustable side mounted spacers for face frame cabinets. The spacers can be used for drawers, pull-outs and trash cans.

**Kit Includes:** 4 brackets, 2 spacers and attachment screws. (zinc coated)

| Part#  | Depth | Width | Height |
|--------|-------|-------|--------|
| QCCKDA | /     | /     | /      |

|  |   |
|--|---|
|  | Side mount no spacers                         |
|  | Bottom mount spacers                          |
|  | Side mount with 1 adjustable spacer minimized |
|  | Side mount with 1 adjustable spacer maximized |
|  | Side mount with 2 adjustable spacer minimized |
|  | Side mount with 2 adjustable spacer maximized |



The picture shows a left hand version

## Technical Information

Smart Corner unit requires a minimum door opening of 17". Easy assembly, full extension and soft closing system, open in one movement, automatically allows free access to the rear baskets, non slip surface, for frameless cabinets, load capacity: back shelves 44 lbs (20 kg) - front shelves 22 lbs (10 kg). Inside height min. 22-3/8". Non reversible.

**Kit contents:** base corner unit system, set of 4 baskets (2 front and 2 rear), full extension soft close slides (400 mm), adjustable door mounting bracket, assembly instructions.

The door opening angle can be adjusted in three different positions.




Additional handle available in the kit for hinged door.



## Technical information

The drawing shows right hand version


Top view - closed



Top view - open



**Note: the door protrusion must be considered for hinged door application.**



| Part#        | Version | Depth   | Width    | Height  |
|--------------|---------|---------|----------|---------|
| QSMC45DXFMOM | Right   | 19-1/4" | 33-5/16" | 22-3/8" |
| QSMC45SXFOM  | Left    | 19-1/4" | 33-5/16" | 22-3/8" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom



The two parts must be ordered separately.

## Technical Information

### An innovative and unique space saving corner unit.

The shelves can be pulled-out independently, trays are designed to increase storage surface, height adjustable shaft, easy to install. The mechanism is a patented system and can be easily fixed in on one side of the cabinet, non slip melamine surface, for frame and frameless cabinets, load capacity 44 lbs (20kg) per shelf, minimum door opening 85°, height of the shelf rail 70 mm (2-3/4" ).

**Shelf kit contents:** 2 pull-out pivoting shelves; metal plates for connection; assembly instruction.


Mechanism kit contents: mechanism with height adjustable shaft; brackets and extension pipe; assembly instruction.

**Soft close version available.**

The picture shows right hand version.

## Technical information

The drawing shows right hand version





2 pull-out pivoting shelves with non slip bottom. Handed (L or R).

| Part#        | Version | Min. opening | Depth    | Width    | Height |
|--------------|---------|--------------|----------|----------|--------|
| QFLY40DXM20M | Right   | 13-5/8"      | 16-1/32" | 29"      | 3-3/8" |
| QFLY40SXM20M | Left    | 13-5/8"      | 16-1/32" | 29"      | 3-3/8" |
| QFLY45DXM20M | Right   | 16"          | 17-3/8"  | 32-3/16" | 3-3/8" |
| QFLY45SXM20M | Left    | 16"          | 17-3/8"  | 32-3/16" | 3-3/8" |
| QFLY60DXM20M | Right   | 21"          | 18-3/4"  | 38-7/16" | 3-3/8" |
| QFLY60SXM20M | Left    | 21"          | 18-3/4"  | 38-7/16" | 3-3/8" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom



Corner mechanism suitable for 13-5/8" - 16" - 21" minimum door opening. Height adjustable from 26" to 32". Non reversible. Extension kit included.

| Soft close part # | Standard part # | Version | Min. opening | Height    |
|-------------------|-----------------|---------|--------------|-----------|
| QFLYASTM2DX       | QFLYAST2DX      | Right   | 13-5/8"      | 26" - 32" |
| QFLYASTM2SX       | QFLYAST2SX      | Left    | 13-5/8"      | 26" - 32" |
| QFLYASTM2DX       | QFLYAST2DX      | Right   | 16"          | 26" - 32" |
| QFLYASTM2SX       | QFLYAST2SX      | Left    | 16"          | 26" - 32" |
| QFLYASTM602DX     | QFLYAST602DX    | Right   | 21"          | 26" - 32" |
| QFLYASTM602SX     | QFLYAST602SX    | Left    | 21"          | 26" - 32" |

Available in:

**VCH** - Champagne finish



**VG** - Gray finish

# Swivel carousels




Suitable for base corner cabinets.  
Independent shelf rotation for easy access, non slip melamine surface,  
for frame and frameless cabinets.

## Technical information



Fast block fitting (B)






**Kit contents:** 2 pcs 3/4 circle pivoting carousels. Height adjustable shelves, load capacity per shelf 29 lbs (13 kg) for 28-3/16" and 35 lbs (16 kg) for 32-1/8", easy to install with "fast block fittings".

| Part#        | ø        | Width | Height |
|--------------|----------|-------|--------|
| QCG734FBM20M | 28-3/16" | /     | 4-3/8" |
| QCG834FBM20M | 32-1/8"  | /     | 4-3/8" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom



Ø 25 mm chrome-plated post for carousels with top and bottom fittings, height adjustable post from 25-7/16" to 31-1/16".

| Part#    | Depth  | Width  | Height              |
|----------|--------|--------|---------------------|
| QTB500/2 | 2-1/8" | 2-1/8" | 25-7/16" - 31-1/16" |

Available in:


**C** - Chrome finish

# Rotating pantry unit



## Frame

Height-adjustable frame, for overlay and inset doors.



| Part#   | Depth    | Width   | Full set height: slide + frame | Recommended # of Baskets |
|---------|----------|---------|--------------------------------|--------------------------|
| QCE1204 | 19-9/16" | 1-3/16" | 46-7/32" - 63-17/32"           | 3                        |
| QCE1604 | 19-9/16" | 1-3/16" | 61-31/32" - 79-9/32"           | 4                        |
| QCE1904 | 19-9/16" | 1-3/16" | 73-25/32" - 91-3/32"           | 5                        |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish



## Slide

Full extension pivoting slide with soft close return. 90° rotation of the frame to the right or to the left side. Load capacity 220 lbs (100 kg).

| Part#   | Depth     | Width | Height    |
|---------|-----------|-------|-----------|
| QGCFTMR | 19-11/16" | /     | 10-15/32" |



## Brackets

Adjustable door-mounting bracket, fast application to frame internal holes. For doors over 7' tall we suggest to use 3 door-mounting brackets.

| Part#   | Depth  | Width     | Height  |
|---------|--------|-----------|---------|
| QCK130N | 1-5/8" | 9-7/8"    | 1-3/16" |
| QCK140N | 1-5/8" | 13-13/16" | 1-3/16" |
| QCK145N | 1-5/8" | 15-3/4"   | 1-3/16" |
| QCK160N | 1-5/8" | 21-5/8"   | 1-3/16" |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish

## Installation

Min interior depth: 20-3/32"

Min interior opening: door-mounting bracket length +3/8"



## Basket

Easy insertion and removal, non slip melamine surface, height adjustable basket assembly.

| Part#      | Depth    | Width    | Height   |
|------------|----------|----------|----------|
| QCC30ASAOM | 16-3/16" | 9-11/16" | 3-11/16" |
| QCC40ASAOM | 16-3/16" | 13-5/8"  | 3-11/16" |
| QCC45ASAOM | 16-3/16" | 15-5/8"  | 3-11/16" |
| QCC60ASAOM | 16-3/16" | 21-1/2"  | 3-11/16" |

Available in:

**VCH** - Champagne finish

**C** - Chrome finish  
White melamine bottom


# Straight pantry unit



\* all parts must be ordered separately.

## Frame

Height-adjustable frame, for overlay and inset doors.



| Part#   | Depth    | Width   | Full set height: slide + frame | Recommended # of Baskets |
|---------|----------|---------|--------------------------------|--------------------------|
| QCE1205 | 19-9/16" | 1-3/16" | 41-23/32" - 59-1/16"           | 3                        |
| QCE1605 | 19-9/16" | 1-3/16" | 57-15/32" - 74-13/16"          | 4                        |
| QCE1905 | 19-9/16" | 1-3/16" | 69-9/32" - 86-5/8"             | 5                        |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish



## Slide

Full extension slide with soft close return.  
Load capacity 265 lbs (120 kg).

| Part#     | Depth   | Width | Height |
|-----------|---------|-------|--------|
| QGCFTM/13 | 18-7/8" | /     | 5-1/2" |



## Brackets

Adjustable door-mounting bracket, fast application to frame internal holes.  
For doors over 7' tall we suggest to use 3 door-mounting brackets.

| Part#   | Depth  | Width     | Height   |
|---------|--------|-----------|----------|
| QCK130N | 1-5/8" | 9-7/8"    | 1-13/16" |
| QCK140N | 1-5/8" | 13-13/16" | 1-13/16" |
| QCK145N | 1-5/8" | 15-3/4"   | 1-13/16" |
| QCK160N | 1-5/8" | 21-5/8"   | 1-13/16" |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish

## Installation

Min interior depth: 19-11/16"

Min interior opening: door-mounting bracket length +3/8"



## Basket

Easy insertion and removal, non slip melamine surface, height adjustable basket assembly.

| Part#      | Depth    | Width    | Height   |
|------------|----------|----------|----------|
| QCC30ASAOM | 16-3/16" | 9-11/16" | 3-11/16" |
| QCC40ASAOM | 16-3/16" | 13-5/8"  | 3-11/16" |
| QCC45ASAOM | 16-3/16" | 15-5/8"  | 3-11/16" |
| QCC60ASAOM | 16-3/16" | 21-1/2"  | 3-11/16" |

Available in:


**VCH** - Champagne finish

**C** - Chrome finish  
White melamine bottom

# Max pantry unit



- Integrated system that allows the pullouts to move forward as the door is opened.
- Tall pantry system that allows easy and full access to contents.
- Requires 165° opening hinges.
- For a 16-5/16" or 22-3/16" minimum opening.
- Load capacity 175 lbs (80 kgs).
- Reversible, for left or right hand doors.



## Frame

Pull-out frame for maxi-pantry unit.

**Minimum cabinet opening 16-5/16" or 22-3/16".**

| Part#   | Min. opening | Depth   | Width   | Height               | Recommended # of baskets |
|---------|--------------|---------|---------|----------------------|--------------------------|
| QCEM45B | 16-5/16"     | 18-3/4" | 12-7/8" | 48-1/32" - 61-13/16" | 3                        |
| QCEM60B | 22-3/16"     | 18-3/4" | 18-3/4" | 48-1/32" - 61-13/16" | 3                        |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish

| Part#   | Min. opening | Depth   | Width   | Height              | Recommended # of baskets |
|---------|--------------|---------|---------|---------------------|--------------------------|
| QCEM45M | 16-5/16"     | 18-3/4" | 12-7/8" | 61-13/16" - 75-5/8" | 4                        |
| QCEM60M | 22-3/16"     | 18-3/4" | 18-3/4" | 61-13/16" - 75-5/8" | 4                        |

Available in:

**VCH** - Champagne finish

**VG** - Gray finish


| Part#   | Min. opening | Depth   | Width   | Height            | Recommended # of baskets |
|---------|--------------|---------|---------|-------------------|--------------------------|
| QCEM45S | 16-5/16"     | 18-3/4" | 12-7/8" | 75-5/8" - 85-7/8" | 5                        |
| QCEM60S | 22-3/16"     | 18-3/4" | 18-3/4" | 75-5/8" - 85-7/8" | 5                        |

Available in:



**VCH** - Champagne finish

**VG** - Gray finish

## Technical information



## Easy fit system



### Basket

Basket for maxi-pantry unit. Easy insertion and removal, non slip melamine surface, height adjustable basket assembly with "Easy Fit System".

| Part#       | Min. opening | Depth    | Width   | Height |
|-------------|--------------|----------|---------|--------|
| QCEM45ACMOM | 16-5/16"     | 16-3/16" | 12-5/8" | 6-1/4" |
| QCEM60ACMOM | 22-3/16"     | 16-3/16" | 18-1/2" | 6-1/4" |

Available in:

**VCH** - Champagne wire/American maple melamine bottom

**C** - Chrome wire/White melamine bottom





**Product features:**

- Bottom mount or side mount.
- Full extension (500 mm).
- Soft close.
- Easy installation with only 4 screws.
- The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors.


**Waste Bins:**

- Recyclable, non toxic material.
- Resistant to low & high temperatures.
- Non deformable.
- Integrated handles for easy removal.



**Door-mount bracket**

Features:

The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Patented system; 3 way adjustability for alignment of the cabinet door: height (+/-2mm), Side (+/-3mm) and depth (+/-4mm), easy installation with only two screws; suitable for standard style doors and five piece doors as well. Use a #2 pozi driver to adjust.




**Adjustable for various width doors:**




| Mod.        | X         | Y         |
|-------------|-----------|-----------|
| QPAM12135CR | 10-7/8"   | 13-7/8"   |
| QPAM15228CR | 13-7/8"   | 16-7/8"   |
| QPAM18228CR | 16-7/8"   | 19-7/8"   |
| QPAM21235CR | 19-27/32" | 22-27/32" |

**Technical information**




Waste recycle pullouts






**12"** Base pull-out waste bins. The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Soft close, wire bottom, full extension (500mm). Handle and door brackets included. One 35 Qt. plastic bin. The waste bins are equipped with handles to easily keep your trash bag inside and lift cans up. Bottom mount.

| Part#       | Depth   | Width | Height  |
|-------------|---------|-------|---------|
| QPAM12135CR | 19-5/8" | 12"   | 19-1/2" |




**15"** Base pull-out waste bins. The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Soft close, wire bottom, full extension (500mm). Handle and door brackets included. Two 32 Qt. plastic bins. The waste bins are equipped with handles to easily keep your trash bag inside and lift cans up. Bottom mount.

| Part#       | Depth   | Width | Height  |
|-------------|---------|-------|---------|
| QPAM15228CR | 19-5/8" | 15"   | 19-1/2" |



**18"** Base pull-out waste bins. The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Soft close, wire bottom, full extension (500mm). Handle and door brackets included. Two 32 Qt. plastic bins. The waste bins are equipped with handles to easily keep your trash bag inside and lift cans up. Bottom mount.

| Part#       | Depth   | Width | Height  |
|-------------|---------|-------|---------|
| QPAM18228CR | 19-5/8" | 18"   | 19-1/2" |



**21"** Base pull-out waste bins. The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Soft close, wire bottom, full extension (500mm). Handle and door brackets included. Two 35 Qt. plastic bins. The waste bins are equipped with handles to easily keep your trash bag inside and lift cans up. Bottom mount.

| Part#       | Depth   | Width | Height  |
|-------------|---------|-------|---------|
| QPAM21235CR | 19-5/8" | 21"   | 19-1/2" |

# Single 50qt waste recycle pullout



### Product features:

- Adjustable door mount bracket.
- Bottom mounted.
- Full extension.
- Soft close.
- Door mount brackets included in the kit.
- Load capacity: 100 lbs.
- One 50 qt and one 11 qt plastic bins.
- Dimension: 22" D x 11-1/2" W x 24-1/16" H.

### Waste Bins:

- Recyclable, non toxic material.
- Resistant to low & high temperatures.
- Non deformable.
- Integrated handles for easy removal.
- Lid available (sold separately).



Large load capacity bin. Full extension slides with over-travel functionality for easy access to the waste containers. The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors. Easy installation: pre-mounted on a specially designed metal frame.

| Part#       | Depth | Width   | Height   |
|-------------|-------|---------|----------|
| QPAM12150CR | 22"   | 11-1/2" | 24-1/16" |

## Double 50qt waste recycle pullout



### Product features:

- Adjustable door mount bracket.
- Bottom mounted.
- Full extension.
- Soft close.
- Door mount brackets included in the kit.
- Load capacity: 100 lbs.
- Two 50 qt plastic bins.
- Dimension: 22" D x 14-1/2" W x 24-1/16" H.

### Waste Bins:

- Recyclable, non toxic material.
- Resistant to low & high temperatures.
- Non deformable.
- Integrated plastic handles for easy removal.
- Lid available (sold separately).



Large load capacity bins. Full extension slides with over-travel functionality for easy access to the waste containers.

The adjustable door mount bracket allows to be used on various door widths; particularly 5-pieces doors.

Easy installation: pre-mounted on a specially designed metal frame.

| Part#       | Depth | Width   | Height   |
|-------------|-------|---------|----------|
| QPAM15250CR | 22"   | 14-1/2" | 24-1/16" |

## Under the sink pullouts




### Product features:

- Bottom mount.
- Full extension.
- Soft close.
- Easy installation with only 4 wood screws.
- Integrated handle.

### Waste Bins:

- Recyclable, non toxic material.
- Resistant to low & high temperatures.
- Non deformable.
- Integrated handles for easy removal.



**12"** Under the sink waste bins. Soft close, wire bottom, full extension. Handle included. Two 16 Qt. plastic bins with lids. The waste bins are equipped with handles to easily keep your trash bag inside and lift cans up. Bottom mount.

| Part#       | Depth   | Width    | Height  |
|-------------|---------|----------|---------|
| QPETAM332MC | 19-5/8" | 11- 3/4" | 14-1/2" |

Note: Front handle height 15-1/16"



**Product features:**

- Bottom mounted or side mounted.
- Full extension.
- Soft close.
- Easy installation with only 4 screws.
- Clip on handle included in the kit.
- Load capacity: 75 lbs.
- One 32 qt and rear basket for small storage.
- Dimension: 17-11/16" D x 15" W x 19-1/2" H.

**Waste Bins:**

- Recyclable, non toxic material.
- Resistant to low & high temperatures.
- Non deformable.
- Integrated handles for easy removal.
- Charcoal lid available (sold separately).



CONTAINER CAPACITY 32 QT.

Designed for 15" base cabinet with hinged door. Ideal for under sink kitchen and vanity cabinetry. Good for remodeling and upgrading cabinets.

| Part#       | Depth     | Width | Height  |
|-------------|-----------|-------|---------|
| QPAMS15130C | 17-11/16" | 15"   | 19-1/2" |



**Small bins**

All small bins can be put inside the standard bins and also externally attached to the cabinet door.

**3.2 Qt** silver gray polystyrene bin with small handle.



| Part#   | Depth  | Width    | Height  |
|---------|--------|----------|---------|
| QPAM03C | 7-7/8" | 7-23/32" | 3-9/16" |

**5.3 Qt** silver gray polystyrene bin with small handle.



| Part#   | Depth  | Width    | Height |
|---------|--------|----------|--------|
| QPAM05C | 7-7/8" | 7-23/32" | 7-3/3" |

**Standard waste bins**

All waste bins are equipped with folding handles which not only aid in the removal of the bin but, also hold the plastic bag in place.

**11 Qt** silver gray polystyrene waste bin with handle

**32 Qt** silver gray polystyrene waste bin with handle.



| Part#    | Depth   | Width    | Height   |
|----------|---------|----------|----------|
| QPAM111C | 7-3/16" | 8-17/32" | 14-1/2"  |
| QPAM128C | 14-3/8" | 8-5/8"   | 18-7/64" |

**35 Qt** silver gray polystyrene waste bin with handle.

**50 Qt** silver gray polystyrene waste bin with handle.




| Part#    | Depth     | Width   | Height   |
|----------|-----------|---------|----------|
| QPAM135C | 17-15/64" | 8-5/8"  | 18-7/64" |
| QPAM150C | 10-5/8"   | 13-3/4" | 22-7/16" |

**Accessories**


**Lid with filter**

A waste bin lid with dishwasher-safe and odor reducing filter.



| Part#    | Depth     | Width    | Waste bin |
|----------|-----------|----------|-----------|
| QPCOLAMF | 14-3/8"   | 8-5/8"   | 32 QUART  |
| QPCOXLMF | 17-15/64" | 8-5/8"   | 35 QUART  |
| QPCOXXMF | 12-7/8"   | 10-1/16" | 50 QUART  |
| QPCOLSMF | 7-11/16"  | 6-5/8"   | 11 QUART  |

**Replacement filter pack (5)**



| Part# | Depth | Width | Height |
|-------|-------|-------|--------|
| QPCSF | -     | -     | -      |





## **SALICE AMERICA INC.**

2123 CROWN CENTRE DRIVE  
CHARLOTTE, NC 28227  
TEL: 1.800.222.9652  
TEL: 704.841.7810  
FAX: 704.841.7808  
info.salice@saliceamerica.com  
www.saliceamerica.com



### **Digital content:**

- **PDF brochure**

**We reserve the right to change the technical specifications.**